

KALASIN ENGINEERING — C5 (REMOTE I/O SKID RIO-200 (CHASSIS 5))

SLOT-BY-SLOT I/O SOURCE AND DESTINATION WIRING SCHEDULE

Project Ref: x2608003

Rack Location: Remote I/O Enclosure RIO-200 (Process Floor 1F)

Network: EN4TR Fiber DLR Ring Node 5 (192.168.1.14)

Revision: Rev 3.6 | Date: 28-Sep-2026

CHASSIS ID

C5

ACTIVE SLOTS

4 Slots

TOTAL CAPACITY

112 Channels

ACTIVE POINTS

57 Points

SPARE POINTS

55 (49.1%)

PANEL LOCATION

Remote I/O Enclosu

C5 SLOT 01 — 1756-IB32 (DI)											Capacity: 32 Pts Active: 32 Spare: 0 (0.0%)					
Rack: Remote I/O Skid RIO-200 (Chassis 5) Location: Remote I/O Enclosure RIO-200 (Process Floor 1F) Protocol: EN4TR Fiber DLR Ring Node 5 (192.168.1.14)																
Source Specification (PLC Rack / Card Pin / Eplan Wire Tag)							Signal Spec			Destination Specification (Field JB / MCC / Terminal Pin / Instrument Tag)						
Point Ref ID	Pt	Ch	Module	PLC Tag Name	Card Pin	ePlan Wire Tag	Type	Signal Spec	Status	Destination	Location / Floor	TB / Fuse	Pin	Instrument Tag	Instrument Description	P&ID Drawing
C5-S01-P00	0	1	1756-IB32	FS-20201_DI_1	Pin 1	C5S1:1/C5S01-X1:1	DI	24VDC Dry Contact	ACTIVE	RIO-200	Slurry - Out Building 2nd Floor	C5S01-X1	-	FS-20201		3-25-01-202-PD-01
C5-S01-P01	1	2	1756-IB32	FT-913201_DI_1	Pin 2	C5S1:2/C5S01-X1:2	DI	24VDC Dry Contact	ACTIVE	RIO-200	Slurry - Out Building 2nd Floor	C5S01-X1	-	FT-913201		3-25-01-913-PD-02
C5-S01-P02	2	3	1756-IB32	FT-936201_DI_1	Pin 3	C5S1:3/C5S01-X1:3	DI	24VDC Dry Contact	ACTIVE	RIO-200	Slurry - Out Building 2nd Floor	C5S01-X1	-	FT-936201		3-25-01-930-PD-08
C5-S01-P03	3	4	1756-IB32	FT-936202_DI_1	Pin 4	C5S1:4/C5S01-X1:4	DI	24VDC Dry Contact	ACTIVE	RIO-200	Slurry - Out Building 2nd Floor	C5S01-X1	-	FT-936202		3-25-01-930-PD-07
C5-S01-P04	4	5	1756-IB32	LSL-814201_DI_1	Pin 5	C5S1:5/C5S01-X1:5	DI	24VDC Dry Contact	ACTIVE	RIO-200	Slurry - Out Building 2nd Floor	C5S01-X1	-	LSL-814201		3-25-01-814-PD-01
C5-S01-P05	5	6	1756-IB32	PK-913201_DI_1	Pin 6	C5S1:6/C5S01-X1:6	DI	24VDC Dry Contact	ACTIVE	RIO-200	Slurry - Out Building 2nd Floor	C5S01-X1	-	PK-913201		-
C5-S01-P06	6	7	1756-IB32	PK-913202_DI_1	Pin 7	C5S1:7/C5S01-X1:7	DI	24VDC Dry Contact	ACTIVE	RIO-200	Slurry - Out Building 2nd Floor	C5S01-X1	-	PK-913202		-
C5-S01-P07	7	8	1756-IB32	HV-20204_DI_1	Pin 8	C5S1:8/C5S01-X1:8	DI	24VDC Dry Contact	ACTIVE	RIO-200	Slurry - Out Building 2nd Floor	C5S01-X1	-	HV-20204	Manual Valve With Position Switch	3-25-01-202-PD-01
C5-S01-P08	8	9	1756-IB32	HV-20205_DI_1	Pin 9	C5S1:9/C5S01-X1:9	DI	24VDC Dry Contact	ACTIVE	RIO-200	Slurry - Out Building 2nd Floor	C5S01-X1	-	HV-20205	Manual Valve With Position Switch	3-25-01-202-PD-01

SOURCE SPECIFICATION (PLC RACK / CARD PIN / EPLAN WIRE TAG)							SIGNAL SPEC			DESTINATION SPECIFICATION (FIELD JB / MCC / TERMINAL PIN / INSTRUMENT TAG)						
Point Ref ID	Pt	Ch	Module	PLC Tag Name	Card Pin	ePlan Wire Tag	Type	Signal Spec	Status	Destination	Location / Floor	TB / Fuse	Pin	Instrument Tag	Instrument Description	P&ID Drawing
C5-S01-P09	9	10	1756-IB32	HV-20206_DI_1	Pin 10	C5S1:10/C5S01-X1:10	DI	24VDC Dry Contact	ACTIVE	RIO-200	Slurry - Out Building 2nd Floor	C5S01-X1	-	HV-20206	Manual Valve With Position Switch	3-25-01-202-PD-01
C5-S01-P10	10	11	1756-IB32	HV-20207_DI_1	Pin 11	C5S1:11/C5S01-X1:11	DI	24VDC Dry Contact	ACTIVE	RIO-200	Slurry - Out Building 2nd Floor	C5S01-X1	-	HV-20207	Manual Valve With Position Switch	3-25-01-202-PD-01
C5-S01-P11	11	12	1756-IB32	HV-20208_DI_1	Pin 12	C5S1:12/C5S01-X1:12	DI	24VDC Dry Contact	ACTIVE	RIO-200	Slurry - Out Building 2nd Floor	C5S01-X1	-	HV-20208	Manual Valve With Position Switch	3-25-01-202-PD-02
C5-S01-P12	12	13	1756-IB32	HV-20209_DI_1	Pin 13	C5S1:13/C5S01-X1:13	DI	24VDC Dry Contact	ACTIVE	RIO-200	Slurry - Out Building 2nd Floor	C5S01-X1	-	HV-20209	Manual Valve With Position Switch	3-25-01-202-PD-02
C5-S01-P13	13	14	1756-IB32	HV-20210_DI_1	Pin 14	C5S1:14/C5S01-X1:14	DI	24VDC Dry Contact	ACTIVE	RIO-200	Slurry - Out Building 2nd Floor	C5S01-X1	-	HV-20210	Manual Valve With Position Switch	3-25-01-202-PD-02
C5-S01-P14	14	15	1756-IB32	XA-80305A_DI_1	Pin 15	C5S1:15/C5S01-X1:15	DI	24VDC Dry Contact	ACTIVE	RIO-200	Slurry - Out Building 2nd Floor	C5S01-X1	-	XA-80305A		-
C5-S01-P15	15	16	1756-IB32	XA-80305B_DI_1	Pin 16	C5S1:16/C5S01-X1:16	DI	24VDC Dry Contact	ACTIVE	RIO-200	Slurry - Out Building 2nd Floor	C5S01-X1	-	XA-80305B		-
C5-S01-P16	16	17	1756-IB32	XA-80305C_DI_1	Pin 17	C5S1:17/C5S01-X2:17	DI	24VDC Dry Contact	ACTIVE	RIO-200	Slurry - Out Building 2nd Floor	C5S01-X2	-	XA-80305C		-
C5-S01-P17	17	18	1756-IB32	XA-80305D_DI_1	Pin 18	C5S1:18/C5S01-X2:18	DI	24VDC Dry Contact	ACTIVE	RIO-200	Slurry - Out Building 2nd Floor	C5S01-X2	-	XA-80305D		-
C5-S01-P18	18	19	1756-IB32	XA-80305E_DI_1	Pin 19	C5S1:19/C5S01-X2:19	DI	24VDC Dry Contact	ACTIVE	RIO-200	Slurry - Out Building 2nd Floor	C5S01-X2	-	XA-80305E		-
C5-S01-P19	19	20	1756-IB32	XA-80305F_DI_1	Pin 20	C5S1:20/C5S01-X2:20	DI	24VDC Dry Contact	ACTIVE	RIO-200	Slurry - Out Building 2nd Floor	C5S01-X2	-	XA-80305F		-
C5-S01-P20	20	21	1756-IB32	XA-80306A_DI_1	Pin 21	C5S1:21/C5S01-X2:21	DI	24VDC Dry Contact	ACTIVE	RIO-200	Slurry - Out Building 2nd Floor	C5S01-X2	-	XA-80306A		-

SOURCE SPECIFICATION (PLC RACK / CARD PIN / EPLAN WIRE TAG)							SIGNAL SPEC			DESTINATION SPECIFICATION (FIELD JB / MCC / TERMINAL PIN / INSTRUMENT TAG)						
Point Ref ID	Pt	Ch	Module	PLC Tag Name	Card Pin	ePlan Wire Tag	Type	Signal Spec	Status	Destination	Location / Floor	TB / Fuse	Pin	Instrument Tag	Instrument Description	P&ID Drawing
C5-S01-P21	21	22	1756-IB32	XA-80306B_DI_1	Pin 22	C5S1:22/C5S01-X2:22	DI	24VDC Dry Contact	ACTIVE	RIO-200	Slurry - Out Building 2nd Floor	C5S01-X2	-	XA-80306B		-
C5-S01-P22	22	23	1756-IB32	XA-80306C_DI_1	Pin 23	C5S1:23/C5S01-X2:23	DI	24VDC Dry Contact	ACTIVE	RIO-200	Slurry - Out Building 2nd Floor	C5S01-X2	-	XA-80306C		-
C5-S01-P23	23	24	1756-IB32	XA-80306D_DI_1	Pin 24	C5S1:24/C5S01-X2:24	DI	24VDC Dry Contact	ACTIVE	RIO-200	Slurry - Out Building 2nd Floor	C5S01-X2	-	XA-80306D		-
C5-S01-P24	24	25	1756-IB32	XA-80306E_DI_1	Pin 25	C5S1:25/C5S01-X2:25	DI	24VDC Dry Contact	ACTIVE	RIO-200	Slurry - Out Building 2nd Floor	C5S01-X2	-	XA-80306E		-
C5-S01-P25	25	26	1756-IB32	XA-80306F_DI_1	Pin 26	C5S1:26/C5S01-X2:26	DI	24VDC Dry Contact	ACTIVE	RIO-200	Slurry - Out Building 2nd Floor	C5S01-X2	-	XA-80306F		-
C5-S01-P26	26	27	1756-IB32	XV-20201_DI_1	Pin 27	C5S1:27/C5S01-X2:27	DI	24VDC Dry Contact	ACTIVE	RIO-200	Slurry - Out Building 2nd Floor	C5S01-X2	-	XV-20201		3-25-01-202-PD-01
C5-S01-P27	27	28	1756-IB32	XV-20201_DI_2	Pin 28	C5S1:28/C5S01-X2:28	DI	24VDC Dry Contact	ACTIVE	RIO-200	Slurry - Out Building 2nd Floor	C5S01-X2	-	XV-20201		3-25-01-202-PD-01
C5-S01-P28	28	29	1756-IB32	XV-20202_DI_1	Pin 29	C5S1:29/C5S01-X2:29	DI	24VDC Dry Contact	ACTIVE	RIO-200	Slurry - Out Building 2nd Floor	C5S01-X2	-	XV-20202		3-25-01-202-PD-01
C5-S01-P29	29	30	1756-IB32	XV-20202_DI_2	Pin 30	C5S1:30/C5S01-X2:30	DI	24VDC Dry Contact	ACTIVE	RIO-200	Slurry - Out Building 2nd Floor	C5S01-X2	-	XV-20202		3-25-01-202-PD-01
C5-S01-P30	30	31	1756-IB32	XV-20203_DI_1	Pin 31	C5S1:31/C5S01-X2:31	DI	24VDC Dry Contact	ACTIVE	RIO-200	Slurry - Out Building 2nd Floor	C5S01-X2	-	XV-20203		3-25-01-202-PD-01
C5-S01-P31	31	32	1756-IB32	XV-20203_DI_2	Pin 32	C5S1:32/C5S01-X2:32	DI	24VDC Dry Contact	ACTIVE	RIO-200	Slurry - Out Building 2nd Floor	C5S01-X2	-	XV-20203		3-25-01-202-PD-01

C5 SLOT 02 — 1756-IB32 (DI)

Rack: Remote I/O Skid RIO-200 (Chassis 5) | Location: Remote I/O Enclosure RIO-200 (Process Floor 1F) | Protocol: EN4TR Fiber DLR Ring Node 5 (192.168.1.14)

Capacity: 32 Pts | Active: 8 | Spare: 24 (75.0%)

SOURCE SPECIFICATION (PLC RACK / CARD PIN / EPLAN WIRE TAG)							SIGNAL SPEC			DESTINATION SPECIFICATION (FIELD JB / MCC / TERMINAL PIN / INSTRUMENT TAG)						
Point Ref ID	Pt	Ch	Module	PLC Tag Name	Card Pin	ePlan Wire Tag	Type	Signal Spec	Status	Destination	Location / Floor	TB / Fuse	Pin	Instrument Tag	Instrument Description	P&ID Drawing
C5-S02-P00	0	1	1756-IB32	XV-20211_DI_1	Pin 1	C5S2:1/C5S02-X1:1	DI	24VDC Dry Contact	ACTIVE	RIO-200	Slurry - Out Building 2nd Floor	C5S02-X1	-	XV-20211		3-25-01-202-PD-01
C5-S02-P01	1	2	1756-IB32	XV-20211_DI_2	Pin 2	C5S2:2/C5S02-X1:2	DI	24VDC Dry Contact	ACTIVE	RIO-200	Slurry - Out Building 2nd Floor	C5S02-X1	-	XV-20211		3-25-01-202-PD-01
C5-S02-P02	2	3	1756-IB32	XV-20212_DI_1	Pin 3	C5S2:3/C5S02-X1:3	DI	24VDC Dry Contact	ACTIVE	RIO-200	Slurry - Out Building 2nd Floor	C5S02-X1	-	XV-20212		3-25-01-202-PD-01
C5-S02-P03	3	4	1756-IB32	XV-20212_DI_2	Pin 4	C5S2:4/C5S02-X1:4	DI	24VDC Dry Contact	ACTIVE	RIO-200	Slurry - Out Building 2nd Floor	C5S02-X1	-	XV-20212		3-25-01-202-PD-01
C5-S02-P04	4	5	1756-IB32	XV-20213_DI_1	Pin 5	C5S2:5/C5S02-X1:5	DI	24VDC Dry Contact	ACTIVE	RIO-200	Slurry - Out Building 2nd Floor	C5S02-X1	-	XV-20213		3-25-01-202-PD-01
C5-S02-P05	5	6	1756-IB32	XV-20213_DI_2	Pin 6	C5S2:6/C5S02-X1:6	DI	24VDC Dry Contact	ACTIVE	RIO-200	Slurry - Out Building 2nd Floor	C5S02-X1	-	XV-20213		3-25-01-202-PD-01
C5-S02-P06	6	7	1756-IB32	XV-913201_DI_1	Pin 7	C5S2:7/C5S02-X1:7	DI	24VDC Dry Contact	ACTIVE	RIO-200	Slurry - Out Building 2nd Floor	C5S02-X1	-	XV-913201		3-25-01-913-PD-02
C5-S02-P07	7	8	1756-IB32	XV-913201_DI_1	Pin 8	C5S2:8/C5S02-X1:8	DI	24VDC Dry Contact	ACTIVE	RIO-200	Slurry - Out Building 2nd Floor	C5S02-X1	-	XV-913201		3-25-01-913-PD-02
C5-S02-P08	8	9	1756-IB32	Spare_DI_0	Pin 9	C5S2:9/C5S02-X1:9	DI	24VDC Dry Contact	SPARE	RIO-200	Slurry - Out Building 2nd Floor	C5S02-X1	-	Spare	Spare Channel	-
C5-S02-P09	9	10	1756-IB32	Spare_DI_0	Pin 10	C5S2:10/C5S02-X1:10	DI	24VDC Dry Contact	SPARE	RIO-200	Slurry - Out Building 2nd Floor	C5S02-X1	-	Spare	Spare Channel	-
C5-S02-P10	10	11	1756-IB32	Spare_DI_0	Pin 11	C5S2:11/C5S02-X1:11	DI	24VDC Dry Contact	SPARE	RIO-200	Slurry - Out Building 2nd Floor	C5S02-X1	-	Spare	Spare Channel	-
C5-S02-P11	11	12	1756-IB32	Spare_DI_0	Pin 12	C5S2:12/C5S02-X1:12	DI	24VDC Dry Contact	SPARE	RIO-200	Slurry - Out Building 2nd Floor	C5S02-X1	-	Spare	Spare Channel	-

Source Specification (PLC Rack / Card Pin / Eplan Wire Tag)							Signal Spec			Destination Specification (Field JB / MCC / Terminal Pin / Instrument Tag)						
Point Ref ID	Pt	Ch	Module	PLC Tag Name	Card Pin	ePlan Wire Tag	Type	Signal Spec	Status	Destination	Location / Floor	TB / Fuse	Pin	Instrument Tag	Instrument Description	P&ID Drawing
C5-S02-P12	12	13	1756-IB32	Spare_DI_0	Pin 13	C5S2:13/C5S02-X1:13	DI	24VDC Dry Contact	SPARE	RIO-200	Slurry - Out Building 2nd Floor	C5S02-X1	-	Spare	Spare Channel	-
C5-S02-P13	13	14	1756-IB32	Spare_DI_0	Pin 14	C5S2:14/C5S02-X1:14	DI	24VDC Dry Contact	SPARE	RIO-200	Slurry - Out Building 2nd Floor	C5S02-X1	-	Spare	Spare Channel	-
C5-S02-P14	14	15	1756-IB32	Spare_DI_0	Pin 15	C5S2:15/C5S02-X1:15	DI	24VDC Dry Contact	SPARE	RIO-200	Slurry - Out Building 2nd Floor	C5S02-X1	-	Spare	Spare Channel	-
C5-S02-P15	15	16	1756-IB32	Spare_DI_0	Pin 16	C5S2:16/C5S02-X1:16	DI	24VDC Dry Contact	SPARE	RIO-200	Slurry - Out Building 2nd Floor	C5S02-X1	-	Spare	Spare Channel	-
C5-S02-P16	16	17	1756-IB32	Spare_DI_0	Pin 17	C5S2:17/C5S02-X2:17	DI	24VDC Dry Contact	SPARE	RIO-200	Slurry - Out Building 2nd Floor	C5S02-X2	-	Spare	Spare Channel	-
C5-S02-P17	17	18	1756-IB32	Spare_DI_0	Pin 18	C5S2:18/C5S02-X2:18	DI	24VDC Dry Contact	SPARE	RIO-200	Slurry - Out Building 2nd Floor	C5S02-X2	-	Spare	Spare Channel	-
C5-S02-P18	18	19	1756-IB32	Spare_DI_0	Pin 19	C5S2:19/C5S02-X2:19	DI	24VDC Dry Contact	SPARE	RIO-200	Slurry - Out Building 2nd Floor	C5S02-X2	-	Spare	Spare Channel	-
C5-S02-P19	19	20	1756-IB32	Spare_DI_0	Pin 20	C5S2:20/C5S02-X2:20	DI	24VDC Dry Contact	SPARE	RIO-200	Slurry - Out Building 2nd Floor	C5S02-X2	-	Spare	Spare Channel	-
C5-S02-P20	20	21	1756-IB32	Spare_DI_0	Pin 21	C5S2:21/C5S02-X2:21	DI	24VDC Dry Contact	SPARE	RIO-200	Slurry - Out Building 2nd Floor	C5S02-X2	-	Spare	Spare Channel	-
C5-S02-P21	21	22	1756-IB32	Spare_DI_0	Pin 22	C5S2:22/C5S02-X2:22	DI	24VDC Dry Contact	SPARE	RIO-200	Slurry - Out Building 2nd Floor	C5S02-X2	-	Spare	Spare Channel	-
C5-S02-P22	22	23	1756-IB32	Spare_DI_0	Pin 23	C5S2:23/C5S02-X2:23	DI	24VDC Dry Contact	SPARE	RIO-200	Slurry - Out Building 2nd Floor	C5S02-X2	-	Spare	Spare Channel	-
C5-S02-P23	23	24	1756-IB32	Spare_DI_0	Pin 24	C5S2:24/C5S02-X2:24	DI	24VDC Dry Contact	SPARE	RIO-200	Slurry - Out Building 2nd Floor	C5S02-X2	-	Spare	Spare Channel	-
C5-S02-P24	24	25	1756-IB32	Spare_DI_0	Pin 25	C5S2:25/C5S02-X2:25	DI	24VDC Dry Contact	SPARE	RIO-200	Slurry - Out Building 2nd Floor	C5S02-X2	-	Spare	Spare Channel	-

Source Specification (PLC Rack / Card Pin / Eplan Wire Tag)							Signal Spec			Destination Specification (Field JB / MCC / Terminal Pin / Instrument Tag)						
Point Ref ID	Pt	Ch	Module	PLC Tag Name	Card Pin	ePlan Wire Tag	Type	Signal Spec	Status	Destination	Location / Floor	TB / Fuse	Pin	Instrument Tag	Instrument Description	P&ID Drawing
C5-S02-P25	25	26	1756-IB32	Spare_DI_0	Pin 26	C5S2:26/C5S02-X2:26	DI	24VDC Dry Contact	SPARE	RIO-200	Slurry - Out Building 2nd Floor	C5S02-X2	-	Spare	Spare Channel	-
C5-S02-P26	26	27	1756-IB32	Spare_DI_0	Pin 27	C5S2:27/C5S02-X2:27	DI	24VDC Dry Contact	SPARE	RIO-200	Slurry - Out Building 2nd Floor	C5S02-X2	-	Spare	Spare Channel	-
C5-S02-P27	27	28	1756-IB32	Spare_DI_0	Pin 28	C5S2:28/C5S02-X2:28	DI	24VDC Dry Contact	SPARE	RIO-200	Slurry - Out Building 2nd Floor	C5S02-X2	-	Spare	Spare Channel	-
C5-S02-P28	28	29	1756-IB32	Spare_DI_0	Pin 29	C5S2:29/C5S02-X2:29	DI	24VDC Dry Contact	SPARE	RIO-200	Slurry - Out Building 2nd Floor	C5S02-X2	-	Spare	Spare Channel	-
C5-S02-P29	29	30	1756-IB32	Spare_DI_0	Pin 30	C5S2:30/C5S02-X2:30	DI	24VDC Dry Contact	SPARE	RIO-200	Slurry - Out Building 2nd Floor	C5S02-X2	-	Spare	Spare Channel	-
C5-S02-P30	30	31	1756-IB32	Spare_DI_0	Pin 31	C5S2:31/C5S02-X2:31	DI	24VDC Dry Contact	SPARE	RIO-200	Slurry - Out Building 2nd Floor	C5S02-X2	-	Spare	Spare Channel	-
C5-S02-P31	31	32	1756-IB32	Spare_DI_0	Pin 32	C5S2:32/C5S02-X2:32	DI	24VDC Dry Contact	SPARE	RIO-200	Slurry - Out Building 2nd Floor	C5S02-X2	-	Spare	Spare Channel	-

C5 SLOT 03 — 1756-OB32 (DO) Rack: Remote I/O Skid RIO-200 (Chassis 5) Location: Remote I/O Enclosure RIO-200 (Process Floor 1F) Protocol: EN4TR Fiber DLR Ring Node 5 (192.168.1.14) Capacity: 32 Pts Active: 8 Spare: 24 (75.0%)																
SOURCE SPECIFICATION (PLC RACK / CARD PIN / EPLAN WIRE TAG)							SIGNAL SPEC			DESTINATION SPECIFICATION (FIELD JB / MCC / TERMINAL PIN / INSTRUMENT TAG)						
Point Ref ID	Pt	Ch	Module	PLC Tag Name	Card Pin	ePlan Wire Tag	Type	Signal Spec	Status	Destination	Location / Floor	TB / Fuse	Pin	Instrument Tag	Instrument Description	P&ID Drawing
C5-S03-P00	0	1	1756-OB32	XA-92201_D0_1	Pin 1	C5S3:1/C5S03-X1:1	DO	24VDC Sourcing	ACTIVE	RIO-200	Slurry - Out Building 2nd Floor	C5S03-X1	-	XA-92201		3-25-01-922-PD-03
C5-S03-P01	1	2	1756-OB32	XV-20201_D0_1	Pin 2	C5S3:2/C5S03-X1:2	DO	24VDC Sourcing	ACTIVE	RIO-200	Slurry - Out Building 2nd Floor	C5S03-X1	-	XV-20201		3-25-01-202-PD-01
C5-S03-P02	2	3	1756-OB32	XV-20202_D0_1	Pin 3	C5S3:3/C5S03-X1:3	DO	24VDC Sourcing	ACTIVE	RIO-200	Slurry - Out Building 2nd Floor	C5S03-X1	-	XV-20202		3-25-01-202-PD-01
C5-S03-P03	3	4	1756-OB32	XV-20203_D0_1	Pin 4	C5S3:4/C5S03-X1:4	DO	24VDC Sourcing	ACTIVE	RIO-200	Slurry - Out Building 2nd Floor	C5S03-X1	-	XV-20203		3-25-01-202-PD-01
C5-S03-P04	4	5	1756-OB32	XV-20211_D0_1	Pin 5	C5S3:5/C5S03-X1:5	DO	24VDC Sourcing	ACTIVE	RIO-200	Slurry - Out Building 2nd Floor	C5S03-X1	-	XV-20211		3-25-01-202-PD-01
C5-S03-P05	5	6	1756-OB32	XV-20212_D0_1	Pin 6	C5S3:6/C5S03-X1:6	DO	24VDC Sourcing	ACTIVE	RIO-200	Slurry - Out Building 2nd Floor	C5S03-X1	-	XV-20212		3-25-01-202-PD-01
C5-S03-P06	6	7	1756-OB32	XV-20213_D0_1	Pin 7	C5S3:7/C5S03-X1:7	DO	24VDC Sourcing	ACTIVE	RIO-200	Slurry - Out Building 2nd Floor	C5S03-X1	-	XV-20213		3-25-01-202-PD-01
C5-S03-P07	7	8	1756-OB32	XV-913201_D0_1	Pin 8	C5S3:8/C5S03-X1:8	DO	24VDC Sourcing	ACTIVE	RIO-200	Slurry - Out Building 2nd Floor	C5S03-X1	-	XV-913201		3-25-01-913-PD-02
C5-S03-P08	8	9	1756-OB32	Spare_D0_0	Pin 9	C5S3:9/C5S03-X1:9	DO	24VDC Sourcing	SPARE	RIO-200	Slurry - Out Building 2nd Floor	C5S03-X1	-	Spare	Spare Channel	-
C5-S03-P09	9	10	1756-OB32	Spare_D0_0	Pin 10	C5S3:10/C5S03-X1:10	DO	24VDC Sourcing	SPARE	RIO-200	Slurry - Out Building 2nd Floor	C5S03-X1	-	Spare	Spare Channel	-
C5-S03-P10	10	11	1756-OB32	Spare_D0_0	Pin 11	C5S3:11/C5S03-X1:11	DO	24VDC Sourcing	SPARE	RIO-200	Slurry - Out Building 2nd Floor	C5S03-X1	-	Spare	Spare Channel	-
C5-S03-P11	11	12	1756-OB32	Spare_D0_0	Pin 12	C5S3:12/C5S03-X1:12	DO	24VDC Sourcing	SPARE	RIO-200	Slurry - Out Building 2nd Floor	C5S03-X1	-	Spare	Spare Channel	-

SOURCE SPECIFICATION (PLC RACK / CARD PIN / EPLAN WIRE TAG)							SIGNAL SPEC			DESTINATION SPECIFICATION (FIELD JB / MCC / TERMINAL PIN / INSTRUMENT TAG)						
Point Ref ID	Pt	Ch	Module	PLC Tag Name	Card Pin	ePlan Wire Tag	Type	Signal Spec	Status	Destination	Location / Floor	TB / Fuse	Pin	Instrument Tag	Instrument Description	P&ID Drawing
C5-S03-P12	12	13	1756-OB32	Spare_D0_0	Pin 13	C5S3:13/C5S03-X1:13	DO	24VDC Sourcing	SPARE	RIO-200	Slurry - Out Building 2nd Floor	C5S03-X1	-	Spare	Spare Channel	-
C5-S03-P13	13	14	1756-OB32	Spare_D0_0	Pin 14	C5S3:14/C5S03-X1:14	DO	24VDC Sourcing	SPARE	RIO-200	Slurry - Out Building 2nd Floor	C5S03-X1	-	Spare	Spare Channel	-
C5-S03-P14	14	15	1756-OB32	Spare_D0_0	Pin 15	C5S3:15/C5S03-X1:15	DO	24VDC Sourcing	SPARE	RIO-200	Slurry - Out Building 2nd Floor	C5S03-X1	-	Spare	Spare Channel	-
C5-S03-P15	15	16	1756-OB32	Spare_D0_0	Pin 16	C5S3:16/C5S03-X1:16	DO	24VDC Sourcing	SPARE	RIO-200	Slurry - Out Building 2nd Floor	C5S03-X1	-	Spare	Spare Channel	-
C5-S03-P16	16	17	1756-OB32	Spare_D0_0	Pin 17	C5S3:17/C5S03-X2:17	DO	24VDC Sourcing	SPARE	RIO-200	Slurry - Out Building 2nd Floor	C5S03-X2	-	Spare	Spare Channel	-
C5-S03-P17	17	18	1756-OB32	Spare_D0_0	Pin 18	C5S3:18/C5S03-X2:18	DO	24VDC Sourcing	SPARE	RIO-200	Slurry - Out Building 2nd Floor	C5S03-X2	-	Spare	Spare Channel	-
C5-S03-P18	18	19	1756-OB32	Spare_D0_0	Pin 19	C5S3:19/C5S03-X2:19	DO	24VDC Sourcing	SPARE	RIO-200	Slurry - Out Building 2nd Floor	C5S03-X2	-	Spare	Spare Channel	-
C5-S03-P19	19	20	1756-OB32	Spare_D0_0	Pin 20	C5S3:20/C5S03-X2:20	DO	24VDC Sourcing	SPARE	RIO-200	Slurry - Out Building 2nd Floor	C5S03-X2	-	Spare	Spare Channel	-
C5-S03-P20	20	21	1756-OB32	Spare_D0_0	Pin 21	C5S3:21/C5S03-X2:21	DO	24VDC Sourcing	SPARE	RIO-200	Slurry - Out Building 2nd Floor	C5S03-X2	-	Spare	Spare Channel	-
C5-S03-P21	21	22	1756-OB32	Spare_D0_0	Pin 22	C5S3:22/C5S03-X2:22	DO	24VDC Sourcing	SPARE	RIO-200	Slurry - Out Building 2nd Floor	C5S03-X2	-	Spare	Spare Channel	-
C5-S03-P22	22	23	1756-OB32	Spare_D0_0	Pin 23	C5S3:23/C5S03-X2:23	DO	24VDC Sourcing	SPARE	RIO-200	Slurry - Out Building 2nd Floor	C5S03-X2	-	Spare	Spare Channel	-
C5-S03-P23	23	24	1756-OB32	Spare_D0_0	Pin 24	C5S3:24/C5S03-X2:24	DO	24VDC Sourcing	SPARE	RIO-200	Slurry - Out Building 2nd Floor	C5S03-X2	-	Spare	Spare Channel	-
C5-S03-P24	24	25	1756-OB32	Spare_D0_0	Pin 25	C5S3:25/C5S03-X2:25	DO	24VDC Sourcing	SPARE	RIO-200	Slurry - Out Building 2nd Floor	C5S03-X2	-	Spare	Spare Channel	-

SOURCE SPECIFICATION (PLC RACK / CARD PIN / EPLAN WIRE TAG)							SIGNAL SPEC			DESTINATION SPECIFICATION (FIELD JB / MCC / TERMINAL PIN / INSTRUMENT TAG)						
Point Ref ID	Pt	Ch	Module	PLC Tag Name	Card Pin	ePlan Wire Tag	Type	Signal Spec	Status	Destination	Location / Floor	TB / Fuse	Pin	Instrument Tag	Instrument Description	P&ID Drawing
C5-S03-P25	25	26	1756-OB32	Spare_D0_0	Pin 26	C5S3:26/C5S03-X2:26	DO	24VDC Sourcing	SPARE	RIO-200	Slurry - Out Building 2nd Floor	C5S03-X2	-	Spare	Spare Channel	-
C5-S03-P26	26	27	1756-OB32	Spare_D0_0	Pin 27	C5S3:27/C5S03-X2:27	DO	24VDC Sourcing	SPARE	RIO-200	Slurry - Out Building 2nd Floor	C5S03-X2	-	Spare	Spare Channel	-
C5-S03-P27	27	28	1756-OB32	Spare_D0_0	Pin 28	C5S3:28/C5S03-X2:28	DO	24VDC Sourcing	SPARE	RIO-200	Slurry - Out Building 2nd Floor	C5S03-X2	-	Spare	Spare Channel	-
C5-S03-P28	28	29	1756-OB32	Spare_D0_0	Pin 29	C5S3:29/C5S03-X2:29	DO	24VDC Sourcing	SPARE	RIO-200	Slurry - Out Building 2nd Floor	C5S03-X2	-	Spare	Spare Channel	-
C5-S03-P29	29	30	1756-OB32	Spare_D0_0	Pin 30	C5S3:30/C5S03-X2:30	DO	24VDC Sourcing	SPARE	RIO-200	Slurry - Out Building 2nd Floor	C5S03-X2	-	Spare	Spare Channel	-
C5-S03-P30	30	31	1756-OB32	Spare_D0_0	Pin 31	C5S3:31/C5S03-X2:31	DO	24VDC Sourcing	SPARE	RIO-200	Slurry - Out Building 2nd Floor	C5S03-X2	-	Spare	Spare Channel	-
C5-S03-P31	31	32	1756-OB32	Spare_D0_0	Pin 32	C5S3:32/C5S03-X2:32	DO	24VDC Sourcing	SPARE	RIO-200	Slurry - Out Building 2nd Floor	C5S03-X2	-	Spare	Spare Channel	-

C5 SLOT 04 — 1756-IF16 (AI) Rack: Remote I/O Skid RIO-200 (Chassis 5) Location: Remote I/O Enclosure RIO-200 (Process Floor 1F) Protocol: EN4TR Fiber DLR Ring Node 5 (192.168.1.14) Capacity: 16 Pts Active: 9 Spare: 7 (43.8%)																
SOURCE SPECIFICATION (PLC RACK / CARD PIN / EPLAN WIRE TAG)							SIGNAL SPEC			DESTINATION SPECIFICATION (FIELD JB / MCC / TERMINAL PIN / INSTRUMENT TAG)						
Point Ref ID	Pt	Ch	Module	PLC Tag Name	Card Pin	ePlan Wire Tag	Type	Signal Spec	Status	Destination	Location / Floor	TB / Fuse	Pin	Instrument Tag	Instrument Description	P&ID Drawing
C5-S04-P00	0	1	1756-IF16	EXT-BIILER_AI_1	Pin 1	C5S4:1/C5S04-X1:1	AI	4-20mA HART	ACTIVE	RIO-200	Slurry - Out Building 2nd Floor	C5S04-X1	-	EXT-BIILER		External Remote Setpoint
C5-S04-P01	1	2	1756-IF16	FT-913201_AI_1	Pin 2	C5S4:2/C5S04-X1:2	AI	4-20mA HART	ACTIVE	RIO-200	Slurry - Out Building 2nd Floor	C5S04-X1	-	FT-913201		3-25-01-913-PD-02
C5-S04-P02	2	3	1756-IF16	FT-913201_AI_2	Pin 3	C5S4:3/C5S04-X1:3	AI	4-20mA HART	ACTIVE	RIO-200	Slurry - Out Building 2nd Floor	C5S04-X1	-	FT-913201		3-25-01-913-PD-02
C5-S04-P03	3	4	1756-IF16	FT-936201_AI_1	Pin 4	C5S4:4/C5S04-X1:4	AI	4-20mA HART	ACTIVE	RIO-200	Slurry - Out Building 2nd Floor	C5S04-X1	-	FT-936201		3-25-01-930-PD-08
C5-S04-P04	4	5	1756-IF16	FT-936202_AI_1	Pin 5	C5S4:5/C5S04-X1:5	AI	4-20mA HART	ACTIVE	RIO-200	Slurry - Out Building 2nd Floor	C5S04-X1	-	FT-936202		3-25-01-930-PD-07
C5-S04-P05	5	6	1756-IF16	LT-913201_AI_1	Pin 6	C5S4:6/C5S04-X1:6	AI	4-20mA HART	ACTIVE	RIO-200	Slurry - Out Building 2nd Floor	C5S04-X1	-	LT-913201	Level Transmitter	3-25-01-913-PD-01
C5-S04-P06	6	7	1756-IF16	PT-913201_AI_1	Pin 7	C5S4:7/C5S04-X1:7	AI	4-20mA HART	ACTIVE	RIO-200	Slurry - Out Building 2nd Floor	C5S04-X1	-	PT-913201	Pressure Transmitter	3-25-01-913-PD-02
C5-S04-P07	7	8	1756-IF16	XT-92201_AI_1	Pin 8	C5S4:8/C5S04-X1:8	AI	4-20mA HART	ACTIVE	RIO-200	Slurry - Out Building 2nd Floor	C5S04-X1	-	XT-92201		3-25-01-922-PD-03
C5-S04-P08	8	9	1756-IF16	XV-913201_AI_1	Pin 9	C5S4:9/C5S04-X1:9	AI	4-20mA HART	ACTIVE	RIO-200	Slurry - Out Building 2nd Floor	C5S04-X1	-	XV-913201		3-25-01-913-PD-02
C5-S04-P09	9	10	1756-IF16	Spare_AI_0	Pin 10	C5S4:10/C5S04-X1:10	AI	4-20mA HART	SPARE	RIO-200	Slurry - Out Building 2nd Floor	C5S04-X1	-	Spare	Spare Channel	3-25-01-913-PD-02
C5-S04-P10	10	11	1756-IF16	Spare_AI_0	Pin 11	C5S4:11/C5S04-X1:11	AI	4-20mA HART	SPARE	RIO-200	Slurry - Out Building 2nd Floor	C5S04-X1	-	Spare	Spare Channel	3-25-01-913-PD-02
C5-S04-P11	11	12	1756-IF16	Spare_AI_0	Pin 12	C5S4:12/C5S04-X1:12	AI	4-20mA HART	SPARE	RIO-200	Slurry - Out Building 2nd Floor	C5S04-X1	-	Spare	Spare Channel	3-25-01-913-PD-02

SOURCE SPECIFICATION (PLC RACK / CARD PIN / EPLAN WIRE TAG)							SIGNAL SPEC			DESTINATION SPECIFICATION (FIELD JB / MCC / TERMINAL PIN / INSTRUMENT TAG)						
Point Ref ID	Pt	Ch	Module	PLC Tag Name	Card Pin	ePlan Wire Tag	Type	Signal Spec	Status	Destination	Location / Floor	TB / Fuse	Pin	Instrument Tag	Instrument Description	P&ID Drawing
C5-S04-P12	12	13	1756-IF16	Spare_AI_0	Pin 13	C5S4:13/C5S04-X1:13	AI	4-20mA HART	SPARE	RIO-200	Slurry - Out Building 2nd Floor	C5S04-X1	-	Spare	Spare Channel	3-25-01-913-PD-02
C5-S04-P13	13	14	1756-IF16	Spare_AI_0	Pin 14	C5S4:14/C5S04-X1:14	AI	4-20mA HART	SPARE	RIO-200	Slurry - Out Building 2nd Floor	C5S04-X1	-	Spare	Spare Channel	3-25-01-913-PD-02
C5-S04-P14	14	15	1756-IF16	Spare_AI_0	Pin 15	C5S4:15/C5S04-X1:15	AI	4-20mA HART	SPARE	RIO-200	Slurry - Out Building 2nd Floor	C5S04-X1	-	Spare	Spare Channel	-
C5-S04-P15	15	16	1756-IF16	Spare_AI_0	Pin 16	C5S4:16/C5S04-X1:16	AI	4-20mA HART	SPARE	RIO-200	Slurry - Out Building 2nd Floor	C5S04-X1	-	Spare	Spare Channel	-