

KALASIN ENGINEERING — XCIP AUTOMATION SYSTEM

MASTER DESTINATION I/O TERMINATION & WIRING SCHEDULE

Project Ref: x2608003

Client: Ingredion Thailand (Kalasin Plant)

Discipline: Field Instrumentation & JB Termination

Revision: Rev 3.6 | Date: 28-Sep-2026

TOTAL DESTINATIONS 16 Enclosures	TOTAL FIELD I/O 1,210 Channels	ACTIVE SIGNALS 763 Points	FIELD SPARES 447 (36.9%)	HARDWARE RACKS 7 Chassis (C1-C7)	ENCLOSURE SPEC IP66 / SS304 / Ex i
-------------------------------------	-----------------------------------	------------------------------	-----------------------------	-------------------------------------	---------------------------------------

SECTION 1: MASTER DESTINATION ENCLOSURE & CAPACITY DIRECTORY

Dest ID	Enclosure Description	Plant Location / Floor	Dimensions	Enclosure Specification	Total	Active	Spare	Spare %	I/O Breakdown	Racks
MCC	Motor Control Center (MCC Room)	MCC Room Ground Floor	Custom Switchgear Lineup	MCC Switchgear & Bus Interface	237	169	68	28.7%	BUS:17 DI:125 DO:95	C6, C7
JB-607	Spray Dryer 7th Floor Junction Box	Spray Dryer Tower 7th Floor	800 x 600 x 250 mm	Standard Industrial (IP66 / SS304)	195	151	44	22.6%	AI:32 AO:5 BUS:1 DI:93 DO:64	C2, C3, C7
JB-401	Infeed Area 2nd Floor Junction Box	Infeed Processing 2nd Floor	800 x 600 x 250 mm	Standard Industrial (IP66 / SS304)	112	85	27	24.1%	AI:16 DI:64 DO:32	C1
RI0-200	Remote I/O Enclosure RIO-200	Slurry Outbuilding 2nd Floor	800 x 1000 x 400 mm	Remote I/O Skid Cabinet (DLR Fiber Node)	112	57	55	49.1%	AI:16 DI:64 DO:32	C5
JB-601	Spray Dryer 1st Floor Junction Box	Spray Dryer Floor 1F (Base)	500 x 400 x 200 mm	Standard Industrial (IP66 / SS304)	85	58	27	31.8%	AI:16 BUS:1 DI:51 DO:17	C1, C7
JB-602	Spray Dryer 3rd Floor Junction Box	Spray Dryer Floor 3F	800 x 600 x 250 mm	Standard Industrial (IP66 / SS304)	82	57	25	30.5%	AI:32 AO:2 DI:32 DO:16	C2, C3
JB-402	Jet Cooker 2nd Floor Junction Box	Jet Cooker Processing 2F	450 x 300 x 150 mm	Standard Industrial (IP66 / SS304)	65	41	24	36.9%	AI:16 AO:1 DI:32 DO:16	C2, C3
JB-612	Packing Tower 2nd Floor Junction Box	Packing Tower 2F (Intermediate)	450 x 300 x 150 mm	Standard Industrial (IP66 / SS304)	57	37	20	35.1%	AI:8 BUS:1 DI:32 DO:16	C4, C7
JB-618	Packing Tower 8th Floor Junction Box	Packing Tower 8F (Top Head)	450 x 300 x 150 mm	Standard Industrial (IP66 / SS304)	52	25	27	51.9%	AI:4 DI:16 DO:32	C3
IS-JB-618	Packing Tower 8th Floor Intrinsically Safe JB	Packing Tower 8F (Hazardous Vapor Area)	450 x 300 x 150 mm	Intrinsically Safe (Ex i Blue Terminals)	44	22	22	50.0%	AI:12 DI:32	C3
IS-JB-612	Packing Tower 2nd Floor Intrinsically Safe JB	Packing Tower 2F (Dust Hazard Area)	300 x 200 x 150 mm	Intrinsically Safe (Ex i Blue Terminals)	41	17	24	58.5%	AI:10 DI:31	C4
CA1	Main Control Panel CA1 Local Terminals	Control Room Cabinet CA1	1600 x 2000 x 800 mm	Main PLC Enclosure Internal Marshelling	32	0	32	100.0%	DI:16 DO:16	C1
IS-JB-603	Spray Dryer 3rd Floor Intrinsically Safe JB	Spray Dryer 3F (Internal Chamber Access)	300 x 200 x 150 mm	Intrinsically Safe (Ex i Blue Terminals)	32	22	10	31.2%	AI:16 DI:16	C3
IS-JB-608	Spray Dryer 8th Floor Intrinsically Safe JB	Spray Dryer 8F (Roof Atomizer Deck)	300 x 200 x 150 mm	Intrinsically Safe (Ex i Blue Terminals)	32	14	18	56.2%	AI:8 DI:16 DO:8	C4

Dest ID	Enclosure Description	Plant Location / Floor	Dimensions	Enclosure Specification	Total	Active	Spare	Spare %	I/O Breakdown	Racks
JB-606	Spray Dryer 6th Floor Junction Box	Spray Dryer 6F (Air Heater Section)	300 x 200 x 150 mm	Standard Industrial (IP66 / SS304)	26	7	19	73.1%	AI:2 DI:16 DO:8	C4
JB-608	Spray Dryer 8th Floor Temperature JB	Spray Dryer 8F (Top Plenum)	300 x 200 x 150 mm	Standard Industrial (IP66 / SS304)	6	1	5	83.3%	AI:6	C4

Section 1 Master Destination Schedule | Ingredion Sprint 18K Plant

All Junction Boxes comply with Sanitary Food & Beverage 3-A / Non-ATEX Requirements

DESTINATION: MCC — MOTOR CONTROL CENTER (MCC ROOM) Location: MCC Room Ground Floor Size: Custom Switchgear Lineup Spec: MCC Switchgear & Bus Interface										Total: 237 Pts Active: 169 Spare: 68 (28.7%) BUS:17 DI:125 DO:95						
DESTINATION SPECIFICATION (FIELD JB / MCC / TERMINAL PIN / FIELD DEVICE)							SIGNAL SPEC			SOURCE SPECIFICATION (PLC RACK / SLOT / CARD PIN / EPLAN WIRE TAG)						
Dest ID	Location	Terminal Block	Pin	Instrument Tag	Instrument Description	P&ID Drawing	Type	Signal Spec	Status	Point Ref ID	Rack	Slot	Ch	Module	PLC Tag Name	ePlan Wire Tag
MCC	MCC Room	C6S05-	-	PCM-2030		3-25-01-202-PD-01	DO	24VDC Sourcing	ACTIVE	C6-S05-P00	C6	5	1		PCM-2030_DO_1	C6S5:1/C6S05-:1
MCC	MCC Room	C6S05-	-	PCM-2030		3-25-01-202-PD-01	DO	24VDC Sourcing	ACTIVE	C6-S05-P01	C6	5	2		PCM-2030_DO_2	C6S5:2/C6S05-:2
MCC	MCC Room	C6S05-	-	PCM-2031		3-25-01-202-PD-01	DO	24VDC Sourcing	ACTIVE	C6-S05-P02	C6	5	3		PCM-2031_DO_1	C6S5:3/C6S05-:3
MCC	MCC Room	C6S05-	-	PCM-2031		3-25-01-202-PD-01	DO	24VDC Sourcing	ACTIVE	C6-S05-P03	C6	5	4		PCM-2031_DO_2	C6S5:4/C6S05-:4
MCC	MCC Room	C6S05-	-	PCY-814201	PUMP	-	DO	24VDC Sourcing	ACTIVE	C6-S05-P04	C6	5	5		PCY-814201_DO_1	C6S5:5/C6S05-:5
MCC	MCC Room	C6S05-	-	PCY-814202	PUMP	-	DO	24VDC Sourcing	ACTIVE	C6-S05-P05	C6	5	6		PCY-814202_DO_1	C6S5:6/C6S05-:6
MCC	MCC Room	C6S05-	-	XS-80305		-	DO	24VDC Sourcing	ACTIVE	C6-S05-P06	C6	5	7		XS-80305_DO_1	C6S5:7/C6S05-:7
MCC	MCC Room	C6S05-	-	XS-80306	Pressure Transmitter	-	DO	24VDC Sourcing	ACTIVE	C6-S05-P07	C6	5	8		XS-80306_DO_1	C6S5:8/C6S05-:8
MCC	MCC Room	C6S06-	-	PCM-2030		3-25-01-202-PD-01	DI	24VDC Dry Contact	ACTIVE	C6-S06-P00	C6	6	1		PCM-2030_DI_1	C6S6:1/C6S06-:1
MCC	MCC Room	C6S06-	-	PCM-2030		3-25-01-202-PD-01	DI	24VDC Dry Contact	ACTIVE	C6-S06-P01	C6	6	2		PCM-2030_DI_2	C6S6:2/C6S06-:2
MCC	MCC Room	C6S06-	-	PCM-2031		3-25-01-202-PD-01	DI	24VDC Dry Contact	ACTIVE	C6-S06-P02	C6	6	3		PCM-2031_DI_1	C6S6:3/C6S06-:3
MCC	MCC Room	C6S06-	-	PCM-2031		3-25-01-202-PD-01	DI	24VDC Dry Contact	ACTIVE	C6-S06-P03	C6	6	4		PCM-2031_DI_2	C6S6:4/C6S06-:4
MCC	MCC Room	C6S06-	-	PCY-814201	PUMP	-	DI	24VDC Dry Contact	ACTIVE	C6-S06-P04	C6	6	5		PCY-814201_DI_1	C6S6:5/C6S06-:5
MCC	MCC Room	C6S06-	-	PCY-814201	PUMP	-	DI	24VDC Dry Contact	ACTIVE	C6-S06-P05	C6	6	6		PCY-814201_DI_2	C6S6:6/C6S06-:6
MCC	MCC Room	C6S06-	-	PCY-814201	PUMP	-	DI	24VDC Dry Contact	ACTIVE	C6-S06-P06	C6	6	7		PCY-814201_DI_3	C6S6:7/C6S06-:7
MCC	MCC Room	C6S06-	-	PCY-814202	PUMP	-	DI	24VDC Dry Contact	ACTIVE	C6-S06-P07	C6	6	8		PCY-814202_DI_1	C6S6:8/C6S06-:8
MCC	MCC Room	C6S06-	-	PCY-814202	PUMP	-	DI	24VDC Dry Contact	ACTIVE	C6-S06-P08	C6	6	9		PCY-814202_DI_2	C6S6:9/C6S06-:9

Destination Specification (Field JB / MCC / Terminal Pin / Field Device)							Signal Spec			Source Specification (PLC Rack / Slot / Card Pin / EPLAN Wire Tag)						
Dest ID	Location	Terminal Block	Pin	Instrument Tag	Instrument Description	P&ID Drawing	Type	Signal Spec	Status	Point Ref ID	Rack	Slot	Ch	Module	PLC Tag Name	ePlan Wire Tag
MCC	MCC Room	C6S06-	-	PCY-814202	PUMP	-	DI	24VDC Dry Contact	ACTIVE	C6-S06-P09	C6	6	10		PCY-814202_DI_3	C6S6:10/C6S06-:10
MCC	MCC Room	C7S00-	-	ATY-40201	Tank Agitator	3-25-01-402-PD-01	BUS	4-20mA HART	ACTIVE	C7-S00-P00	C7	0	1		ATY-40201_BUS_1	C7S0:1/C7S00-:1
MCC	MCC Room	C7S00-	-	ATY-40202	Tank Agitator	3-25-01-402-PD-01	BUS	4-20mA HART	ACTIVE	C7-S00-P00	C7	0	1		ATY-40202_BUS_1	C7S0:1/C7S00-:1
MCC	MCC Room	C7S00-	-	ATY-40203	Tank Agitator	3-25-01-402-PD-02	BUS	4-20mA HART	ACTIVE	C7-S00-P00	C7	0	1		ATY-40203_BUS_1	C7S0:1/C7S00-:1
MCC	MCC Room	C7S00-	-	BFY-60206		-	BUS	4-20mA HART	ACTIVE	C7-S00-P00	C7	0	1		BFY-60206_BUS_1	C7S0:1/C7S00-:1
MCC	MCC Room	C7S00-	-	BFY-60210		-	BUS	4-20mA HART	ACTIVE	C7-S00-P00	C7	0	1		BFY-60210_BUS_1	C7S0:1/C7S00-:1
MCC	MCC Room	C7S00-	-	BFY-60211		-	BUS	4-20mA HART	ACTIVE	C7-S00-P00	C7	0	1		BFY-60211_BUS_1	C7S0:1/C7S00-:1
MCC	MCC Room	C7S00-	-	BFY-60220		-	BUS	4-20mA HART	ACTIVE	C7-S00-P00	C7	0	1		BFY-60220_BUS_1	C7S0:1/C7S00-:1
MCC	MCC Room	C7S00-	-	BFY-60240		-	BUS	4-20mA HART	ACTIVE	C7-S00-P00	C7	0	1		BFY-60240_BUS_1	C7S0:1/C7S00-:1
MCC	MCC Room	C7S00-	-	BFY-61301		-	BUS	4-20mA HART	ACTIVE	C7-S00-P00	C7	0	1		BFY-61301_BUS_1	C7S0:1/C7S00-:1
MCC	MCC Room	C7S00-	-	BFY-61302		-	BUS	4-20mA HART	ACTIVE	C7-S00-P00	C7	0	1		BFY-61302_BUS_1	C7S0:1/C7S00-:1
MCC	MCC Room	C7S00-	-	BFY-61303		-	BUS	4-20mA HART	ACTIVE	C7-S00-P00	C7	0	1		BFY-61303_BUS_1	C7S0:1/C7S00-:1
MCC	MCC Room	C7S00-	-	PCY-40201	PUMP	3-25-01-402-PD-01	BUS	4-20mA HART	ACTIVE	C7-S00-P00	C7	0	1		PCY-40201_BUS_1	C7S0:1/C7S00-:1
MCC	MCC Room	C7S00-	-	PCY-40202	PUMP	3-25-01-402-PD-01	BUS	4-20mA HART	ACTIVE	C7-S00-P00	C7	0	1		PCY-40202_BUS_1	C7S0:1/C7S00-:1
MCC	MCC Room	C7S00-	-	PCY-40203	PUMP	3-25-01-402-PD-02	BUS	4-20mA HART	ACTIVE	C7-S00-P00	C7	0	1		PCY-40203_BUS_1	C7S0:1/C7S00-:1
MCC	MCC Room	C7S00-	-	PCY-60215	PUMP	-	BUS	4-20mA HART	ACTIVE	C7-S00-P00	C7	0	1		PCY-60215_BUS_1	C7S0:1/C7S00-:1
MCC	MCC Room	C7S00-	-	PCY-814201	PUMP	-	BUS	4-20mA HART	ACTIVE	C7-S00-P00	C7	0	1		PCY-814201_BUS_1	C7S0:1/C7S00-:1
MCC	MCC Room	C7S00-	-	PCY-814202	PUMP	-	BUS	4-20mA HART	ACTIVE	C7-S00-P00	C7	0	1		PCY-814202_BUS_1	C7S0:1/C7S00-:1
MCC	MCC Room	C7S01-	-	Spare	Spare Channel	3-25-01-402-PD-01	DI	24VDC Dry Contact	SPARE	C7-S01-P00	C7	1	1		Spare_DI_0	C7S1:1/C7S01-:1

Destination Specification (Field JB / MCC / Terminal Pin / Field Device)							Signal Spec			Source Specification (PLC Rack / Slot / Card Pin / EPLAN Wire Tag)						
Dest ID	Location	Terminal Block	Pin	Instrument Tag	Instrument Description	P&ID Drawing	Type	Signal Spec	Status	Point Ref ID	Rack	Slot	Ch	Module	PLC Tag Name	ePlan Wire Tag
MCC	MCC Room	C7S01-	-	Spare	Spare Channel	3-25-01-402-PD-01	DI	24VDC Dry Contact	SPARE	C7-S01-P01	C7	1	2		Spare_DI_0	C7S1:2/C7S01-:2
MCC	MCC Room	C7S01-	-	Spare	Spare Channel	3-25-01-402-PD-01	DI	24VDC Dry Contact	SPARE	C7-S01-P02	C7	1	3		Spare_DI_0	C7S1:3/C7S01-:3
MCC	MCC Room	C7S01-	-	Spare	Spare Channel	3-25-01-402-PD-01	DI	24VDC Dry Contact	SPARE	C7-S01-P03	C7	1	4		Spare_DI_0	C7S1:4/C7S01-:4
MCC	MCC Room	C7S01-	-	Spare	Spare Channel	3-25-01-402-PD-01	DI	24VDC Dry Contact	SPARE	C7-S01-P04	C7	1	5		Spare_DI_0	C7S1:5/C7S01-:5
MCC	MCC Room	C7S01-	-	Spare	Spare Channel	3-25-01-402-PD-01	DI	24VDC Dry Contact	SPARE	C7-S01-P05	C7	1	6		Spare_DI_0	C7S1:6/C7S01-:6
MCC	MCC Room	C7S01-	-	Spare	Spare Channel	3-25-01-402-PD-01	DI	24VDC Dry Contact	SPARE	C7-S01-P06	C7	1	7		Spare_DI_0	C7S1:7/C7S01-:7
MCC	MCC Room	C7S01-	-	Spare	Spare Channel	3-25-01-402-PD-01	DI	24VDC Dry Contact	SPARE	C7-S01-P07	C7	1	8		Spare_DI_0	C7S1:8/C7S01-:8
MCC	MCC Room	C7S01-	-	ATY-40201	Tank Agitator	3-25-01-402-PD-01	DI	24VDC Dry Contact	ACTIVE	C7-S01-P08	C7	1	9		ATY-40201_DI_1	C7S1:9/C7S01-:9
MCC	MCC Room	C7S01-	-	ATY-40201	Tank Agitator	3-25-01-402-PD-01	DI	24VDC Dry Contact	ACTIVE	C7-S01-P09	C7	1	10		ATY-40201_DI_2	C7S1:10/C7S01-:10
MCC	MCC Room	C7S01-	-	ATY-40201	Tank Agitator	3-25-01-402-PD-01	DI	24VDC Dry Contact	ACTIVE	C7-S01-P10	C7	1	11		ATY-40201_DI_3	C7S1:11/C7S01-:11
MCC	MCC Room	C7S01-	-	ATY-40202	Tank Agitator	3-25-01-402-PD-01	DI	24VDC Dry Contact	ACTIVE	C7-S01-P11	C7	1	12		ATY-40202_DI_1	C7S1:12/C7S01-:12
MCC	MCC Room	C7S01-	-	ATY-40202	Tank Agitator	3-25-01-402-PD-01	DI	24VDC Dry Contact	ACTIVE	C7-S01-P12	C7	1	13		ATY-40202_DI_2	C7S1:13/C7S01-:13
MCC	MCC Room	C7S01-	-	ATY-40202	Tank Agitator	3-25-01-402-PD-01	DI	24VDC Dry Contact	ACTIVE	C7-S01-P13	C7	1	14		ATY-40202_DI_3	C7S1:14/C7S01-:14
MCC	MCC Room	C7S01-	-	ATY-40203	Tank Agitator	3-25-01-402-PD-02	DI	24VDC Dry Contact	ACTIVE	C7-S01-P14	C7	1	15		ATY-40203_DI_1	C7S1:15/C7S01-:15
MCC	MCC Room	C7S01-	-	ATY-40203	Tank Agitator	3-25-01-402-PD-02	DI	24VDC Dry Contact	ACTIVE	C7-S01-P15	C7	1	16		ATY-40203_DI_2	C7S1:16/C7S01-:16
MCC	MCC Room	C7S01-	-	ATY-40203	Tank Agitator	3-25-01-402-PD-02	DI	24VDC Dry Contact	ACTIVE	C7-S01-P16	C7	1	17		ATY-40203_DI_3	C7S1:17/C7S01-:17
MCC	MCC Room	C7S01-	-	PCY-40201	PUMP	3-25-01-402-PD-01	DI	24VDC Dry Contact	ACTIVE	C7-S01-P17	C7	1	18		PCY-40201_DI_1	C7S1:18/C7S01-:18
MCC	MCC Room	C7S01-	-	PCY-40201	PUMP	3-25-01-402-PD-01	DI	24VDC Dry Contact	ACTIVE	C7-S01-P18	C7	1	19		PCY-40201_DI_2	C7S1:19/C7S01-:19
MCC	MCC Room	C7S01-	-	PCY-40201	PUMP	3-25-01-402-PD-01	DI	24VDC Dry Contact	ACTIVE	C7-S01-P19	C7	1	20		PCY-40201_DI_3	C7S1:20/C7S01-:20

Destination Specification (Field JB / MCC / Terminal Pin / Field Device)							Signal Spec			Source Specification (PLC Rack / Slot / Card Pin / EPLAN Wire Tag)						
Dest ID	Location	Terminal Block	Pin	Instrument Tag	Instrument Description	P&ID Drawing	Type	Signal Spec	Status	Point Ref ID	Rack	Slot	Ch	Module	PLC Tag Name	ePlan Wire Tag
MCC	MCC Room	C7S01-	-	PCY-40202	PUMP	3-25-01-402-PD-01	DI	24VDC Dry Contact	ACTIVE	C7-S01-P20	C7	1	21		PCY-40202_DI_1	C7S1:21/C7S01-:21
MCC	MCC Room	C7S01-	-	PCY-40202	PUMP	3-25-01-402-PD-01	DI	24VDC Dry Contact	ACTIVE	C7-S01-P21	C7	1	22		PCY-40202_DI_2	C7S1:22/C7S01-:22
MCC	MCC Room	C7S01-	-	PCY-40202	PUMP	3-25-01-402-PD-01	DI	24VDC Dry Contact	ACTIVE	C7-S01-P22	C7	1	23		PCY-40202_DI_3	C7S1:23/C7S01-:23
MCC	MCC Room	C7S01-	-	PCY-40203	PUMP	3-25-01-402-PD-02	DI	24VDC Dry Contact	ACTIVE	C7-S01-P23	C7	1	24		PCY-40203_DI_1	C7S1:24/C7S01-:24
MCC	MCC Room	C7S01-	-	PCY-40203	PUMP	3-25-01-402-PD-02	DI	24VDC Dry Contact	ACTIVE	C7-S01-P24	C7	1	25		PCY-40203_DI_2	C7S1:25/C7S01-:25
MCC	MCC Room	C7S01-	-	PCY-40203	PUMP	3-25-01-402-PD-02	DI	24VDC Dry Contact	ACTIVE	C7-S01-P25	C7	1	26		PCY-40203_DI_3	C7S1:26/C7S01-:26
MCC	MCC Room	C7S01-	-	BFY-60206		-	DI	24VDC Dry Contact	ACTIVE	C7-S01-P26	C7	1	27		BFY-60206_DI_1	C7S1:27/C7S01-:27
MCC	MCC Room	C7S01-	-	PCM-60205-2		-	DI	24VDC Dry Contact	ACTIVE	C7-S01-P27	C7	1	28		PCM-60205-2_DI_1	C7S1:28/C7S01-:28
MCC	MCC Room	C7S01-	-	PCM-60205-2		-	DI	24VDC Dry Contact	ACTIVE	C7-S01-P28	C7	1	29		PCM-60205-2_DI_2	C7S1:29/C7S01-:29
MCC	MCC Room	C7S01-	-	PCM-60205-3		-	DI	24VDC Dry Contact	ACTIVE	C7-S01-P29	C7	1	30		PCM-60205-3_DI_1	C7S1:30/C7S01-:30
MCC	MCC Room	C7S01-	-	PCM-60205-3		-	DI	24VDC Dry Contact	ACTIVE	C7-S01-P30	C7	1	31		PCM-60205-3_DI_2	C7S1:31/C7S01-:31
MCC	MCC Room	C7S01-	-	PCM-60205-4		-	DI	24VDC Dry Contact	ACTIVE	C7-S01-P31	C7	1	32		PCM-60205-4_DI_1	C7S1:32/C7S01-:32
MCC	MCC Room	C7S02-	-	PCM-60205-4		-	DI	24VDC Dry Contact	ACTIVE	C7-S02-P00	C7	2	1		PCM-60205-4_DI_2	C7S2:1/C7S02-:1
MCC	MCC Room	C7S02-	-	PCM-60205-5		-	DI	24VDC Dry Contact	ACTIVE	C7-S02-P01	C7	2	2		PCM-60205-5_DI_1	C7S2:2/C7S02-:2
MCC	MCC Room	C7S02-	-	PCM-60205-5		-	DI	24VDC Dry Contact	ACTIVE	C7-S02-P02	C7	2	3		PCM-60205-5_DI_2	C7S2:3/C7S02-:3
MCC	MCC Room	C7S02-	-	RVM-60201		-	DI	24VDC Dry Contact	ACTIVE	C7-S02-P05	C7	2	6		RVM-60201_DI_1	C7S2:6/C7S02-:6
MCC	MCC Room	C7S02-	-	RVM-60201		-	DI	24VDC Dry Contact	ACTIVE	C7-S02-P06	C7	2	7		RVM-60201_DI_2	C7S2:7/C7S02-:7
MCC	MCC Room	C7S02-	-	RVM-60202		-	DI	24VDC Dry Contact	ACTIVE	C7-S02-P07	C7	2	8		RVM-60202_DI_1	C7S2:8/C7S02-:8
MCC	MCC Room	C7S02-	-	RVM-60202		-	DI	24VDC Dry Contact	ACTIVE	C7-S02-P08	C7	2	9		RVM-60202_DI_2	C7S2:9/C7S02-:9

Destination Specification (Field JB / MCC / Terminal Pin / Field Device)							Signal Spec			Source Specification (PLC Rack / Slot / Card Pin / EPLAN Wire Tag)						
Dest ID	Location	Terminal Block	Pin	Instrument Tag	Instrument Description	P&ID Drawing	Type	Signal Spec	Status	Point Ref ID	Rack	Slot	Ch	Module	PLC Tag Name	ePlan Wire Tag
MCC	MCC Room	C7S02-	-	RVM-60203		-	DI	24VDC Dry Contact	ACTIVE	C7-S02-P09	C7	2	10		RVM-60203_DI_1	C7S2:10/C7S02-:10
MCC	MCC Room	C7S02-	-	RVM-60203		-	DI	24VDC Dry Contact	ACTIVE	C7-S02-P10	C7	2	11		RVM-60203_DI_2	C7S2:11/C7S02-:11
MCC	MCC Room	C7S02-	-	BFY-60210		-	DI	24VDC Dry Contact	ACTIVE	C7-S02-P11	C7	2	12		BFY-60210_DI_1	C7S2:12/C7S02-:12
MCC	MCC Room	C7S02-	-	BFY-60211		-	DI	24VDC Dry Contact	ACTIVE	C7-S02-P12	C7	2	13		BFY-60211_DI_1	C7S2:13/C7S02-:13
MCC	MCC Room	C7S02-	-	BFY-60240		-	DI	24VDC Dry Contact	ACTIVE	C7-S02-P13	C7	2	14		BFY-60240_DI_1	C7S2:14/C7S02-:14
MCC	MCC Room	C7S02-	-	PCY-60215	PUMP	-	DI	24VDC Dry Contact	ACTIVE	C7-S02-P14	C7	2	15		PCY-60215_DI_1	C7S2:15/C7S02-:15
MCC	MCC Room	C7S02-	-	PCY-60215	PUMP	-	DI	24VDC Dry Contact	ACTIVE	C7-S02-P15	C7	2	16		PCY-60215_DI_2	C7S2:16/C7S02-:16
MCC	MCC Room	C7S02-	-	PCY-60215	PUMP	-	DI	24VDC Dry Contact	ACTIVE	C7-S02-P16	C7	2	17		PCY-60215_DI_3	C7S2:17/C7S02-:17
MCC	MCC Room	C7S02-	-	BFY-60220		-	DI	24VDC Dry Contact	ACTIVE	C7-S02-P17	C7	2	18		BFY-60220_DI_1	C7S2:18/C7S02-:18
MCC	MCC Room	C7S02-	-	BFY-61302		-	DI	24VDC Dry Contact	ACTIVE	C7-S02-P18	C7	2	19		BFY-61302_DI_1	C7S2:19/C7S02-:19
MCC	MCC Room	C7S02-	-	HS-61307F		3-25-01-613-PD-03	DI	24VDC Dry Contact	ACTIVE	C7-S02-P19	C7	2	20		HS-61307F_DI_1	C7S2:20/C7S02-:20
MCC	MCC Room	C7S02-	-	HS-61307G		3-25-01-613-PD-03	DI	24VDC Dry Contact	ACTIVE	C7-S02-P20	C7	2	21		HS-61307G_DI_1	C7S2:21/C7S02-:21
MCC	MCC Room	C7S02-	-	HS-61307H		3-25-01-613-PD-03	DI	24VDC Dry Contact	ACTIVE	C7-S02-P21	C7	2	22		HS-61307H_DI_1	C7S2:22/C7S02-:22
MCC	MCC Room	C7S02-	-	HS-61307I		3-25-01-613-PD-03	DI	24VDC Dry Contact	ACTIVE	C7-S02-P22	C7	2	23		HS-61307I_DI_1	C7S2:23/C7S02-:23
MCC	MCC Room	C7S02-	-	HS-61307J		3-25-01-613-PD-03	DI	24VDC Dry Contact	ACTIVE	C7-S02-P23	C7	2	24		HS-61307J_DI_1	C7S2:24/C7S02-:24
MCC	MCC Room	C7S02-	-	HS-61307K		3-25-01-613-PD-03	DI	24VDC Dry Contact	ACTIVE	C7-S02-P24	C7	2	25		HS-61307K_DI_1	C7S2:25/C7S02-:25
MCC	MCC Room	C7S02-	-	HS-61307L		3-25-01-613-PD-03	DI	24VDC Dry Contact	ACTIVE	C7-S02-P25	C7	2	26		HS-61307L_DI_1	C7S2:26/C7S02-:26
MCC	MCC Room	C7S02-	-	HS-61307M		3-25-01-613-PD-03	DI	24VDC Dry Contact	ACTIVE	C7-S02-P26	C7	2	27		HS-61307M_DI_1	C7S2:27/C7S02-:27
MCC	MCC Room	C7S02-	-	HS-61307N		3-25-01-613-PD-03	DI	24VDC Dry Contact	ACTIVE	C7-S02-P27	C7	2	28		HS-61307N_DI_1	C7S2:28/C7S02-:28

Destination Specification (Field JB / MCC / Terminal Pin / Field Device)							Signal Spec			Source Specification (PLC Rack / Slot / Card Pin / EPLAN Wire Tag)						
Dest ID	Location	Terminal Block	Pin	Instrument Tag	Instrument Description	P&ID Drawing	Type	Signal Spec	Status	Point Ref ID	Rack	Slot	Ch	Module	PLC Tag Name	ePlan Wire Tag
MCC	MCC Room	C7S02-	-	HS-61307O		3-25-01-613-PD-03	DI	24VDC Dry Contact	ACTIVE	C7-S02-P28	C7	2	29		HS-61307O_DI_1	C7S2:29/C7S02-:29
MCC	MCC Room	C7S02-	-	HS-61307P		3-25-01-613-PD-03	DI	24VDC Dry Contact	ACTIVE	C7-S02-P29	C7	2	30		HS-61307P_DI_1	C7S2:30/C7S02-:30
MCC	MCC Room	C7S02-	-	HS-61307Q		3-25-01-613-PD-03	DI	24VDC Dry Contact	ACTIVE	C7-S02-P30	C7	2	31		HS-61307Q_DI_1	C7S2:31/C7S02-:31
MCC	MCC Room	C7S02-	-	HS-61307R		3-25-01-613-PD-03	DI	24VDC Dry Contact	ACTIVE	C7-S02-P31	C7	2	32		HS-61307R_DI_1	C7S2:32/C7S02-:32
MCC	MCC Room	C7S03-	-	RVM-61302		-	DI	24VDC Dry Contact	ACTIVE	C7-S03-P00	C7	3	1		RVM-61302_DI_1	C7S3:1/C7S03-:1
MCC	MCC Room	C7S03-	-	RVM-61302		-	DI	24VDC Dry Contact	ACTIVE	C7-S03-P01	C7	3	2		RVM-61302_DI_2	C7S3:2/C7S03-:2
MCC	MCC Room	C7S03-	-	RVM-61303		-	DI	24VDC Dry Contact	ACTIVE	C7-S03-P02	C7	3	3		RVM-61303_DI_1	C7S3:3/C7S03-:3
MCC	MCC Room	C7S03-	-	RVM-61303		-	DI	24VDC Dry Contact	ACTIVE	C7-S03-P03	C7	3	4		RVM-61303_DI_2	C7S3:4/C7S03-:4
MCC	MCC Room	C7S03-	-	SCM-61301		-	DI	24VDC Dry Contact	ACTIVE	C7-S03-P04	C7	3	5		SCM-61301_DI_1	C7S3:5/C7S03-:5
MCC	MCC Room	C7S03-	-	SCM-61301		-	DI	24VDC Dry Contact	ACTIVE	C7-S03-P05	C7	3	6		SCM-61301_DI_2	C7S3:6/C7S03-:6
MCC	MCC Room	C7S03-	-	SCM-61302		-	DI	24VDC Dry Contact	ACTIVE	C7-S03-P06	C7	3	7		SCM-61302_DI_2	C7S3:7/C7S03-:7
MCC	MCC Room	C7S03-	-	SCM-61302		-	DI	24VDC Dry Contact	ACTIVE	C7-S03-P07	C7	3	8		SCM-61302_DI_1	C7S3:8/C7S03-:8
MCC	MCC Room	C7S03-	-	BFY-61301		-	DI	24VDC Dry Contact	ACTIVE	C7-S03-P08	C7	3	9		BFY-61301_DI_1	C7S3:9/C7S03-:9
MCC	MCC Room	C7S03-	-	BFY-61303		-	DI	24VDC Dry Contact	ACTIVE	C7-S03-P09	C7	3	10		BFY-61303_DI_1	C7S3:10/C7S03-:10
MCC	MCC Room	C7S03-	-	BLM-61302		-	DI	24VDC Dry Contact	ACTIVE	C7-S03-P10	C7	3	11		BLM-61302_DI_1	C7S3:11/C7S03-:11
MCC	MCC Room	C7S03-	-	BLM-61302		-	DI	24VDC Dry Contact	ACTIVE	C7-S03-P11	C7	3	12		BLM-61302_DI_2	C7S3:12/C7S03-:12
MCC	MCC Room	C7S03-	-	HS-61307A		3-25-01-613-PD-03	DI	24VDC Dry Contact	ACTIVE	C7-S03-P12	C7	3	13		HS-61307A_DI_1	C7S3:13/C7S03-:13
MCC	MCC Room	C7S03-	-	HS-61307B		3-25-01-613-PD-03	DI	24VDC Dry Contact	ACTIVE	C7-S03-P13	C7	3	14		HS-61307B_DI_1	C7S3:14/C7S03-:14
MCC	MCC Room	C7S03-	-	HS-61307C		3-25-01-613-PD-03	DI	24VDC Dry Contact	ACTIVE	C7-S03-P14	C7	3	15		HS-61307C_DI_1	C7S3:15/C7S03-:15

Destination Specification (Field JB / MCC / Terminal Pin / Field Device)							Signal Spec			Source Specification (PLC Rack / Slot / Card Pin / EPLAN Wire Tag)						
Dest ID	Location	Terminal Block	Pin	Instrument Tag	Instrument Description	P&ID Drawing	Type	Signal Spec	Status	Point Ref ID	Rack	Slot	Ch	Module	PLC Tag Name	ePlan Wire Tag
MCC	MCC Room	C7S03-	-	HS-61307D		3-25-01-613-PD-03	DI	24VDC Dry Contact	ACTIVE	C7-S03-P15	C7	3	16		HS-61307D_DI_1	C7S3:16/C7S03-:16
MCC	MCC Room	C7S03-	-	HS-61307E		3-25-01-613-PD-03	DI	24VDC Dry Contact	ACTIVE	C7-S03-P16	C7	3	17		HS-61307E_DI_1	C7S3:17/C7S03-:17
MCC	MCC Room	C7S03-	-	RVM-60204		-	DI	24VDC Dry Contact	ACTIVE	C7-S03-P17	C7	3	18		RVM-60204_DI_1	C7S3:18/C7S03-:18
MCC	MCC Room	C7S03-	-	RVM-60204		-	DI	24VDC Dry Contact	ACTIVE	C7-S03-P18	C7	3	19		RVM-60204_DI_2	C7S3:19/C7S03-:19
MCC	MCC Room	C7S03-	-	RVM-61301		-	DI	24VDC Dry Contact	ACTIVE	C7-S03-P19	C7	3	20		RVM-61301_DI_1	C7S3:20/C7S03-:20
MCC	MCC Room	C7S03-	-	RVM-61301		-	DI	24VDC Dry Contact	ACTIVE	C7-S03-P20	C7	3	21		RVM-61301_DI_2	C7S3:21/C7S03-:21
MCC	MCC Room	C7S03-	-	RVM-61304		-	DI	24VDC Dry Contact	ACTIVE	C7-S03-P21	C7	3	22		RVM-61304_DI_1	C7S3:22/C7S03-:22
MCC	MCC Room	C7S03-	-	RVM-61304		-	DI	24VDC Dry Contact	ACTIVE	C7-S03-P22	C7	3	23		RVM-61304_DI_2	C7S3:23/C7S03-:23
MCC	MCC Room	C7S03-	-	RVM-61305		-	DI	24VDC Dry Contact	ACTIVE	C7-S03-P23	C7	3	24		RVM-61305_DI_1	C7S3:24/C7S03-:24
MCC	MCC Room	C7S03-	-	RVM-61305		-	DI	24VDC Dry Contact	ACTIVE	C7-S03-P24	C7	3	25		RVM-61305_DI_2	C7S3:25/C7S03-:25
MCC	MCC Room	C7S04-	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C7-S04-P04	C7	4	5		Spare_DI_0	C7S4:5/C7S04-:5
MCC	MCC Room	C7S04-	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C7-S04-P05	C7	4	6		Spare_DI_0	C7S4:6/C7S04-:6
MCC	MCC Room	C7S04-	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C7-S04-P06	C7	4	7		Spare_DI_0	C7S4:7/C7S04-:7
MCC	MCC Room	C7S04-	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C7-S04-P07	C7	4	8		Spare_DI_0	C7S4:8/C7S04-:8
MCC	MCC Room	C7S04-	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C7-S04-P08	C7	4	9		Spare_DI_0	C7S4:9/C7S04-:9
MCC	MCC Room	C7S04-	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C7-S04-P09	C7	4	10		Spare_DI_0	C7S4:10/C7S04-:10
MCC	MCC Room	C7S04-	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C7-S04-P10	C7	4	11		Spare_DI_0	C7S4:11/C7S04-:11
MCC	MCC Room	C7S04-	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C7-S04-P11	C7	4	12		Spare_DI_0	C7S4:12/C7S04-:12
MCC	MCC Room	C7S04-	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C7-S04-P12	C7	4	13		Spare_DI_0	C7S4:13/C7S04-:13

Destination Specification (Field JB / MCC / Terminal Pin / Field Device)							Signal Spec			Source Specification (PLC Rack / Slot / Card Pin / EPLAN Wire Tag)						
Dest ID	Location	Terminal Block	Pin	Instrument Tag	Instrument Description	P&ID Drawing	Type	Signal Spec	Status	Point Ref ID	Rack	Slot	Ch	Module	PLC Tag Name	ePlan Wire Tag
MCC	MCC Room	C7S04-	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C7-S04-P13	C7	4	14		Spare_DI_0	C7S4:14/C7S04--:14
MCC	MCC Room	C7S04-	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C7-S04-P14	C7	4	15		Spare_DI_0	C7S4:15/C7S04--:15
MCC	MCC Room	C7S04-	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C7-S04-P15	C7	4	16		Spare_DI_0	C7S4:16/C7S04--:16
MCC	MCC Room	C7S04-	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C7-S04-P16	C7	4	17		Spare_DI_0	C7S4:17/C7S04--:17
MCC	MCC Room	C7S04-	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C7-S04-P17	C7	4	18		Spare_DI_0	C7S4:18/C7S04--:18
MCC	MCC Room	C7S04-	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C7-S04-P18	C7	4	19		Spare_DI_0	C7S4:19/C7S04--:19
MCC	MCC Room	C7S04-	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C7-S04-P19	C7	4	20		Spare_DI_0	C7S4:20/C7S04--:20
MCC	MCC Room	C7S04-	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C7-S04-P20	C7	4	21		Spare_DI_0	C7S4:21/C7S04--:21
MCC	MCC Room	C7S04-	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C7-S04-P21	C7	4	22		Spare_DI_0	C7S4:22/C7S04--:22
MCC	MCC Room	C7S04-	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C7-S04-P22	C7	4	23		Spare_DI_0	C7S4:23/C7S04--:23
MCC	MCC Room	C7S04-	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C7-S04-P23	C7	4	24		Spare_DI_0	C7S4:24/C7S04--:24
MCC	MCC Room	C7S04-	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C7-S04-P24	C7	4	25		Spare_DI_0	C7S4:25/C7S04--:25
MCC	MCC Room	C7S04-	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C7-S04-P25	C7	4	26		Spare_DI_0	C7S4:26/C7S04--:26
MCC	MCC Room	C7S04-	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C7-S04-P26	C7	4	27		Spare_DI_0	C7S4:27/C7S04--:27
MCC	MCC Room	C7S04-	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C7-S04-P27	C7	4	28		Spare_DI_0	C7S4:28/C7S04--:28
MCC	MCC Room	C7S04-	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C7-S04-P28	C7	4	29		Spare_DI_0	C7S4:29/C7S04--:29
MCC	MCC Room	C7S04-	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C7-S04-P29	C7	4	30		Spare_DI_0	C7S4:30/C7S04--:30
MCC	MCC Room	C7S04-	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C7-S04-P30	C7	4	31		Spare_DI_0	C7S4:31/C7S04--:31
MCC	MCC Room	C7S04-	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C7-S04-P31	C7	4	32		Spare_DI_0	C7S4:32/C7S04--:32

Destination Specification (Field JB / MCC / Terminal Pin / Field Device)							Signal Spec			Source Specification (PLC Rack / Slot / Card Pin / EPLAN Wire Tag)						
Dest ID	Location	Terminal Block	Pin	Instrument Tag	Instrument Description	P&ID Drawing	Type	Signal Spec	Status	Point Ref ID	Rack	Slot	Ch	Module	PLC Tag Name	ePlan Wire Tag
MCC	MCC Room	C7S05-	-	Spare	Spare Channel	3-25-01-402-PD-01	DO	24VDC Sourcing	SPARE	C7-S05-P00	C7	5	1		Spare_D0_0	C7S5:1/C7S05--:1
MCC	MCC Room	C7S05-	-	Spare	Spare Channel	3-25-01-402-PD-01	DO	24VDC Sourcing	SPARE	C7-S05-P01	C7	5	2		Spare_D0_0	C7S5:2/C7S05--:2
MCC	MCC Room	C7S05-	-	Spare	Spare Channel	3-25-01-402-PD-01	DO	24VDC Sourcing	SPARE	C7-S05-P02	C7	5	3		Spare_D0_0	C7S5:3/C7S05--:3
MCC	MCC Room	C7S05-	-	Spare	Spare Channel	3-25-01-402-PD-01	DO	24VDC Sourcing	SPARE	C7-S05-P03	C7	5	4		Spare_D0_0	C7S5:4/C7S05--:4
MCC	MCC Room	C7S05-	-	Spare	Spare Channel	3-25-01-402-PD-01	DO	24VDC Sourcing	SPARE	C7-S05-P04	C7	5	5		Spare_D0_0	C7S5:5/C7S05--:5
MCC	MCC Room	C7S05-	-	Spare	Spare Channel	3-25-01-402-PD-01	DO	24VDC Sourcing	SPARE	C7-S05-P05	C7	5	6		Spare_D0_0	C7S5:6/C7S05--:6
MCC	MCC Room	C7S05-	-	Spare	Spare Channel	3-25-01-402-PD-01	DO	24VDC Sourcing	SPARE	C7-S05-P06	C7	5	7		Spare_D0_0	C7S5:7/C7S05--:7
MCC	MCC Room	C7S05-	-	Spare	Spare Channel	3-25-01-402-PD-01	DO	24VDC Sourcing	SPARE	C7-S05-P07	C7	5	8		Spare_D0_0	C7S5:8/C7S05--:8
MCC	MCC Room	C7S05-	-	ATY-40201	Tank Agitator	3-25-01-402-PD-01	DO	24VDC Sourcing	ACTIVE	C7-S05-P08	C7	5	9		ATY-40201_D0_1	C7S5:9/C7S05--:9
MCC	MCC Room	C7S05-	-	ATY-40202	Tank Agitator	3-25-01-402-PD-01	DO	24VDC Sourcing	ACTIVE	C7-S05-P09	C7	5	10		ATY-40202_D0_1	C7S5:10/C7S05--:10
MCC	MCC Room	C7S05-	-	ATY-40203	Tank Agitator	3-25-01-402-PD-02	DO	24VDC Sourcing	ACTIVE	C7-S05-P10	C7	5	11		ATY-40203_D0_1	C7S5:11/C7S05--:11
MCC	MCC Room	C7S05-	-	PCY-40201	PUMP	3-25-01-402-PD-01	DO	24VDC Sourcing	ACTIVE	C7-S05-P11	C7	5	12		PCY-40201_D0_1	C7S5:12/C7S05--:12
MCC	MCC Room	C7S05-	-	PCY-40202	PUMP	3-25-01-402-PD-01	DO	24VDC Sourcing	ACTIVE	C7-S05-P12	C7	5	13		PCY-40202_D0_1	C7S5:13/C7S05--:13
MCC	MCC Room	C7S05-	-	PCY-40203	PUMP	3-25-01-402-PD-02	DO	24VDC Sourcing	ACTIVE	C7-S05-P13	C7	5	14		PCY-40203_D0_1	C7S5:14/C7S05--:14
MCC	MCC Room	C7S05-	-	BFY-60206		-	DO	24VDC Sourcing	ACTIVE	C7-S05-P14	C7	5	15		BFY-60206_D0_1	C7S5:15/C7S05--:15
MCC	MCC Room	C7S05-	-	PCM-60205-2		-	DO	24VDC Sourcing	ACTIVE	C7-S05-P15	C7	5	16		PCM-60205-2_D0_1	C7S5:16/C7S05--:16
MCC	MCC Room	C7S05-	-	PCM-60205-2		-	DO	24VDC Sourcing	ACTIVE	C7-S05-P16	C7	5	17		PCM-60205-2_D0_2	C7S5:17/C7S05--:17
MCC	MCC Room	C7S05-	-	PCM-60205-3		-	DO	24VDC Sourcing	ACTIVE	C7-S05-P17	C7	5	18		PCM-60205-3_D0_1	C7S5:18/C7S05--:18
MCC	MCC Room	C7S05-	-	PCM-60205-3		-	DO	24VDC Sourcing	ACTIVE	C7-S05-P18	C7	5	19		PCM-60205-3_D0_2	C7S5:19/C7S05--:19

Destination Specification (Field JB / MCC / Terminal Pin / Field Device)							Signal Spec			Source Specification (PLC Rack / Slot / Card Pin / EPLAN Wire Tag)						
Dest ID	Location	Terminal Block	Pin	Instrument Tag	Instrument Description	P&ID Drawing	Type	Signal Spec	Status	Point Ref ID	Rack	Slot	Ch	Module	PLC Tag Name	ePlan Wire Tag
MCC	MCC Room	C7S05-	-	PCM-60205-4		-	DO	24VDC Sourcing	ACTIVE	C7-S05-P19	C7	5	20		PCM-60205-4_D0_1	C7S5:20/C7S05-:20
MCC	MCC Room	C7S05-	-	PCM-60205-4		-	DO	24VDC Sourcing	ACTIVE	C7-S05-P20	C7	5	21		PCM-60205-4_D0_2	C7S5:21/C7S05-:21
MCC	MCC Room	C7S05-	-	PCM-60205-5		-	DO	24VDC Sourcing	ACTIVE	C7-S05-P21	C7	5	22		PCM-60205-5_D0_1	C7S5:22/C7S05-:22
MCC	MCC Room	C7S05-	-	PCM-60205-5		-	DO	24VDC Sourcing	ACTIVE	C7-S05-P22	C7	5	23		PCM-60205-5_D0_2	C7S5:23/C7S05-:23
MCC	MCC Room	C7S05-	-	RVM-60201		-	DO	24VDC Sourcing	ACTIVE	C7-S05-P23	C7	5	24		RVM-60201_D0_1	C7S5:24/C7S05-:24
MCC	MCC Room	C7S05-	-	RVM-60201		-	DO	24VDC Sourcing	ACTIVE	C7-S05-P24	C7	5	25		RVM-60201_D0_2	C7S5:25/C7S05-:25
MCC	MCC Room	C7S05-	-	RVM-60202		-	DO	24VDC Sourcing	ACTIVE	C7-S05-P25	C7	5	26		RVM-60202_D0_1	C7S5:26/C7S05-:26
MCC	MCC Room	C7S05-	-	RVM-60202		-	DO	24VDC Sourcing	ACTIVE	C7-S05-P26	C7	5	27		RVM-60202_D0_2	C7S5:27/C7S05-:27
MCC	MCC Room	C7S05-	-	RVM-60203		-	DO	24VDC Sourcing	ACTIVE	C7-S05-P27	C7	5	28		RVM-60203_D0_1	C7S5:28/C7S05-:28
MCC	MCC Room	C7S05-	-	RVM-60203		-	DO	24VDC Sourcing	ACTIVE	C7-S05-P28	C7	5	29		RVM-60203_D0_2	C7S5:29/C7S05-:29
MCC	MCC Room	C7S05-	-	XS-60205		-	DO	24VDC Sourcing	ACTIVE	C7-S05-P29	C7	5	30		XS-60205_D0_1	C7S5:30/C7S05-:30
MCC	MCC Room	C7S05-	-	BFY-60210		-	DO	24VDC Sourcing	ACTIVE	C7-S05-P30	C7	5	31		BFY-60210_D0_1	C7S5:31/C7S05-:31
MCC	MCC Room	C7S05-	-	BFY-60211		-	DO	24VDC Sourcing	ACTIVE	C7-S05-P31	C7	5	32		BFY-60211_D0_1	C7S5:32/C7S05-:32
MCC	MCC Room	C7S06-	-	BFY-60240		-	DO	24VDC Sourcing	ACTIVE	C7-S06-P00	C7	6	1		BFY-60240_D0_1	C7S6:1/C7S06-:1
MCC	MCC Room	C7S06-	-	PCY-60215	PUMP	-	DO	24VDC Sourcing	ACTIVE	C7-S06-P01	C7	6	2		PCY-60215_D0_1	C7S6:2/C7S06-:2
MCC	MCC Room	C7S06-	-	XS-60240A		-	DO	24VDC Sourcing	ACTIVE	C7-S06-P02	C7	6	3		XS-60240A_D0_1	C7S6:3/C7S06-:3
MCC	MCC Room	C7S06-	-	XS-60241A		-	DO	24VDC Sourcing	ACTIVE	C7-S06-P03	C7	6	4		XS-60241A_D0_1	C7S6:4/C7S06-:4
MCC	MCC Room	C7S06-	-	XS-60242A		-	DO	24VDC Sourcing	ACTIVE	C7-S06-P04	C7	6	5		XS-60242A_D0_1	C7S6:5/C7S06-:5
MCC	MCC Room	C7S06-	-	XS-60243A		-	DO	24VDC Sourcing	ACTIVE	C7-S06-P04	C7	6	5		XS-60243A_D0_1	C7S6:5/C7S06-:5

Destination Specification (Field JB / MCC / Terminal Pin / Field Device)							Signal Spec			Source Specification (PLC Rack / Slot / Card Pin / EPLAN Wire Tag)						
Dest ID	Location	Terminal Block	Pin	Instrument Tag	Instrument Description	P&ID Drawing	Type	Signal Spec	Status	Point Ref ID	Rack	Slot	Ch	Module	PLC Tag Name	ePlan Wire Tag
MCC	MCC Room	C7S06-	-	XS-60260		-	DO	24VDC Sourcing	ACTIVE	C7-S06-P06	C7	6	7		XS-60260_DO_1	C7S6:7/C7S06-:7
MCC	MCC Room	C7S06-	-	BFY-60220		-	DO	24VDC Sourcing	ACTIVE	C7-S06-P07	C7	6	8		BFY-60220_DO_1	C7S6:8/C7S06-:8
MCC	MCC Room	C7S06-	-	XS-FH-60210A		-	DO	24VDC Sourcing	ACTIVE	C7-S06-P08	C7	6	9		XS-FH-60210A_DO_1	C7S6:9/C7S06-:9
MCC	MCC Room	C7S06-	-	XS-FH-60210B		-	DO	24VDC Sourcing	ACTIVE	C7-S06-P09	C7	6	10		XS-FH-60210B_DO_1	C7S6:10/C7S06-:10
MCC	MCC Room	C7S06-	-	BFY-61302		-	DO	24VDC Sourcing	ACTIVE	C7-S06-P10	C7	6	11		BFY-61302_DO_1	C7S6:11/C7S06-:11
MCC	MCC Room	C7S06-	-	RVM-61302		-	DO	24VDC Sourcing	ACTIVE	C7-S06-P11	C7	6	12		RVM-61302_DO_1	C7S6:12/C7S06-:12
MCC	MCC Room	C7S06-	-	RVM-61302		-	DO	24VDC Sourcing	ACTIVE	C7-S06-P12	C7	6	13		RVM-61302_DO_2	C7S6:13/C7S06-:13
MCC	MCC Room	C7S06-	-	RVM-61303		-	DO	24VDC Sourcing	ACTIVE	C7-S06-P13	C7	6	14		RVM-61303_DO_1	C7S6:14/C7S06-:14
MCC	MCC Room	C7S06-	-	RVM-61303		-	DO	24VDC Sourcing	ACTIVE	C7-S06-P14	C7	6	15		RVM-61303_DO_2	C7S6:15/C7S06-:15
MCC	MCC Room	C7S06-	-	SCM-61301		-	DO	24VDC Sourcing	ACTIVE	C7-S06-P15	C7	6	16		SCM-61301_DO_1	C7S6:16/C7S06-:16
MCC	MCC Room	C7S06-	-	SCM-61301		-	DO	24VDC Sourcing	ACTIVE	C7-S06-P16	C7	6	17		SCM-61301_DO_2	C7S6:17/C7S06-:17
MCC	MCC Room	C7S06-	-	SCM-61302		-	DO	24VDC Sourcing	ACTIVE	C7-S06-P17	C7	6	18		SCM-61302_DO_1	C7S6:18/C7S06-:18
MCC	MCC Room	C7S06-	-	SCM-61302		-	DO	24VDC Sourcing	ACTIVE	C7-S06-P18	C7	6	19		SCM-61302_DO_2	C7S6:19/C7S06-:19
MCC	MCC Room	C7S06-	-	BFY-61301		-	DO	24VDC Sourcing	ACTIVE	C7-S06-P19	C7	6	20		BFY-61301_DO_1	C7S6:20/C7S06-:20
MCC	MCC Room	C7S06-	-	BFY-61303		-	DO	24VDC Sourcing	ACTIVE	C7-S06-P20	C7	6	21		BFY-61303_DO_1	C7S6:21/C7S06-:21
MCC	MCC Room	C7S06-	-	BLM-61302		-	DO	24VDC Sourcing	ACTIVE	C7-S06-P21	C7	6	22		BLM-61302_DO_1	C7S6:22/C7S06-:22
MCC	MCC Room	C7S06-	-	BLM-61302		-	DO	24VDC Sourcing	ACTIVE	C7-S06-P22	C7	6	23		BLM-61302_DO_2	C7S6:23/C7S06-:23
MCC	MCC Room	C7S06-	-	RVM-60204		-	DO	24VDC Sourcing	ACTIVE	C7-S06-P23	C7	6	24		RVM-60204_DO_1	C7S6:24/C7S06-:24
MCC	MCC Room	C7S06-	-	RVM-60204		-	DO	24VDC Sourcing	ACTIVE	C7-S06-P24	C7	6	25		RVM-60204_DO_2	C7S6:25/C7S06-:25

Destination Specification (Field JB / MCC / Terminal Pin / Field Device)							Signal Spec			Source Specification (PLC Rack / Slot / Card Pin / EPLAN Wire Tag)						
Dest ID	Location	Terminal Block	Pin	Instrument Tag	Instrument Description	P&ID Drawing	Type	Signal Spec	Status	Point Ref ID	Rack	Slot	Ch	Module	PLC Tag Name	ePlan Wire Tag
MCC	MCC Room	C7S06-	-	RVM-61301		-	DO	24VDC Sourcing	ACTIVE	C7-S06-P25	C7	6	26		RVM-61301_DO_1	C7S6:26/C7S06-:26
MCC	MCC Room	C7S06-	-	RVM-61301		-	DO	24VDC Sourcing	ACTIVE	C7-S06-P26	C7	6	27		RVM-61301_DO_2	C7S6:27/C7S06-:27
MCC	MCC Room	C7S06-	-	RVM-61304		-	DO	24VDC Sourcing	ACTIVE	C7-S06-P27	C7	6	28		RVM-61304_DO_1	C7S6:28/C7S06-:28
MCC	MCC Room	C7S06-	-	RVM-61304		-	DO	24VDC Sourcing	ACTIVE	C7-S06-P28	C7	6	29		RVM-61304_DO_2	C7S6:29/C7S06-:29
MCC	MCC Room	C7S06-	-	RVM-61305		-	DO	24VDC Sourcing	ACTIVE	C7-S06-P29	C7	6	30		RVM-61305_DO_1	C7S6:30/C7S06-:30
MCC	MCC Room	C7S06-	-	RVM-61305		-	DO	24VDC Sourcing	ACTIVE	C7-S06-P30	C7	6	31		RVM-61305_DO_2	C7S6:31/C7S06-:31
MCC	MCC Room	C7S07-	-	Spare	Spare Channel	-	DO	24VDC Sourcing	SPARE	C7-S07-P08	C7	7	9		Spare_DO_0	C7S7:9/C7S07-:9
MCC	MCC Room	C7S07-	-	Spare	Spare Channel	-	DO	24VDC Sourcing	SPARE	C7-S07-P09	C7	7	10		Spare_DO_0	C7S7:10/C7S07-:10
MCC	MCC Room	C7S07-	-	Spare	Spare Channel	-	DO	24VDC Sourcing	SPARE	C7-S07-P10	C7	7	11		Spare_DO_0	C7S7:11/C7S07-:11
MCC	MCC Room	C7S07-	-	Spare	Spare Channel	-	DO	24VDC Sourcing	SPARE	C7-S07-P11	C7	7	12		Spare_DO_0	C7S7:12/C7S07-:12
MCC	MCC Room	C7S07-	-	Spare	Spare Channel	-	DO	24VDC Sourcing	SPARE	C7-S07-P12	C7	7	13		Spare_DO_0	C7S7:13/C7S07-:13
MCC	MCC Room	C7S07-	-	Spare	Spare Channel	-	DO	24VDC Sourcing	SPARE	C7-S07-P13	C7	7	14		Spare_DO_0	C7S7:14/C7S07-:14
MCC	MCC Room	C7S07-	-	Spare	Spare Channel	-	DO	24VDC Sourcing	SPARE	C7-S07-P14	C7	7	15		Spare_DO_0	C7S7:15/C7S07-:15
MCC	MCC Room	C7S07-	-	Spare	Spare Channel	-	DO	24VDC Sourcing	SPARE	C7-S07-P15	C7	7	16		Spare_DO_0	C7S7:16/C7S07-:16
MCC	MCC Room	C7S07-	-	Spare	Spare Channel	-	DO	24VDC Sourcing	SPARE	C7-S07-P16	C7	7	17		Spare_DO_0	C7S7:17/C7S07-:17
MCC	MCC Room	C7S07-	-	Spare	Spare Channel	-	DO	24VDC Sourcing	SPARE	C7-S07-P17	C7	7	18		Spare_DO_0	C7S7:18/C7S07-:18
MCC	MCC Room	C7S07-	-	Spare	Spare Channel	-	DO	24VDC Sourcing	SPARE	C7-S07-P18	C7	7	19		Spare_DO_0	C7S7:19/C7S07-:19
MCC	MCC Room	C7S07-	-	Spare	Spare Channel	-	DO	24VDC Sourcing	SPARE	C7-S07-P19	C7	7	20		Spare_DO_0	C7S7:20/C7S07-:20
MCC	MCC Room	C7S07-	-	Spare	Spare Channel	-	DO	24VDC Sourcing	SPARE	C7-S07-P20	C7	7	21		Spare_DO_0	C7S7:21/C7S07-:21

Destination Specification (Field JB / MCC / Terminal Pin / Field Device)							Signal Spec			Source Specification (PLC Rack / Slot / Card Pin / EPLAN Wire Tag)						
Dest ID	Location	Terminal Block	Pin	Instrument Tag	Instrument Description	P&ID Drawing	Type	Signal Spec	Status	Point Ref ID	Rack	Slot	Ch	Module	PLC Tag Name	ePlan Wire Tag
MCC	MCC Room	C7S07-	-	Spare	Spare Channel	-	DO	24VDC Sourcing	SPARE	C7-S07-P21	C7	7	22		Spare_D0_0	C7S7:22/C7S07-:22
MCC	MCC Room	C7S07-	-	Spare	Spare Channel	-	DO	24VDC Sourcing	SPARE	C7-S07-P22	C7	7	23		Spare_D0_0	C7S7:23/C7S07-:23
MCC	MCC Room	C7S07-	-	Spare	Spare Channel	-	DO	24VDC Sourcing	SPARE	C7-S07-P23	C7	7	24		Spare_D0_0	C7S7:24/C7S07-:24
MCC	MCC Room	C7S07-	-	Spare	Spare Channel	-	DO	24VDC Sourcing	SPARE	C7-S07-P24	C7	7	25		Spare_D0_0	C7S7:25/C7S07-:25
MCC	MCC Room	C7S07-	-	Spare	Spare Channel	-	DO	24VDC Sourcing	SPARE	C7-S07-P25	C7	7	26		Spare_D0_0	C7S7:26/C7S07-:26
MCC	MCC Room	C7S07-	-	Spare	Spare Channel	-	DO	24VDC Sourcing	SPARE	C7-S07-P26	C7	7	27		Spare_D0_0	C7S7:27/C7S07-:27
MCC	MCC Room	C7S07-	-	Spare	Spare Channel	-	DO	24VDC Sourcing	SPARE	C7-S07-P27	C7	7	28		Spare_D0_0	C7S7:28/C7S07-:28
MCC	MCC Room	C7S07-	-	Spare	Spare Channel	-	DO	24VDC Sourcing	SPARE	C7-S07-P28	C7	7	29		Spare_D0_0	C7S7:29/C7S07-:29
MCC	MCC Room	C7S07-	-	Spare	Spare Channel	-	DO	24VDC Sourcing	SPARE	C7-S07-P29	C7	7	30		Spare_D0_0	C7S7:30/C7S07-:30
MCC	MCC Room	C7S07-	-	Spare	Spare Channel	-	DO	24VDC Sourcing	SPARE	C7-S07-P30	C7	7	31		Spare_D0_0	C7S7:31/C7S07-:31
MCC	MCC Room	C7S07-	-	Spare	Spare Channel	-	DO	24VDC Sourcing	SPARE	C7-S07-P31	C7	7	32		Spare_D0_0	C7S7:32/C7S07-:32

DESTINATION: JB-607 — SPRAY DRYER 7TH FLOOR JUNCTION BOX										Total: 195 Pts Active: 151 Spare: 44 (22.6%) AI:32 AO:5 BUS:1 DI:93 DO:64							
DESTINATION SPECIFICATION (FIELD JB / MCC / TERMINAL PIN / FIELD DEVICE)							SIGNAL SPEC			SOURCE SPECIFICATION (PLC RACK / SLOT / CARD PIN / EPLAN WIRE TAG)							
Dest ID	Location	Terminal Block	Pin	Instrument Tag	Instrument Description	P&ID Drawing	Type	Signal Spec	Status	Point Ref ID	Rack	Slot	Ch	Module	PLC Tag Name	ePlan Wire Tag	
JB-607	Spray Dryer 7th Floor	C2S03-X1	-	XA-FH-60210A		-	DI	24VDC Dry Contact	ACTIVE	C2-S03-P00	C2	3	1	1756-IB32	XA-FH-60210A_DI_1	C2S3:1/TBDI3:1A	
JB-607	Spray Dryer 7th Floor	C2S03-X1	-	XA-FH-60210B		-	DI	24VDC Dry Contact	ACTIVE	C2-S03-P01	C2	3	2	1756-IB32	XA-FH-60210B_DI_1	C2S3:2/TBDI3:2A	
JB-607	Spray Dryer 7th Floor	C2S03-X1	-	XA-FH-60210C		-	DI	24VDC Dry Contact	ACTIVE	C2-S03-P02	C2	3	3	1756-IB32	XA-FH-60210C_DI_1	C2S3:3/TBDI3:3A	
JB-607	Spray Dryer 7th Floor	C2S03-X1	-	XA-FH-60210D		-	DI	24VDC Dry Contact	ACTIVE	C2-S03-P03	C2	3	4	1756-IB32	XA-FH-60210D_DI_1	C2S3:4/TBDI3:4A	
JB-607	Spray Dryer 7th Floor	C2S03-X1	-	XA-FH-60210E		-	DI	24VDC Dry Contact	ACTIVE	C2-S03-P04	C2	3	5	1756-IB32	XA-FH-60210E_DI_1	C2S3:5/TBDI3:5A	
JB-607	Spray Dryer 7th Floor	C2S03-X1	-	SV-60207		3-25-01-602-PD-07	DI	24VDC Dry Contact	ACTIVE	C2-S03-P08	C2	3	9	1756-IB32	SV-60207_DI_1	C2S3:9/TBDI3:9A	
JB-607	Spray Dryer 7th Floor	C2S03-X1	-	SV-60207		3-25-01-602-PD-07	DI	24VDC Dry Contact	ACTIVE	C2-S03-P09	C2	3	10	1756-IB32	SV-60207_DI_2	C2S3:10/TBDI3:10A	
JB-607	Spray Dryer 7th Floor	C2S03-X1	-	XV-60264		-	DI	24VDC Dry Contact	ACTIVE	C2-S03-P10	C2	3	11	1756-IB32	XV-60264_DI_1	C2S3:11/TBDI3:11A	
JB-607	Spray Dryer 7th Floor	C2S03-X1	-	XV-60264		-	DI	24VDC Dry Contact	ACTIVE	C2-S03-P11	C2	3	12	1756-IB32	XV-60264_DI_2	C2S3:12/TBDI3:12A	
JB-607	Spray Dryer 7th Floor	C2S03-X1	-	XV-60264FN		3-25-01-602-PD-02	DI	24VDC Dry Contact	ACTIVE	C2-S03-P12	C2	3	13	1756-IB32	XV-60264FN_DI_1	C2S3:13/TBDI3:13A	
JB-607	Spray Dryer 7th Floor	C2S03-X1	-	XV-60264FN		3-25-01-602-PD-02	DI	24VDC Dry Contact	ACTIVE	C2-S03-P13	C2	3	14	1756-IB32	XV-60264FN_DI_2	C2S3:14/TBDI3:14A	
JB-607	Spray Dryer 7th Floor	C2S03-X1	-	XV-60264FP		3-25-01-602-PD-02	DI	24VDC Dry Contact	ACTIVE	C2-S03-P14	C2	3	15	1756-IB32	XV-60264FP_DI_1	C2S3:15/TBDI3:15A	
JB-607	Spray Dryer 7th Floor	C2S03-X1	-	XV-60264FP		3-25-01-602-PD-02	DI	24VDC Dry Contact	ACTIVE	C2-S03-P15	C2	3	16	1756-IB32	XV-60264FP_DI_2	C2S3:16/TBDI3:16A	
JB-607	Spray Dryer 7th Floor	C2S03-X2	-	XV-60201		3-25-01-602-PD-02	DI	24VDC Dry Contact	ACTIVE	C2-S03-P16	C2	3	17	1756-IB32	XV-60201_DI_1	C2S3:17/C2S03-X2:17	
JB-607	Spray Dryer 7th Floor	C2S03-X2	-	XV-60201		3-25-01-602-PD-02	DI	24VDC Dry Contact	ACTIVE	C2-S03-P17	C2	3	18	1756-IB32	XV-60201_DI_2	C2S3:18/C2S03-X2:18	
JB-607	Spray Dryer 7th Floor	C2S03-X2	-	XV-60264FQ		3-25-01-602-PD-02	DI	24VDC Dry Contact	ACTIVE	C2-S03-P18	C2	3	19	1756-IB32	XV-60264FQ_DI_1	C2S3:19/TBDI3:17A	
JB-607	Spray Dryer 7th Floor	C2S03-X2	-	XV-60264FQ		3-25-01-602-PD-02	DI	24VDC Dry Contact	ACTIVE	C2-S03-P19	C2	3	20	1756-IB32	XV-60264FQ_DI_2	C2S3:20/TBDI3:18A	

Destination Specification (Field JB / MCC / Terminal Pin / Field Device)							Signal Spec			Source Specification (PLC Rack / Slot / Card Pin / EPLAN Wire Tag)						
Dest ID	Location	Terminal Block	Pin	Instrument Tag	Instrument Description	P&ID Drawing	Type	Signal Spec	Status	Point Ref ID	Rack	Slot	Ch	Module	PLC Tag Name	ePlan Wire Tag
JB-607	Spray Dryer 7th Floor	C2S03-X2	-	XV-60261		-	DI	24VDC Dry Contact	ACTIVE	C2-S03-P20	C2	3	21	1756-IB32	XV-60261_DI_1	C2S3:21/TBDI3:19A
JB-607	Spray Dryer 7th Floor	C2S03-X2	-	XV-60261		-	DI	24VDC Dry Contact	ACTIVE	C2-S03-P21	C2	3	22	1756-IB32	XV-60261_DI_2	C2S3:22/TBDI3:20A
JB-607	Spray Dryer 7th Floor	C2S03-X2	-	XV-60264FR		3-25-01-602-PD-02	DI	24VDC Dry Contact	ACTIVE	C2-S03-P22	C2	3	23	1756-IB32	XV-60264FR_DI_1	C2S3:23/TBDI3:21A
JB-607	Spray Dryer 7th Floor	C2S03-X2	-	XV-60264FR		3-25-01-602-PD-02	DI	24VDC Dry Contact	ACTIVE	C2-S03-P23	C2	3	24	1756-IB32	XV-60264FR_DI_2	C2S3:24/TBDI3:22A
JB-607	Spray Dryer 7th Floor	C2S03-X2	-	XV-60261FA		3-25-01-602-PD-02	DI	24VDC Dry Contact	ACTIVE	C2-S03-P24	C2	3	25	1756-IB32	XV-60261FA_DI_1	C2S3:25/TBDI3:23A
JB-607	Spray Dryer 7th Floor	C2S03-X2	-	XV-60261FA		3-25-01-602-PD-02	DI	24VDC Dry Contact	ACTIVE	C2-S03-P25	C2	3	26	1756-IB32	XV-60261FA_DI_2	C2S3:26/TBDI3:24A
JB-607	Spray Dryer 7th Floor	C2S03-X2	-	XV-60264SN		3-25-01-602-PD-02	DI	24VDC Dry Contact	ACTIVE	C2-S03-P26	C2	3	27	1756-IB32	XV-60264SN_DI_1	C2S3:27/TBDI3:25A
JB-607	Spray Dryer 7th Floor	C2S03-X2	-	XV-60264SN		3-25-01-602-PD-02	DI	24VDC Dry Contact	ACTIVE	C2-S03-P27	C2	3	28	1756-IB32	XV-60264SN_DI_2	C2S3:28/TBDI3:26A
JB-607	Spray Dryer 7th Floor	C2S03-X2	-	XV-60261FB		3-25-01-602-PD-02	DI	24VDC Dry Contact	ACTIVE	C2-S03-P28	C2	3	29	1756-IB32	XV-60261FB_DI_1	C2S3:29/TBDI3:27A
JB-607	Spray Dryer 7th Floor	C2S03-X2	-	XV-60261FB		3-25-01-602-PD-02	DI	24VDC Dry Contact	ACTIVE	C2-S03-P29	C2	3	30	1756-IB32	XV-60261FB_DI_2	C2S3:30/TBDI3:28A
JB-607	Spray Dryer 7th Floor	C2S03-X2	-	XV-60264SP		3-25-01-602-PD-02	DI	24VDC Dry Contact	ACTIVE	C2-S03-P30	C2	3	31	1756-IB32	XV-60264SP_DI_1	C2S3:31/TBDI3:29A
JB-607	Spray Dryer 7th Floor	C2S03-X2	-	XV-60264SP		3-25-01-602-PD-02	DI	24VDC Dry Contact	ACTIVE	C2-S03-P31	C2	3	32	1756-IB32	XV-60264SP_DI_2	C2S3:32/TBDI3:30A
JB-607	Spray Dryer 7th Floor	C2S04-X1	-	XV-60261FC		3-25-01-602-PD-02	DI	24VDC Dry Contact	ACTIVE	C2-S04-P00	C2	4	1	1756-IB32	XV-60261FC_DI_1	C2S4:1/RL.1:A1
JB-607	Spray Dryer 7th Floor	C2S04-X1	-	XV-60261FC		3-25-01-602-PD-02	DI	24VDC Dry Contact	ACTIVE	C2-S04-P01	C2	4	2	1756-IB32	XV-60261FC_DI_2	C2S4:2/RL.2:A1
JB-607	Spray Dryer 7th Floor	C2S04-X1	-	XV-60264SQ		3-25-01-602-PD-02	DI	24VDC Dry Contact	ACTIVE	C2-S04-P02	C2	4	3	1756-IB32	XV-60264SQ_DI_1	C2S4:3/RL.3:A1
JB-607	Spray Dryer 7th Floor	C2S04-X1	-	XV-60264SQ		3-25-01-602-PD-02	DI	24VDC Dry Contact	ACTIVE	C2-S04-P03	C2	4	4	1756-IB32	XV-60264SQ_DI_2	C2S4:4/RL.4:A1
JB-607	Spray Dryer 7th Floor	C2S04-X1	-	XV-60261FD		3-25-01-602-PD-02	DI	24VDC Dry Contact	ACTIVE	C2-S04-P04	C2	4	5	1756-IB32	XV-60261FD_DI_1	C2S4:5/RL.5:A1
JB-607	Spray Dryer 7th Floor	C2S04-X1	-	XV-60261FD		3-25-01-602-PD-02	DI	24VDC Dry Contact	ACTIVE	C2-S04-P05	C2	4	6	1756-IB32	XV-60261FD_DI_2	C2S4:6/RL.6:A1
JB-607	Spray Dryer 7th Floor	C2S04-X1	-	XV-60264SR		3-25-01-602-PD-02	DI	24VDC Dry Contact	ACTIVE	C2-S04-P06	C2	4	7	1756-IB32	XV-60264SR_DI_1	C2S4:7/RL.7:A1

Destination Specification (Field JB / MCC / Terminal Pin / Field Device)							Signal Spec			Source Specification (PLC Rack / Slot / Card Pin / EPLAN Wire Tag)						
Dest ID	Location	Terminal Block	Pin	Instrument Tag	Instrument Description	P&ID Drawing	Type	Signal Spec	Status	Point Ref ID	Rack	Slot	Ch	Module	PLC Tag Name	ePlan Wire Tag
JB-607	Spray Dryer 7th Floor	C2S04-X1	-	XV-60264SR		3-25-01-602-PD-02	DI	24VDC Dry Contact	ACTIVE	C2-S04-P07	C2	4	8	1756-IB32	XV-60264SR_DI_2	C2S4:8/RL.8:A1
JB-607	Spray Dryer 7th Floor	C2S04-X1	-	XV-60261SA		3-25-01-602-PD-02	DI	24VDC Dry Contact	ACTIVE	C2-S04-P08	C2	4	9	1756-IB32	XV-60261SA_DI_1	C2S4:9/RL.9:A1
JB-607	Spray Dryer 7th Floor	C2S04-X1	-	XV-60261SA		3-25-01-602-PD-02	DI	24VDC Dry Contact	ACTIVE	C2-S04-P09	C2	4	10	1756-IB32	XV-60261SA_DI_2	C2S4:10/RL.10:A1
JB-607	Spray Dryer 7th Floor	C2S04-X1	-	XV-60261SB		3-25-01-602-PD-02	DI	24VDC Dry Contact	ACTIVE	C2-S04-P10	C2	4	11	1756-IB32	XV-60261SB_DI_1	C2S4:11/RL.11:A1
JB-607	Spray Dryer 7th Floor	C2S04-X1	-	XV-60261SB		3-25-01-602-PD-02	DI	24VDC Dry Contact	ACTIVE	C2-S04-P11	C2	4	12	1756-IB32	XV-60261SB_DI_2	C2S4:12/RL.12:A1
JB-607	Spray Dryer 7th Floor	C2S04-X1	-	XV-60261SC		3-25-01-602-PD-02	DI	24VDC Dry Contact	ACTIVE	C2-S04-P12	C2	4	13	1756-IB32	XV-60261SC_DI_1	C2S4:13/RL.13:A1
JB-607	Spray Dryer 7th Floor	C2S04-X1	-	XV-60261SC		3-25-01-602-PD-02	DI	24VDC Dry Contact	ACTIVE	C2-S04-P13	C2	4	14	1756-IB32	XV-60261SC_DI_2	C2S4:14/RL.14:A1
JB-607	Spray Dryer 7th Floor	C2S04-X1	-	XV-60261SD		3-25-01-602-PD-02	DI	24VDC Dry Contact	ACTIVE	C2-S04-P14	C2	4	15	1756-IB32	XV-60261SD_DI_1	C2S4:15/RL.15:A1
JB-607	Spray Dryer 7th Floor	C2S04-X1	-	XV-60261SD		3-25-01-602-PD-02	DI	24VDC Dry Contact	ACTIVE	C2-S04-P15	C2	4	16	1756-IB32	XV-60261SD_DI_2	C2S4:16/RL.16:A1
JB-607	Spray Dryer 7th Floor	C2S04-X2	-	XV-60262		-	DI	24VDC Dry Contact	ACTIVE	C2-S04-P16	C2	4	17	1756-IB32	XV-60262_DI_1	C2S4:17/C2S04-X2:17
JB-607	Spray Dryer 7th Floor	C2S04-X2	-	XV-60262		-	DI	24VDC Dry Contact	ACTIVE	C2-S04-P17	C2	4	18	1756-IB32	XV-60262_DI_2	C2S4:18/C2S04-X2:18
JB-607	Spray Dryer 7th Floor	C2S04-X2	-	XV-60262FE		3-25-01-602-PD-02	DI	24VDC Dry Contact	ACTIVE	C2-S04-P18	C2	4	19	1756-IB32	XV-60262FE_DI_1	C2S4:19/RL.17:A1
JB-607	Spray Dryer 7th Floor	C2S04-X2	-	XV-60262FE		3-25-01-602-PD-02	DI	24VDC Dry Contact	ACTIVE	C2-S04-P19	C2	4	20	1756-IB32	XV-60262FE_DI_2	C2S4:20/RL.18:A1
JB-607	Spray Dryer 7th Floor	C2S04-X2	-	XV-60262FF		3-25-01-602-PD-02	DI	24VDC Dry Contact	ACTIVE	C2-S04-P20	C2	4	21	1756-IB32	XV-60262FF_DI_1	C2S4:21/RL.19:A1
JB-607	Spray Dryer 7th Floor	C2S04-X2	-	XV-60262FF		3-25-01-602-PD-02	DI	24VDC Dry Contact	ACTIVE	C2-S04-P21	C2	4	22	1756-IB32	XV-60262FF_DI_2	C2S4:22/RL.20:A1
JB-607	Spray Dryer 7th Floor	C2S04-X2	-	XV-60262FG		3-25-01-602-PD-02	DI	24VDC Dry Contact	ACTIVE	C2-S04-P22	C2	4	23	1756-IB32	XV-60262FG_DI_1	C2S4:23/RL.21:A1
JB-607	Spray Dryer 7th Floor	C2S04-X2	-	XV-60262FG		3-25-01-602-PD-02	DI	24VDC Dry Contact	ACTIVE	C2-S04-P23	C2	4	24	1756-IB32	XV-60262FG_DI_2	C2S4:24/RL.22:A1
JB-607	Spray Dryer 7th Floor	C2S04-X2	-	XV-60262FH		3-25-01-602-PD-02	DI	24VDC Dry Contact	ACTIVE	C2-S04-P24	C2	4	25	1756-IB32	XV-60262FH_DI_1	C2S4:25/RL.23:A1
JB-607	Spray Dryer 7th Floor	C2S04-X2	-	XV-60262FH		3-25-01-602-PD-02	DI	24VDC Dry Contact	ACTIVE	C2-S04-P25	C2	4	26	1756-IB32	XV-60262FH_DI_2	C2S4:26/RL.24:A1

Destination Specification (Field JB / MCC / Terminal Pin / Field Device)							Signal Spec			Source Specification (PLC Rack / Slot / Card Pin / EPLAN Wire Tag)						
Dest ID	Location	Terminal Block	Pin	Instrument Tag	Instrument Description	P&ID Drawing	Type	Signal Spec	Status	Point Ref ID	Rack	Slot	Ch	Module	PLC Tag Name	ePlan Wire Tag
JB-607	Spray Dryer 7th Floor	C2S04-X2	-	XV-60262SE		3-25-01-602-PD-02	DI	24VDC Dry Contact	ACTIVE	C2-S04-P26	C2	4	27	1756-IB32	XV-60262SE_DI_1	C2S4:27/RL.25:A1
JB-607	Spray Dryer 7th Floor	C2S04-X2	-	XV-60262SE		3-25-01-602-PD-02	DI	24VDC Dry Contact	ACTIVE	C2-S04-P27	C2	4	28	1756-IB32	XV-60262SE_DI_2	C2S4:28/RL.26:A1
JB-607	Spray Dryer 7th Floor	C2S04-X2	-	XV-60262SF		3-25-01-602-PD-02	DI	24VDC Dry Contact	ACTIVE	C2-S04-P28	C2	4	29	1756-IB32	XV-60262SF_DI_1	C2S4:29/RL.27:A1
JB-607	Spray Dryer 7th Floor	C2S04-X2	-	XV-60262SF		3-25-01-602-PD-02	DI	24VDC Dry Contact	ACTIVE	C2-S04-P29	C2	4	30	1756-IB32	XV-60262SF_DI_2	C2S4:30/RL.28:A1
JB-607	Spray Dryer 7th Floor	C2S04-X2	-	XV-60262SG		3-25-01-602-PD-02	DI	24VDC Dry Contact	ACTIVE	C2-S04-P30	C2	4	31	1756-IB32	XV-60262SG_DI_1	C2S4:31/RL.29:A1
JB-607	Spray Dryer 7th Floor	C2S04-X2	-	XV-60262SG		3-25-01-602-PD-02	DI	24VDC Dry Contact	ACTIVE	C2-S04-P31	C2	4	32	1756-IB32	XV-60262SG_DI_2	C2S4:32/RL.30:A1
JB-607	Spray Dryer 7th Floor	C2S05-X1	-	XV-60262SH		3-25-01-602-PD-02	DI	24VDC Dry Contact	ACTIVE	C2-S05-P00	C2	5	1	1756-IB32	XV-60262SH_DI_1	C2S5:1/RL.33:A1
JB-607	Spray Dryer 7th Floor	C2S05-X1	-	XV-60262SH		3-25-01-602-PD-02	DI	24VDC Dry Contact	ACTIVE	C2-S05-P01	C2	5	2	1756-IB32	XV-60262SH_DI_2	C2S5:2/RL.34:A1
JB-607	Spray Dryer 7th Floor	C2S05-X1	-	XV-60263		-	DI	24VDC Dry Contact	ACTIVE	C2-S05-P02	C2	5	3	1756-IB32	XV-60263_DI_1	C2S5:3/RL.35:A1
JB-607	Spray Dryer 7th Floor	C2S05-X1	-	XV-60263		-	DI	24VDC Dry Contact	ACTIVE	C2-S05-P03	C2	5	4	1756-IB32	XV-60263_DI_2	C2S5:4/RL.36:A1
JB-607	Spray Dryer 7th Floor	C2S05-X1	-	XV-60263FJ		3-25-01-602-PD-02	DI	24VDC Dry Contact	ACTIVE	C2-S05-P04	C2	5	5	1756-IB32	XV-60263FJ_DI_1	C2S5:5/RL.37:A1
JB-607	Spray Dryer 7th Floor	C2S05-X1	-	XV-60263FJ		3-25-01-602-PD-02	DI	24VDC Dry Contact	ACTIVE	C2-S05-P05	C2	5	6	1756-IB32	XV-60263FJ_DI_2	C2S5:6/RL.38:A1
JB-607	Spray Dryer 7th Floor	C2S05-X1	-	XV-60263FK		3-25-01-602-PD-02	DI	24VDC Dry Contact	ACTIVE	C2-S05-P06	C2	5	7	1756-IB32	XV-60263FK_DI_1	C2S5:7/RL.39:A1
JB-607	Spray Dryer 7th Floor	C2S05-X1	-	XV-60263FK		3-25-01-602-PD-02	DI	24VDC Dry Contact	ACTIVE	C2-S05-P07	C2	5	8	1756-IB32	XV-60263FK_DI_2	C2S5:8/RL.40:A1
JB-607	Spray Dryer 7th Floor	C2S05-X1	-	XV-60263FL		3-25-01-602-PD-02	DI	24VDC Dry Contact	ACTIVE	C2-S05-P08	C2	5	9	1756-IB32	XV-60263FL_DI_1	C2S5:9/RL.41:A1
JB-607	Spray Dryer 7th Floor	C2S05-X1	-	XV-60263FL		3-25-01-602-PD-02	DI	24VDC Dry Contact	ACTIVE	C2-S05-P09	C2	5	10	1756-IB32	XV-60263FL_DI_2	C2S5:10/RL.42:A1
JB-607	Spray Dryer 7th Floor	C2S05-X1	-	XV-60263FM		3-25-01-602-PD-02	DI	24VDC Dry Contact	ACTIVE	C2-S05-P10	C2	5	11	1756-IB32	XV-60263FM_DI_1	C2S5:11/RL.43:A1
JB-607	Spray Dryer 7th Floor	C2S05-X1	-	XV-60263FM		3-25-01-602-PD-02	DI	24VDC Dry Contact	ACTIVE	C2-S05-P11	C2	5	12	1756-IB32	XV-60263FM_DI_2	C2S5:12/RL.44:A1
JB-607	Spray Dryer 7th Floor	C2S05-X1	-	XV-60263SJ		3-25-01-602-PD-02	DI	24VDC Dry Contact	ACTIVE	C2-S05-P12	C2	5	13	1756-IB32	XV-60263SJ_DI_1	C2S5:13/RL.45:A1

Destination Specification (Field JB / MCC / Terminal Pin / Field Device)							Signal Spec			Source Specification (PLC Rack / Slot / Card Pin / EPLAN Wire Tag)						
Dest ID	Location	Terminal Block	Pin	Instrument Tag	Instrument Description	P&ID Drawing	Type	Signal Spec	Status	Point Ref ID	Rack	Slot	Ch	Module	PLC Tag Name	ePlan Wire Tag
JB-607	Spray Dryer 7th Floor	C2S05-X1	-	XV-60263SJ		3-25-01-602-PD-02	DI	24VDC Dry Contact	ACTIVE	C2-S05-P13	C2	5	14	1756-IB32	XV-60263SJ_DI_2	C2S5:14/RL.46:A1
JB-607	Spray Dryer 7th Floor	C2S05-X1	-	XV-60263SK		3-25-01-602-PD-02	DI	24VDC Dry Contact	ACTIVE	C2-S05-P14	C2	5	15	1756-IB32	XV-60263SK_DI_1	C2S5:15/RL.47:A1
JB-607	Spray Dryer 7th Floor	C2S05-X1	-	XV-60263SK		3-25-01-602-PD-02	DI	24VDC Dry Contact	ACTIVE	C2-S05-P15	C2	5	16	1756-IB32	XV-60263SK_DI_2	C2S5:16/RL.48:A1
JB-607	Spray Dryer 7th Floor	C2S05-X2	-	XV-60263SL		3-25-01-602-PD-02	DI	24VDC Dry Contact	ACTIVE	C2-S05-P16	C2	5	17	1756-IB32	XV-60263SL_DI_1	C2S5:17/C2S05-X2:17
JB-607	Spray Dryer 7th Floor	C2S05-X2	-	XV-60263SL		3-25-01-602-PD-02	DI	24VDC Dry Contact	ACTIVE	C2-S05-P17	C2	5	18	1756-IB32	XV-60263SL_DI_2	C2S5:18/C2S05-X2:18
JB-607	Spray Dryer 7th Floor	C2S05-X2	-	XV-60263SM		3-25-01-602-PD-02	DI	24VDC Dry Contact	ACTIVE	C2-S05-P18	C2	5	19	1756-IB32	XV-60263SM_DI_1	C2S5:19/RL.49:A1
JB-607	Spray Dryer 7th Floor	C2S05-X2	-	XV-60263SM		3-25-01-602-PD-02	DI	24VDC Dry Contact	ACTIVE	C2-S05-P19	C2	5	20	1756-IB32	XV-60263SM_DI_2	C2S5:20/RL.50:A1
JB-607	Spray Dryer 7th Floor	C2S05-X2	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C2-S05-P20	C2	5	21	1756-IB32	Spare_DI_0	C2S5:21/RL.51:A1
JB-607	Spray Dryer 7th Floor	C2S05-X2	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C2-S05-P21	C2	5	22	1756-IB32	Spare_DI_0	C2S5:22/RL.52:A1
JB-607	Spray Dryer 7th Floor	C2S05-X2	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C2-S05-P22	C2	5	23	1756-IB32	Spare_DI_0	C2S5:23/RL.53:A1
JB-607	Spray Dryer 7th Floor	C2S05-X2	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C2-S05-P23	C2	5	24	1756-IB32	Spare_DI_0	C2S5:24/RL.54:A1
JB-607	Spray Dryer 7th Floor	C2S05-X2	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C2-S05-P24	C2	5	25	1756-IB32	Spare_DI_0	C2S5:25/RL.55:A1
JB-607	Spray Dryer 7th Floor	C2S05-X2	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C2-S05-P25	C2	5	26	1756-IB32	Spare_DI_0	C2S5:26/RL.56:A1
JB-607	Spray Dryer 7th Floor	C2S05-X2	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C2-S05-P26	C2	5	27	1756-IB32	Spare_DI_0	C2S5:27/RL.57:A1
JB-607	Spray Dryer 7th Floor	C2S05-X2	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C2-S05-P27	C2	5	28	1756-IB32	Spare_DI_0	C2S5:28/RL.58:A1
JB-607	Spray Dryer 7th Floor	C2S05-X2	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C2-S05-P28	C2	5	29	1756-IB32	Spare_DI_0	C2S5:29/RL.59:A1
JB-607	Spray Dryer 7th Floor	C2S05-X2	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C2-S05-P29	C2	5	30	1756-IB32	Spare_DI_0	C2S5:30/RL.60:A1
JB-607	Spray Dryer 7th Floor	C2S05-X2	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C2-S05-P30	C2	5	31	1756-IB32	Spare_DI_0	C2S5:31/RL.61:A1
JB-607	Spray Dryer 7th Floor	C2S05-X2	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C2-S05-P31	C2	5	32	1756-IB32	Spare_DI_0	C2S5:32/RL.62:A1

Destination Specification (Field JB / MCC / Terminal Pin / Field Device)							Signal Spec			Source Specification (PLC Rack / Slot / Card Pin / EPLAN Wire Tag)						
Dest ID	Location	Terminal Block	Pin	Instrument Tag	Instrument Description	P&ID Drawing	Type	Signal Spec	Status	Point Ref ID	Rack	Slot	Ch	Module	PLC Tag Name	ePlan Wire Tag
JB-607	Spray Dryer 7th Floor	C2S07-X1	-	SV-60207		3-25-01-602-PD-07	DO	24VDC Sourcing	ACTIVE	C2-S07-P00	C2	7	1	1756-OB32	SV-60207_DO_1	C2S7:1/C2S07-X1:1
JB-607	Spray Dryer 7th Floor	C2S07-X1	-	XS-FH-60210C		-	DO	24VDC Sourcing	ACTIVE	C2-S07-P01	C2	7	2	1756-OB32	XS-FH-60210C_DO_1	C2S7:2/C2S07-X1:2
JB-607	Spray Dryer 7th Floor	C2S07-X1	-	XS-FH-60210D		-	DO	24VDC Sourcing	ACTIVE	C2-S07-P02	C2	7	3	1756-OB32	XS-FH-60210D_DO_1	C2S7:3/C2S07-X1:3
JB-607	Spray Dryer 7th Floor	C2S07-X1	-	XV-60201		3-25-01-602-PD-02	DO	24VDC Sourcing	ACTIVE	C2-S07-P03	C2	7	4	1756-OB32	XV-60201_DO_1	C2S7:4/C2S07-X1:4
JB-607	Spray Dryer 7th Floor	C2S07-X1	-	XV-60261		-	DO	24VDC Sourcing	ACTIVE	C2-S07-P04	C2	7	5	1756-OB32	XV-60261_DO_1	C2S7:5/C2S07-X1:5
JB-607	Spray Dryer 7th Floor	C2S07-X1	-	XV-60261FA		3-25-01-602-PD-02	DO	24VDC Sourcing	ACTIVE	C2-S07-P05	C2	7	6	1756-OB32	XV-60261FA_DO_1	C2S7:6/C2S07-X1:6
JB-607	Spray Dryer 7th Floor	C2S07-X1	-	XV-60261FB		3-25-01-602-PD-02	DO	24VDC Sourcing	ACTIVE	C2-S07-P06	C2	7	7	1756-OB32	XV-60261FB_DO_1	C2S7:7/C2S07-X1:7
JB-607	Spray Dryer 7th Floor	C2S07-X1	-	XV-60261FC		3-25-01-602-PD-02	DO	24VDC Sourcing	ACTIVE	C2-S07-P07	C2	7	8	1756-OB32	XV-60261FC_DO_1	C2S7:8/C2S07-X1:8
JB-607	Spray Dryer 7th Floor	C2S07-X1	-	XV-60261FD		3-25-01-602-PD-02	DO	24VDC Sourcing	ACTIVE	C2-S07-P08	C2	7	9	1756-OB32	XV-60261FD_DO_1	C2S7:9/C2S07-X1:9
JB-607	Spray Dryer 7th Floor	C2S07-X1	-	XV-60261SA		3-25-01-602-PD-02	DO	24VDC Sourcing	ACTIVE	C2-S07-P09	C2	7	10	1756-OB32	XV-60261SA_DO_1	C2S7:10/C2S07-X1:10
JB-607	Spray Dryer 7th Floor	C2S07-X1	-	XV-60261SB		3-25-01-602-PD-02	DO	24VDC Sourcing	ACTIVE	C2-S07-P10	C2	7	11	1756-OB32	XV-60261SB_DO_1	C2S7:11/C2S07-X1:11
JB-607	Spray Dryer 7th Floor	C2S07-X1	-	XV-60261SC		3-25-01-602-PD-02	DO	24VDC Sourcing	ACTIVE	C2-S07-P11	C2	7	12	1756-OB32	XV-60261SC_DO_1	C2S7:12/C2S07-X1:12
JB-607	Spray Dryer 7th Floor	C2S07-X1	-	XV-60261SD		3-25-01-602-PD-02	DO	24VDC Sourcing	ACTIVE	C2-S07-P12	C2	7	13	1756-OB32	XV-60261SD_DO_1	C2S7:13/C2S07-X1:13
JB-607	Spray Dryer 7th Floor	C2S07-X1	-	XV-60262		-	DO	24VDC Sourcing	ACTIVE	C2-S07-P13	C2	7	14	1756-OB32	XV-60262_DO_1	C2S7:14/C2S07-X1:14
JB-607	Spray Dryer 7th Floor	C2S07-X1	-	XV-60262FE		3-25-01-602-PD-02	DO	24VDC Sourcing	ACTIVE	C2-S07-P14	C2	7	15	1756-OB32	XV-60262FE_DO_1	C2S7:15/C2S07-X1:15
JB-607	Spray Dryer 7th Floor	C2S07-X1	-	XV-60262FF		3-25-01-602-PD-02	DO	24VDC Sourcing	ACTIVE	C2-S07-P15	C2	7	16	1756-OB32	XV-60262FF_DO_1	C2S7:16/C2S07-X1:16
JB-607	Spray Dryer 7th Floor	C2S07-X2	-	XV-60262FG		3-25-01-602-PD-02	DO	24VDC Sourcing	ACTIVE	C2-S07-P16	C2	7	17	1756-OB32	XV-60262FG_DO_1	C2S7:17/C2S07-X2:17
JB-607	Spray Dryer 7th Floor	C2S07-X2	-	XV-60262FH		3-25-01-602-PD-02	DO	24VDC Sourcing	ACTIVE	C2-S07-P17	C2	7	18	1756-OB32	XV-60262FH_DO_1	C2S7:18/C2S07-X2:18
JB-607	Spray Dryer 7th Floor	C2S07-X2	-	XV-60262SE		3-25-01-602-PD-02	DO	24VDC Sourcing	ACTIVE	C2-S07-P18	C2	7	19	1756-OB32	XV-60262SE_DO_1	C2S7:19/C2S07-X2:19

Destination Specification (Field JB / MCC / Terminal Pin / Field Device)							Signal Spec			Source Specification (PLC Rack / Slot / Card Pin / EPLAN Wire Tag)						
Dest ID	Location	Terminal Block	Pin	Instrument Tag	Instrument Description	P&ID Drawing	Type	Signal Spec	Status	Point Ref ID	Rack	Slot	Ch	Module	PLC Tag Name	ePlan Wire Tag
JB-607	Spray Dryer 7th Floor	C2S07-X2	-	XV-60262SF		3-25-01-602-PD-02	DO	24VDC Sourcing	ACTIVE	C2-S07-P19	C2	7	20	1756-OB32	XV-60262SF_D0_1	C2S7:20/C2S07-X2:20
JB-607	Spray Dryer 7th Floor	C2S07-X2	-	XV-60262SG		3-25-01-602-PD-02	DO	24VDC Sourcing	ACTIVE	C2-S07-P20	C2	7	21	1756-OB32	XV-60262SG_D0_1	C2S7:21/C2S07-X2:21
JB-607	Spray Dryer 7th Floor	C2S07-X2	-	XV-60262SH		3-25-01-602-PD-02	DO	24VDC Sourcing	ACTIVE	C2-S07-P21	C2	7	22	1756-OB32	XV-60262SH_D0_1	C2S7:22/C2S07-X2:22
JB-607	Spray Dryer 7th Floor	C2S07-X2	-	XV-60263		-	DO	24VDC Sourcing	ACTIVE	C2-S07-P22	C2	7	23	1756-OB32	XV-60263_D0_1	C2S7:23/C2S07-X2:23
JB-607	Spray Dryer 7th Floor	C2S07-X2	-	XV-60263FJ		3-25-01-602-PD-02	DO	24VDC Sourcing	ACTIVE	C2-S07-P23	C2	7	24	1756-OB32	XV-60263FJ_D0_1	C2S7:24/C2S07-X2:24
JB-607	Spray Dryer 7th Floor	C2S07-X2	-	XV-60263FK		3-25-01-602-PD-02	DO	24VDC Sourcing	ACTIVE	C2-S07-P24	C2	7	25	1756-OB32	XV-60263FK_D0_1	C2S7:25/C2S07-X2:25
JB-607	Spray Dryer 7th Floor	C2S07-X2	-	XV-60263FL		3-25-01-602-PD-02	DO	24VDC Sourcing	ACTIVE	C2-S07-P25	C2	7	26	1756-OB32	XV-60263FL_D0_1	C2S7:26/C2S07-X2:26
JB-607	Spray Dryer 7th Floor	C2S07-X2	-	XV-60263FM		3-25-01-602-PD-02	DO	24VDC Sourcing	ACTIVE	C2-S07-P26	C2	7	27	1756-OB32	XV-60263FM_D0_1	C2S7:27/C2S07-X2:27
JB-607	Spray Dryer 7th Floor	C2S07-X2	-	XV-60263SJ		3-25-01-602-PD-02	DO	24VDC Sourcing	ACTIVE	C2-S07-P27	C2	7	28	1756-OB32	XV-60263SJ_D0_1	C2S7:28/C2S07-X2:28
JB-607	Spray Dryer 7th Floor	C2S07-X2	-	XV-60263SK		3-25-01-602-PD-02	DO	24VDC Sourcing	ACTIVE	C2-S07-P28	C2	7	29	1756-OB32	XV-60263SK_D0_1	C2S7:29/C2S07-X2:29
JB-607	Spray Dryer 7th Floor	C2S07-X2	-	XV-60263SL		3-25-01-602-PD-02	DO	24VDC Sourcing	ACTIVE	C2-S07-P29	C2	7	30	1756-OB32	XV-60263SL_D0_1	C2S7:30/C2S07-X2:30
JB-607	Spray Dryer 7th Floor	C2S07-X2	-	XV-60263SM		3-25-01-602-PD-02	DO	24VDC Sourcing	ACTIVE	C2-S07-P30	C2	7	31	1756-OB32	XV-60263SM_D0_1	C2S7:31/C2S07-X2:31
JB-607	Spray Dryer 7th Floor	C2S07-X2	-	Spare	Spare Channel	-	DO	24VDC Sourcing	SPARE	C2-S07-P31	C2	7	32	1756-OB32	Spare_D0_0	C2S7:32/C2S07-X2:32
JB-607	Spray Dryer 7th Floor	C2S08-X1	-	XV-60264		-	DO	24VDC Sourcing	ACTIVE	C2-S08-P00	C2	8	1	1756-OB32	XV-60264_D0_1	C2S8:1/C2S08-X1:1
JB-607	Spray Dryer 7th Floor	C2S08-X1	-	XV-60264FN		3-25-01-602-PD-02	DO	24VDC Sourcing	ACTIVE	C2-S08-P01	C2	8	2	1756-OB32	XV-60264FN_D0_1	C2S8:2/C2S08-X1:2
JB-607	Spray Dryer 7th Floor	C2S08-X1	-	XV-60264FP		3-25-01-602-PD-02	DO	24VDC Sourcing	ACTIVE	C2-S08-P02	C2	8	3	1756-OB32	XV-60264FP_D0_1	C2S8:3/C2S08-X1:3
JB-607	Spray Dryer 7th Floor	C2S08-X1	-	XV-60264FQ		3-25-01-602-PD-02	DO	24VDC Sourcing	ACTIVE	C2-S08-P03	C2	8	4	1756-OB32	XV-60264FQ_D0_1	C2S8:4/C2S08-X1:4
JB-607	Spray Dryer 7th Floor	C2S08-X1	-	XV-60264FR		3-25-01-602-PD-02	DO	24VDC Sourcing	ACTIVE	C2-S08-P04	C2	8	5	1756-OB32	XV-60264FR_D0_1	C2S8:5/C2S08-X1:5
JB-607	Spray Dryer 7th Floor	C2S08-X1	-	XV-60264SN		3-25-01-602-PD-02	DO	24VDC Sourcing	ACTIVE	C2-S08-P05	C2	8	6	1756-OB32	XV-60264SN_D0_1	C2S8:6/C2S08-X1:6

Destination Specification (Field JB / MCC / Terminal Pin / Field Device)							Signal Spec			Source Specification (PLC Rack / Slot / Card Pin / EPLAN Wire Tag)						
Dest ID	Location	Terminal Block	Pin	Instrument Tag	Instrument Description	P&ID Drawing	Type	Signal Spec	Status	Point Ref ID	Rack	Slot	Ch	Module	PLC Tag Name	ePlan Wire Tag
JB-607	Spray Dryer 7th Floor	C2S08-X1	-	XV-60264SP		3-25-01-602-PD-02	DO	24VDC Sourcing	ACTIVE	C2-S08-P06	C2	8	7	1756-OB32	XV-60264SP_D0_1	C2S8:7/C2S08-X1:7
JB-607	Spray Dryer 7th Floor	C2S08-X1	-	XV-60264SQ		3-25-01-602-PD-02	DO	24VDC Sourcing	ACTIVE	C2-S08-P07	C2	8	8	1756-OB32	XV-60264SQ_D0_1	C2S8:8/C2S08-X1:8
JB-607	Spray Dryer 7th Floor	C2S08-X1	-	XV-60264SR		3-25-01-602-PD-02	DO	24VDC Sourcing	ACTIVE	C2-S08-P08	C2	8	9	1756-OB32	XV-60264SR_D0_1	C2S8:9/C2S08-X1:9
JB-607	Spray Dryer 7th Floor	C2S08-X1	-	Spare	Spare Channel	-	DO	24VDC Sourcing	SPARE	C2-S08-P09	C2	8	10	1756-OB32	Spare_D0_0	C2S8:10/C2S08-X1:10
JB-607	Spray Dryer 7th Floor	C2S08-X1	-	Spare	Spare Channel	-	DO	24VDC Sourcing	SPARE	C2-S08-P10	C2	8	11	1756-OB32	Spare_D0_0	C2S8:11/C2S08-X1:11
JB-607	Spray Dryer 7th Floor	C2S08-X1	-	Spare	Spare Channel	-	DO	24VDC Sourcing	SPARE	C2-S08-P11	C2	8	12	1756-OB32	Spare_D0_0	C2S8:12/C2S08-X1:12
JB-607	Spray Dryer 7th Floor	C2S08-X1	-	Spare	Spare Channel	-	DO	24VDC Sourcing	SPARE	C2-S08-P12	C2	8	13	1756-OB32	Spare_D0_0	C2S8:13/C2S08-X1:13
JB-607	Spray Dryer 7th Floor	C2S08-X1	-	Spare	Spare Channel	-	DO	24VDC Sourcing	SPARE	C2-S08-P13	C2	8	14	1756-OB32	Spare_D0_0	C2S8:14/C2S08-X1:14
JB-607	Spray Dryer 7th Floor	C2S08-X1	-	Spare	Spare Channel	-	DO	24VDC Sourcing	SPARE	C2-S08-P14	C2	8	15	1756-OB32	Spare_D0_0	C2S8:15/C2S08-X1:15
JB-607	Spray Dryer 7th Floor	C2S08-X1	-	Spare	Spare Channel	-	DO	24VDC Sourcing	SPARE	C2-S08-P15	C2	8	16	1756-OB32	Spare_D0_0	C2S8:16/C2S08-X1:16
JB-607	Spray Dryer 7th Floor	C2S08-X2	-	Spare	Spare Channel	-	DO	24VDC Sourcing	SPARE	C2-S08-P16	C2	8	17	1756-OB32	Spare_D0_0	C2S8:17/C2S08-X2:17
JB-607	Spray Dryer 7th Floor	C2S08-X2	-	Spare	Spare Channel	-	DO	24VDC Sourcing	SPARE	C2-S08-P17	C2	8	18	1756-OB32	Spare_D0_0	C2S8:18/C2S08-X2:18
JB-607	Spray Dryer 7th Floor	C2S08-X2	-	Spare	Spare Channel	-	DO	24VDC Sourcing	SPARE	C2-S08-P18	C2	8	19	1756-OB32	Spare_D0_0	C2S8:19/C2S08-X2:19
JB-607	Spray Dryer 7th Floor	C2S08-X2	-	Spare	Spare Channel	-	DO	24VDC Sourcing	SPARE	C2-S08-P19	C2	8	20	1756-OB32	Spare_D0_0	C2S8:20/C2S08-X2:20
JB-607	Spray Dryer 7th Floor	C2S08-X2	-	Spare	Spare Channel	-	DO	24VDC Sourcing	SPARE	C2-S08-P20	C2	8	21	1756-OB32	Spare_D0_0	C2S8:21/C2S08-X2:21
JB-607	Spray Dryer 7th Floor	C2S08-X2	-	Spare	Spare Channel	-	DO	24VDC Sourcing	SPARE	C2-S08-P21	C2	8	22	1756-OB32	Spare_D0_0	C2S8:22/C2S08-X2:22
JB-607	Spray Dryer 7th Floor	C2S08-X2	-	Spare	Spare Channel	-	DO	24VDC Sourcing	SPARE	C2-S08-P22	C2	8	23	1756-OB32	Spare_D0_0	C2S8:23/C2S08-X2:23
JB-607	Spray Dryer 7th Floor	C2S08-X2	-	Spare	Spare Channel	-	DO	24VDC Sourcing	SPARE	C2-S08-P23	C2	8	24	1756-OB32	Spare_D0_0	C2S8:24/C2S08-X2:24
JB-607	Spray Dryer 7th Floor	C2S08-X2	-	Spare	Spare Channel	-	DO	24VDC Sourcing	SPARE	C2-S08-P24	C2	8	25	1756-OB32	Spare_D0_0	C2S8:25/C2S08-X2:25

Destination Specification (Field JB / MCC / Terminal Pin / Field Device)							Signal Spec			Source Specification (PLC Rack / Slot / Card Pin / EPLAN Wire Tag)						
Dest ID	Location	Terminal Block	Pin	Instrument Tag	Instrument Description	P&ID Drawing	Type	Signal Spec	Status	Point Ref ID	Rack	Slot	Ch	Module	PLC Tag Name	ePlan Wire Tag
JB-607	Spray Dryer 7th Floor	C2S08-X2	-	Spare	Spare Channel	-	DO	24VDC Sourcing	SPARE	C2-S08-P25	C2	8	26	1756-OB32	Spare_D0_0	C2S8:26/C2S08-X2:26
JB-607	Spray Dryer 7th Floor	C2S08-X2	-	Spare	Spare Channel	-	DO	24VDC Sourcing	SPARE	C2-S08-P26	C2	8	27	1756-OB32	Spare_D0_0	C2S8:27/C2S08-X2:27
JB-607	Spray Dryer 7th Floor	C2S08-X2	-	Spare	Spare Channel	-	DO	24VDC Sourcing	SPARE	C2-S08-P27	C2	8	28	1756-OB32	Spare_D0_0	C2S8:28/C2S08-X2:28
JB-607	Spray Dryer 7th Floor	C2S08-X2	-	Spare	Spare Channel	-	DO	24VDC Sourcing	SPARE	C2-S08-P28	C2	8	29	1756-OB32	Spare_D0_0	C2S8:29/C2S08-X2:29
JB-607	Spray Dryer 7th Floor	C2S08-X2	-	Spare	Spare Channel	-	DO	24VDC Sourcing	SPARE	C2-S08-P29	C2	8	30	1756-OB32	Spare_D0_0	C2S8:30/C2S08-X2:30
JB-607	Spray Dryer 7th Floor	C2S08-X2	-	Spare	Spare Channel	-	DO	24VDC Sourcing	SPARE	C2-S08-P30	C2	8	31	1756-OB32	Spare_D0_0	C2S8:31/C2S08-X2:31
JB-607	Spray Dryer 7th Floor	C2S08-X2	-	Spare	Spare Channel	-	DO	24VDC Sourcing	SPARE	C2-S08-P31	C2	8	32	1756-OB32	Spare_D0_0	C2S8:32/C2S08-X2:32
JB-607	Spray Dryer 7th Floor	C2S12-X1	-	FT-60207		3-25-01-602-PD-07	AI	4-20mA HART	ACTIVE	C2-S12-P00	C2	12	1	1756-IF16	FT-60207_AI_1	C2S12:1/C2S12-X1:1
JB-607	Spray Dryer 7th Floor	C2S12-X1	-	FT-60221		3-25-01-602-PD-04	AI	4-20mA HART	ACTIVE	C2-S12-P01	C2	12	2	1756-IF16	FT-60221_AI_1	C2S12:2/C2S12-X1:2
JB-607	Spray Dryer 7th Floor	C2S12-X1	-	FT-60261FA		3-25-01-602-PD-02	AI	4-20mA HART	ACTIVE	C2-S12-P02	C2	12	3	1756-IF16	FT-60261FA_AI_1	C2S12:3/C2S12-X1:3
JB-607	Spray Dryer 7th Floor	C2S12-X1	-	FT-60261FB		3-25-01-602-PD-02	AI	4-20mA HART	ACTIVE	C2-S12-P03	C2	12	4	1756-IF16	FT-60261FB_AI_1	C2S12:4/C2S12-X1:4
JB-607	Spray Dryer 7th Floor	C2S12-X1	-	FT-60261FC		3-25-01-602-PD-02	AI	4-20mA HART	ACTIVE	C2-S12-P04	C2	12	5	1756-IF16	FT-60261FC_AI_1	C2S12:5/C2S12-X1:5
JB-607	Spray Dryer 7th Floor	C2S12-X1	-	FT-60261FD		3-25-01-602-PD-02	AI	4-20mA HART	ACTIVE	C2-S12-P05	C2	12	6	1756-IF16	FT-60261FD_AI_1	C2S12:6/C2S12-X1:6
JB-607	Spray Dryer 7th Floor	C2S12-X1	-	FT-60262FE		3-25-01-602-PD-02	AI	4-20mA HART	ACTIVE	C2-S12-P06	C2	12	7	1756-IF16	FT-60262FE_AI_1	C2S12:7/C2S12-X1:7
JB-607	Spray Dryer 7th Floor	C2S12-X1	-	FT-60262FF		3-25-01-602-PD-02	AI	4-20mA HART	ACTIVE	C2-S12-P07	C2	12	8	1756-IF16	FT-60262FF_AI_1	C2S12:8/C2S12-X1:8
JB-607	Spray Dryer 7th Floor	C2S12-X1	-	FT-60262FG		3-25-01-602-PD-02	AI	4-20mA HART	ACTIVE	C2-S12-P08	C2	12	9	1756-IF16	FT-60262FG_AI_1	C2S12:9/C2S12-X1:9
JB-607	Spray Dryer 7th Floor	C2S12-X1	-	FT-60262FH		3-25-01-602-PD-02	AI	4-20mA HART	ACTIVE	C2-S12-P09	C2	12	10	1756-IF16	FT-60262FH_AI_1	C2S12:10/C2S12-X1:10
JB-607	Spray Dryer 7th Floor	C2S12-X1	-	FT-60263FJ		3-25-01-602-PD-02	AI	4-20mA HART	ACTIVE	C2-S12-P10	C2	12	11	1756-IF16	FT-60263FJ_AI_1	C2S12:11/C2S12-X1:11
JB-607	Spray Dryer 7th Floor	C2S12-X1	-	FT-60263FK		3-25-01-602-PD-02	AI	4-20mA HART	ACTIVE	C2-S12-P11	C2	12	12	1756-IF16	FT-60263FK_AI_1	C2S12:12/C2S12-X1:12

Destination Specification (Field JB / MCC / Terminal Pin / Field Device)							Signal Spec			Source Specification (PLC Rack / Slot / Card Pin / EPLAN Wire Tag)						
Dest ID	Location	Terminal Block	Pin	Instrument Tag	Instrument Description	P&ID Drawing	Type	Signal Spec	Status	Point Ref ID	Rack	Slot	Ch	Module	PLC Tag Name	ePlan Wire Tag
JB-607	Spray Dryer 7th Floor	C2S12-X1	-	FT-60263FL		3-25-01-602-PD-02	AI	4-20mA HART	ACTIVE	C2-S12-P12	C2	12	13	1756-IF16	FT-60263FL_AI_1	C2S12:13/C2S12-X1:13
JB-607	Spray Dryer 7th Floor	C2S12-X1	-	FT-60263FM		3-25-01-602-PD-02	AI	4-20mA HART	ACTIVE	C2-S12-P13	C2	12	14	1756-IF16	FT-60263FM_AI_1	C2S12:14/C2S12-X1:14
JB-607	Spray Dryer 7th Floor	C2S12-X1	-	FT-60264FN		3-25-01-602-PD-02	AI	4-20mA HART	ACTIVE	C2-S12-P14	C2	12	15	1756-IF16	FT-60264FN_AI_1	C2S12:15/C2S12-X1:15
JB-607	Spray Dryer 7th Floor	C2S12-X1	-	FT-60264FP		3-25-01-602-PD-02	AI	4-20mA HART	ACTIVE	C2-S12-P15	C2	12	16	1756-IF16	FT-60264FP_AI_1	C2S12:16/C2S12-X1:16
JB-607	Spray Dryer 7th Floor	C2S13-X1	-	FT-60264FQ		3-25-01-602-PD-02	AI	4-20mA HART	ACTIVE	C2-S13-P00	C2	13	1	1756-IF16	FT-60264FQ_AI_1	C2S13:1/C2S13-X1:1
JB-607	Spray Dryer 7th Floor	C2S13-X1	-	FT-60264FR		3-25-01-602-PD-02	AI	4-20mA HART	ACTIVE	C2-S13-P01	C2	13	2	1756-IF16	FT-60264FR_AI_1	C2S13:2/C2S13-X1:2
JB-607	Spray Dryer 7th Floor	C2S13-X1	-	PT-60201	Pressure Transmitter	3-25-01-602-PD-02	AI	4-20mA HART	ACTIVE	C2-S13-P02	C2	13	3	1756-IF16	PT-60201_AI_1	C2S13:3/C2S13-X1:3
JB-607	Spray Dryer 7th Floor	C2S13-X1	-	PT-60207	Pressure Transmitter	3-25-01-602-PD-07	AI	4-20mA HART	ACTIVE	C2-S13-P03	C2	13	4	1756-IF16	PT-60207_AI_1	C2S13:4/C2S13-X1:4
JB-607	Spray Dryer 7th Floor	C2S13-X1	-	PT-60221	Pressure Transmitter	3-25-01-602-PD-04	AI	4-20mA HART	ACTIVE	C2-S13-P04	C2	13	5	1756-IF16	PT-60221_AI_1	C2S13:5/C2S13-X1:5
JB-607	Spray Dryer 7th Floor	C2S13-X1	-	PT-60221	Pressure Transmitter	3-25-01-602-PD-04	AI	4-20mA HART	ACTIVE	C2-S13-P05	C2	13	6	1756-IF16	PT-60221_AI_1	C2S13:6/C2S13-X1:6
JB-607	Spray Dryer 7th Floor	C2S13-X1	-	TI-FH-60210		-	AI	4-20mA HART	ACTIVE	C2-S13-P06	C2	13	7	1756-IF16	TI-FH-60210_AI_1	C2S13:7/C2S13-X1:7
JB-607	Spray Dryer 7th Floor	C2S13-X1	-	TT-60201		3-25-01-602-PD-02	AI	4-20mA HART	ACTIVE	C2-S13-P07	C2	13	8	1756-IF16	TT-60201_AI_1	C2S13:8/C2S13-X1:8
JB-607	Spray Dryer 7th Floor	C2S13-X1	-	TT-60202		3-25-01-602-PD-07	AI	4-20mA HART	ACTIVE	C2-S13-P08	C2	13	9	1756-IF16	TT-60202_AI_1	C2S13:9/C2S13-X1:9
JB-607	Spray Dryer 7th Floor	C2S13-X1	-	TT-60207		3-25-01-602-PD-07	AI	4-20mA HART	ACTIVE	C2-S13-P09	C2	13	10	1756-IF16	TT-60207_AI_1	C2S13:10/C2S13-X1:10
JB-607	Spray Dryer 7th Floor	C2S13-X1	-	UY-FH-60210A		-	AI	4-20mA HART	ACTIVE	C2-S13-P10	C2	13	11	1756-IF16	UY-FH-60210A_AI_1	C2S13:11/C2S13-X1:11
JB-607	Spray Dryer 7th Floor	C2S13-X1	-	Spare	Spare Channel	-	AI	4-20mA HART	SPARE	C2-S13-P11	C2	13	12	1756-IF16	Spare_AI_0	C2S13:12/C2S13-X1:12
JB-607	Spray Dryer 7th Floor	C2S13-X1	-	Spare	Spare Channel	-	AI	4-20mA HART	SPARE	C2-S13-P12	C2	13	13	1756-IF16	Spare_AI_0	C2S13:13/C2S13-X1:13
JB-607	Spray Dryer 7th Floor	C2S13-X1	-	Spare	Spare Channel	-	AI	4-20mA HART	SPARE	C2-S13-P13	C2	13	14	1756-IF16	Spare_AI_0	C2S13:14/C2S13-X1:14
JB-607	Spray Dryer 7th Floor	C2S13-X1	-	Spare	Spare Channel	-	AI	4-20mA HART	SPARE	C2-S13-P14	C2	13	15	1756-IF16	Spare_AI_0	C2S13:15/C2S13-X1:15

Destination Specification (Field JB / MCC / Terminal Pin / Field Device)							Signal Spec			Source Specification (PLC Rack / Slot / Card Pin / EPLAN Wire Tag)						
Dest ID	Location	Terminal Block	Pin	Instrument Tag	Instrument Description	P&ID Drawing	Type	Signal Spec	Status	Point Ref ID	Rack	Slot	Ch	Module	PLC Tag Name	ePlan Wire Tag
JB-607	Spray Dryer 7th Floor	C2S13-X1	-	Spare	Spare Channel	-	AI	4-20mA HART	SPARE	C2-S13-P15	C2	13	16	1756-IF16	Spare_AI_0	C2S13:16/C2S13-X1:16
JB-607	Spray Dryer 7th Floor	C3S13-X1	-	PV-60201		3-25-01-602-PD-02	AO	4-20mA HART	ACTIVE	C3-S13-P03	C3	13	4	1756-OF8	PV-60201_A0_1	C3S13:4/C3S13-X1:4
JB-607	Spray Dryer 7th Floor	C3S13-X1	-	UY-FH-60210B		-	AO	4-20mA HART	ACTIVE	C3-S13-P04	C3	13	5	1756-OF8	UY-FH-60210B_A0_1	C3S13:5/C3S13-X1:5
JB-607	Spray Dryer 7th Floor	C3S13-X1	-	Spare	Spare Channel	-	AO	4-20mA HART	SPARE	C3-S13-P05	C3	13	6	1756-OF8	Spare_A0_0	C3S13:6/C3S13-X1:6
JB-607	Spray Dryer 7th Floor	C3S13-X1	-	Spare	Spare Channel	-	AO	4-20mA HART	SPARE	C3-S13-P06	C3	13	7	1756-OF8	Spare_A0_0	C3S13:7/C3S13-X1:7
JB-607	Spray Dryer 7th Floor	C3S13-X1	-	Spare	Spare Channel	-	AO	4-20mA HART	SPARE	C3-S13-P07	C3	13	8	1756-OF8	Spare_A0_0	C3S13:8/C3S13-X1:8
JB-607	Spray Dryer 7th Floor	C7S00-	-	COM-FH-60210B		-	BUS	4-20mA HART	ACTIVE	C7-S00-P00	C7	0	1		COM-FH-60210B_BUS_1	C7S00:1/C7S00-:1

DESTINATION: JB-401 — INFEED AREA 2ND FLOOR JUNCTION BOX										Total: 112 Pts Active: 85 Spare: 27 (24.1%) AI:16 DI:64 DO:32							
Location: Infeed Processing 2nd Floor Size: 800 x 600 x 250 mm Spec: Standard Industrial (IP66 / SS304)																	
DESTINATION SPECIFICATION (FIELD JB / MCC / TERMINAL PIN / FIELD DEVICE)							SIGNAL SPEC			SOURCE SPECIFICATION (PLC RACK / SLOT / CARD PIN / EPLAN WIRE TAG)							
Dest ID	Location	Terminal Block	Pin	Instrument Tag	Instrument Description	P&ID Drawing	Type	Signal Spec	Status	Point Ref ID	Rack	Slot	Ch	Module	PLC Tag Name	ePlan Wire Tag	
JB-401	Infeed 2nd Floor	C1S03-X2	–	FSL-40201	Flow Switch	3-25-01-402-PD-01	DI	24VDC Dry Contact	ACTIVE	C1-S03-P16	C1	3	17	1756-IB32	FSL-40201_DI_1	C1S3:17/C1S03-X2:17	
JB-401	Infeed 2nd Floor	C1S03-X2	–	FSL-40202	Flow Switch	3-25-01-402-PD-01	DI	24VDC Dry Contact	ACTIVE	C1-S03-P17	C1	3	18	1756-IB32	FSL-40202_DI_1	C1S3:18/C1S03-X2:18	
JB-401	Infeed 2nd Floor	C1S03-X2	–	FT-40201	Coriolis Flow Transmitter	3-25-01-402-PD-02	DI	24VDC Dry Contact	ACTIVE	C1-S03-P18	C1	3	19	1756-IB32	FT-40201_DI_1	C1S3:19/C1S03-X2:19	
JB-401	Infeed 2nd Floor	C1S03-X2	–	FT-40202	Magnetic Flow Transmitter	3-25-01-402-PD-02	DI	24VDC Dry Contact	ACTIVE	C1-S03-P19	C1	3	20	1756-IB32	FT-40202_DI_1	C1S3:20/C1S03-X2:20	
JB-401	Infeed 2nd Floor	C1S03-X2	–	HV-40201	Manual Valve With Position Switch	3-25-01-402-PD-01	DI	24VDC Dry Contact	ACTIVE	C1-S03-P20	C1	3	21	1756-IB32	HV-40201_DI_1	C1S3:21/C1S03-X2:21	
JB-401	Infeed 2nd Floor	C1S03-X2	–	HV-40202	Manual Valve With Position Switch	3-25-01-402-PD-01	DI	24VDC Dry Contact	ACTIVE	C1-S03-P21	C1	3	22	1756-IB32	HV-40202_DI_1	C1S3:22/C1S03-X2:22	
JB-401	Infeed 2nd Floor	C1S03-X2	–	HV-40203	Manual Valve With Position Switch	3-25-01-402-PD-01	DI	24VDC Dry Contact	ACTIVE	C1-S03-P22	C1	3	23	1756-IB32	HV-40203_DI_1	C1S3:23/C1S03-X2:23	
JB-401	Infeed 2nd Floor	C1S03-X2	–	HV-40204	Manual Valve With Position Switch	3-25-01-402-PD-01	DI	24VDC Dry Contact	ACTIVE	C1-S03-P23	C1	3	24	1756-IB32	HV-40204_DI_1	C1S3:24/C1S03-X2:24	
JB-401	Infeed 2nd Floor	C1S03-X2	–	HV-40205	Manual Valve With Position Switch	3-25-01-402-PD-02	DI	24VDC Dry Contact	ACTIVE	C1-S03-P24	C1	3	25	1756-IB32	HV-40205_DI_1	C1S3:25/C1S03-X2:25	
JB-401	Infeed 2nd Floor	C1S03-X2	–	HV-40206	Manual Valve With Position Switch	3-25-01-402-PD-02	DI	24VDC Dry Contact	ACTIVE	C1-S03-P25	C1	3	26	1756-IB32	HV-40206_DI_1	C1S3:26/C1S03-X2:26	
JB-401	Infeed 2nd Floor	C1S03-X2	–	XV-40201A		3-25-01-402-PD-01	DI	24VDC Dry Contact	ACTIVE	C1-S03-P26	C1	3	27	1756-IB32	XV-40201A_DI_1	C1S3:27/C1S03-X2:27	
JB-401	Infeed 2nd Floor	C1S03-X2	–	XV-40201A		3-25-01-402-PD-01	DI	24VDC Dry Contact	ACTIVE	C1-S03-P27	C1	3	28	1756-IB32	XV-40201A_DI_2	C1S3:28/C1S03-X2:28	

Destination Specification (Field JB / MCC / Terminal Pin / Field Device)							Signal Spec			Source Specification (PLC Rack / Slot / Card Pin / EPLAN Wire Tag)						
Dest ID	Location	Terminal Block	Pin	Instrument Tag	Instrument Description	P&ID Drawing	Type	Signal Spec	Status	Point Ref ID	Rack	Slot	Ch	Module	PLC Tag Name	ePlan Wire Tag
JB-401	Infeed 2nd Floor	C1S03-X2	-	XV-40201B		3-25-01-402-PD-01	DI	24VDC Dry Contact	ACTIVE	C1-S03-P28	C1	3	29	1756-IB32	XV-40201B_DI_1	C1S3:29/C1S03-X2:29
JB-401	Infeed 2nd Floor	C1S03-X2	-	XV-40201B		3-25-01-402-PD-01	DI	24VDC Dry Contact	ACTIVE	C1-S03-P29	C1	3	30	1756-IB32	XV-40201B_DI_2	C1S3:30/C1S03-X2:30
JB-401	Infeed 2nd Floor	C1S03-X2	-	XV-40201C		3-25-01-402-PD-01	DI	24VDC Dry Contact	ACTIVE	C1-S03-P30	C1	3	31	1756-IB32	XV-40201C_DI_1	C1S3:31/C1S03-X2:31
JB-401	Infeed 2nd Floor	C1S03-X2	-	XV-40201C		3-25-01-402-PD-01	DI	24VDC Dry Contact	ACTIVE	C1-S03-P31	C1	3	32	1756-IB32	XV-40201C_DI_2	C1S3:32/C1S03-X2:32
JB-401	Infeed 2nd Floor	C1S04-X1	-	XV-40201D		3-25-01-402-PD-01	DI	24VDC Dry Contact	ACTIVE	C1-S04-P00	C1	4	1	1756-IB32	XV-40201D_DI_1	C1S4:1/TBDI1:1A
JB-401	Infeed 2nd Floor	C1S04-X1	-	XV-40201D		3-25-01-402-PD-01	DI	24VDC Dry Contact	ACTIVE	C1-S04-P01	C1	4	2	1756-IB32	XV-40201D_DI_2	C1S4:2/TBDI1:2A
JB-401	Infeed 2nd Floor	C1S04-X1	-	XV-40201E		3-25-01-402-PD-01	DI	24VDC Dry Contact	ACTIVE	C1-S04-P02	C1	4	3	1756-IB32	XV-40201E_DI_1	C1S4:3/TBDI1:3A
JB-401	Infeed 2nd Floor	C1S04-X1	-	XV-40201E		3-25-01-402-PD-01	DI	24VDC Dry Contact	ACTIVE	C1-S04-P03	C1	4	4	1756-IB32	XV-40201E_DI_2	C1S4:4/TBDI1:4A
JB-401	Infeed 2nd Floor	C1S04-X1	-	XV-40201F		3-25-01-402-PD-01	DI	24VDC Dry Contact	ACTIVE	C1-S04-P04	C1	4	5	1756-IB32	XV-40201F_DI_1	C1S4:5/TBDI1:5A
JB-401	Infeed 2nd Floor	C1S04-X1	-	XV-40201F		3-25-01-402-PD-01	DI	24VDC Dry Contact	ACTIVE	C1-S04-P05	C1	4	6	1756-IB32	XV-40201F_DI_2	C1S4:6/TBDI1:6A
JB-401	Infeed 2nd Floor	C1S04-X1	-	XV-40201G		3-25-01-402-PD-01	DI	24VDC Dry Contact	ACTIVE	C1-S04-P06	C1	4	7	1756-IB32	XV-40201G_DI_1	C1S4:7/TBDI1:7A
JB-401	Infeed 2nd Floor	C1S04-X1	-	XV-40201G		3-25-01-402-PD-01	DI	24VDC Dry Contact	ACTIVE	C1-S04-P07	C1	4	8	1756-IB32	XV-40201G_DI_2	C1S4:8/TBDI1:8A
JB-401	Infeed 2nd Floor	C1S04-X1	-	XV-40201H		3-25-01-402-PD-01	DI	24VDC Dry Contact	ACTIVE	C1-S04-P08	C1	4	9	1756-IB32	XV-40201H_DI_1	C1S4:9/TBDI1:9A
JB-401	Infeed 2nd Floor	C1S04-X1	-	XV-40201H		3-25-01-402-PD-01	DI	24VDC Dry Contact	ACTIVE	C1-S04-P09	C1	4	10	1756-IB32	XV-40201H_DI_2	C1S4:10/TBDI1:10A
JB-401	Infeed 2nd Floor	C1S04-X1	-	XV-40202A		3-25-01-402-PD-01	DI	24VDC Dry Contact	ACTIVE	C1-S04-P11	C1	4	12	1756-IB32	XV-40202A_DI_2	C1S4:12/TBDI1:12A
JB-401	Infeed 2nd Floor	C1S04-X1	-	XV-40202B		3-25-01-402-PD-01	DI	24VDC Dry Contact	ACTIVE	C1-S04-P12	C1	4	13	1756-IB32	XV-40202B_DI_1	C1S4:13/TBDI1:13A
JB-401	Infeed 2nd Floor	C1S04-X1	-	XV-40202B		3-25-01-402-PD-01	DI	24VDC Dry Contact	ACTIVE	C1-S04-P13	C1	4	14	1756-IB32	XV-40202B_DI_2	C1S4:14/TBDI1:14A
JB-401	Infeed 2nd Floor	C1S04-X1	-	XV-40202C		3-25-01-402-PD-01	DI	24VDC Dry Contact	ACTIVE	C1-S04-P14	C1	4	15	1756-IB32	XV-40202C_DI_1	C1S4:15/TBDI1:15A
JB-401	Infeed 2nd Floor	C1S04-X1	-	XV-40202C		3-25-01-402-PD-01	DI	24VDC Dry Contact	ACTIVE	C1-S04-P15	C1	4	16	1756-IB32	XV-40202C_DI_2	C1S4:16/TBDI1:16A

Destination Specification (Field JB / MCC / Terminal Pin / Field Device)							Signal Spec			Source Specification (PLC Rack / Slot / Card Pin / EPLAN Wire Tag)						
Dest ID	Location	Terminal Block	Pin	Instrument Tag	Instrument Description	P&ID Drawing	Type	Signal Spec	Status	Point Ref ID	Rack	Slot	Ch	Module	PLC Tag Name	ePlan Wire Tag
JB-401	Infeed 2nd Floor	C1S04-X2	-	XV-40202D		3-25-01-402-PD-01	DI	24VDC Dry Contact	ACTIVE	C1-S04-P16	C1	4	17	1756-IB32	XV-40202D_DI_1	C1S4:17/C1S04-X2:17
JB-401	Infeed 2nd Floor	C1S04-X2	-	XV-40202D		3-25-01-402-PD-01	DI	24VDC Dry Contact	ACTIVE	C1-S04-P17	C1	4	18	1756-IB32	XV-40202D_DI_2	C1S4:18/C1S04-X2:18
JB-401	Infeed 2nd Floor	C1S04-X2	-	XV-40202E		3-25-01-402-PD-01	DI	24VDC Dry Contact	ACTIVE	C1-S04-P18	C1	4	19	1756-IB32	XV-40202E_DI_1	C1S4:19/TBDI1:17A
JB-401	Infeed 2nd Floor	C1S04-X2	-	XV-40202A		3-25-01-402-PD-01	DI	24VDC Dry Contact	ACTIVE	C1-S04-P19	C1	4	20	1756-IB32	XV-40202A_DI_1	C1S4:20/TBDI1:18A
JB-401	Infeed 2nd Floor	C1S04-X2	-	XV-40202E		3-25-01-402-PD-01	DI	24VDC Dry Contact	ACTIVE	C1-S04-P19	C1	4	20	1756-IB32	XV-40202E_DI_2	C1S4:20/TBDI1:18A
JB-401	Infeed 2nd Floor	C1S04-X2	-	XV-40202F		3-25-01-402-PD-01	DI	24VDC Dry Contact	ACTIVE	C1-S04-P20	C1	4	21	1756-IB32	XV-40202F_DI_1	C1S4:21/TBDI1:19A
JB-401	Infeed 2nd Floor	C1S04-X2	-	XV-40202F		3-25-01-402-PD-01	DI	24VDC Dry Contact	ACTIVE	C1-S04-P21	C1	4	22	1756-IB32	XV-40202F_DI_2	C1S4:22/TBDI1:20A
JB-401	Infeed 2nd Floor	C1S04-X2	-	XV-40202G		3-25-01-402-PD-01	DI	24VDC Dry Contact	ACTIVE	C1-S04-P22	C1	4	23	1756-IB32	XV-40202G_DI_1	C1S4:23/TBDI1:21A
JB-401	Infeed 2nd Floor	C1S04-X2	-	XV-40202G		3-25-01-402-PD-01	DI	24VDC Dry Contact	ACTIVE	C1-S04-P23	C1	4	24	1756-IB32	XV-40202G_DI_2	C1S4:24/TBDI1:22A
JB-401	Infeed 2nd Floor	C1S04-X2	-	XV-40202H		3-25-01-402-PD-01	DI	24VDC Dry Contact	ACTIVE	C1-S04-P24	C1	4	25	1756-IB32	XV-40202H_DI_1	C1S4:25/TBDI1:23A
JB-401	Infeed 2nd Floor	C1S04-X2	-	XV-40202H		3-25-01-402-PD-01	DI	24VDC Dry Contact	ACTIVE	C1-S04-P25	C1	4	26	1756-IB32	XV-40202H_DI_2	C1S4:26/TBDI1:24A
JB-401	Infeed 2nd Floor	C1S04-X2	-	XV-40203B		3-25-01-402-PD-02	DI	24VDC Dry Contact	ACTIVE	C1-S04-P26	C1	4	27	1756-IB32	XV-40203B_DI_1	C1S4:27/TBDI1:25A
JB-401	Infeed 2nd Floor	C1S04-X2	-	XV-40203B		3-25-01-402-PD-02	DI	24VDC Dry Contact	ACTIVE	C1-S04-P27	C1	4	28	1756-IB32	XV-40203B_DI_2	C1S4:28/TBDI1:26A
JB-401	Infeed 2nd Floor	C1S04-X2	-	XV-40203C		3-25-01-402-PD-02	DI	24VDC Dry Contact	ACTIVE	C1-S04-P28	C1	4	29	1756-IB32	XV-40203C_DI_1	C1S4:29/TBDI1:27A
JB-401	Infeed 2nd Floor	C1S04-X2	-	XV-40203C		3-25-01-402-PD-02	DI	24VDC Dry Contact	ACTIVE	C1-S04-P29	C1	4	30	1756-IB32	XV-40203C_DI_2	C1S4:30/TBDI1:28A
JB-401	Infeed 2nd Floor	C1S04-X2	-	XV-40203D		3-25-01-402-PD-02	DI	24VDC Dry Contact	ACTIVE	C1-S04-P30	C1	4	31	1756-IB32	XV-40203D_DI_1	C1S4:31/TBDI1:29A
JB-401	Infeed 2nd Floor	C1S04-X2	-	XV-40203D		3-25-01-402-PD-02	DI	24VDC Dry Contact	ACTIVE	C1-S04-P31	C1	4	32	1756-IB32	XV-40203D_DI_2	C1S4:32/TBDI1:30A
JB-401	Infeed 2nd Floor	C1S05-X1	-	XV-40203E		3-25-01-402-PD-02	DI	24VDC Dry Contact	ACTIVE	C1-S05-P00	C1	5	1	1756-IB32	XV-40203E_DI_1	C1S5:1/TBDI2:1A
JB-401	Infeed 2nd Floor	C1S05-X1	-	XV-40203E		3-25-01-402-PD-02	DI	24VDC Dry Contact	ACTIVE	C1-S05-P01	C1	5	2	1756-IB32	XV-40203E_DI_2	C1S5:2/TBDI2:2A

Destination Specification (Field JB / MCC / Terminal Pin / Field Device)							Signal Spec			Source Specification (PLC Rack / Slot / Card Pin / EPLAN Wire Tag)						
Dest ID	Location	Terminal Block	Pin	Instrument Tag	Instrument Description	P&ID Drawing	Type	Signal Spec	Status	Point Ref ID	Rack	Slot	Ch	Module	PLC Tag Name	ePlan Wire Tag
JB-401	Infeed 2nd Floor	C1S05-X1	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C1-S05-P02	C1	5	3	1756-IB32	Spare_DI_0	C1S5:3/TBDI2:3A
JB-401	Infeed 2nd Floor	C1S05-X1	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C1-S05-P03	C1	5	4	1756-IB32	Spare_DI_0	C1S5:4/TBDI2:4A
JB-401	Infeed 2nd Floor	C1S05-X1	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C1-S05-P04	C1	5	5	1756-IB32	Spare_DI_0	C1S5:5/TBDI2:5A
JB-401	Infeed 2nd Floor	C1S05-X1	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C1-S05-P05	C1	5	6	1756-IB32	Spare_DI_0	C1S5:6/TBDI2:6A
JB-401	Infeed 2nd Floor	C1S05-X1	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C1-S05-P06	C1	5	7	1756-IB32	Spare_DI_0	C1S5:7/TBDI2:7A
JB-401	Infeed 2nd Floor	C1S05-X1	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C1-S05-P07	C1	5	8	1756-IB32	Spare_DI_0	C1S5:8/TBDI2:8A
JB-401	Infeed 2nd Floor	C1S05-X1	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C1-S05-P08	C1	5	9	1756-IB32	Spare_DI_0	C1S5:9/TBDI2:9A
JB-401	Infeed 2nd Floor	C1S05-X1	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C1-S05-P09	C1	5	10	1756-IB32	Spare_DI_0	C1S5:10/TBDI2:10A
JB-401	Infeed 2nd Floor	C1S05-X1	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C1-S05-P10	C1	5	11	1756-IB32	Spare_DI_0	C1S5:11/TBDI2:11A
JB-401	Infeed 2nd Floor	C1S05-X1	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C1-S05-P11	C1	5	12	1756-IB32	Spare_DI_0	C1S5:12/TBDI2:12A
JB-401	Infeed 2nd Floor	C1S05-X1	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C1-S05-P12	C1	5	13	1756-IB32	Spare_DI_0	C1S5:13/TBDI2:13A
JB-401	Infeed 2nd Floor	C1S05-X1	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C1-S05-P13	C1	5	14	1756-IB32	Spare_DI_0	C1S5:14/TBDI2:14A
JB-401	Infeed 2nd Floor	C1S05-X1	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C1-S05-P14	C1	5	15	1756-IB32	Spare_DI_0	C1S5:15/TBDI2:15A
JB-401	Infeed 2nd Floor	C1S05-X1	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C1-S05-P15	C1	5	16	1756-IB32	Spare_DI_0	C1S5:16/TBDI2:16A
JB-401	Infeed 2nd Floor	C1S07-X2	-	XV-40202E		3-25-01-402-PD-01	DO	24VDC Sourcing	ACTIVE	C1-S07-P16	C1	7	17	1756-OB32	XV-40202E_DO_1	C1S7:17/C1S07-X2:17
JB-401	Infeed 2nd Floor	C1S07-X2	-	XV-40202F		3-25-01-402-PD-01	DO	24VDC Sourcing	ACTIVE	C1-S07-P17	C1	7	18	1756-OB32	XV-40202F_DO_1	C1S7:18/C1S07-X2:18
JB-401	Infeed 2nd Floor	C1S07-X2	-	XV-40202G		3-25-01-402-PD-01	DO	24VDC Sourcing	ACTIVE	C1-S07-P18	C1	7	19	1756-OB32	XV-40202G_DO_1	C1S7:19/TBDI4:17A
JB-401	Infeed 2nd Floor	C1S07-X2	-	XV-40202H		3-25-01-402-PD-01	DO	24VDC Sourcing	ACTIVE	C1-S07-P19	C1	7	20	1756-OB32	XV-40202H_DO_1	C1S7:20/TBDI4:18A
JB-401	Infeed 2nd Floor	C1S07-X2	-	XV-40203B		3-25-01-402-PD-02	DO	24VDC Sourcing	ACTIVE	C1-S07-P20	C1	7	21	1756-OB32	XV-40203B_DO_1	C1S7:21/TBDI4:19A

Destination Specification (Field JB / MCC / Terminal Pin / Field Device)							Signal Spec			Source Specification (PLC Rack / Slot / Card Pin / EPLAN Wire Tag)						
Dest ID	Location	Terminal Block	Pin	Instrument Tag	Instrument Description	P&ID Drawing	Type	Signal Spec	Status	Point Ref ID	Rack	Slot	Ch	Module	PLC Tag Name	ePlan Wire Tag
JB-401	Infeed 2nd Floor	C1507-X2	-	XV-40203C		3-25-01-402-PD-02	DO	24VDC Sourcing	ACTIVE	C1-S07-P21	C1	7	22	1756-OB32	XV-40203C_DO_1	C1S7:22/TBDI4:20A
JB-401	Infeed 2nd Floor	C1507-X2	-	XV-40203D		3-25-01-402-PD-02	DO	24VDC Sourcing	ACTIVE	C1-S07-P22	C1	7	23	1756-OB32	XV-40203D_DO_1	C1S7:23/TBDI4:21A
JB-401	Infeed 2nd Floor	C1507-X2	-	XV-40203E		3-25-01-402-PD-02	DO	24VDC Sourcing	ACTIVE	C1-S07-P23	C1	7	24	1756-OB32	XV-40203E_DO_1	C1S7:24/TBDI4:22A
JB-401	Infeed 2nd Floor	C1507-X2	-	SV-40201		3-25-01-402-PD-01	DO	24VDC Sourcing	ACTIVE	C1-S07-P24	C1	7	25	1756-OB32	SV-40201_DO_1	C1S7:25/TBDI4:23A
JB-401	Infeed 2nd Floor	C1507-X2	-	SV-40202		3-25-01-402-PD-01	DO	24VDC Sourcing	ACTIVE	C1-S07-P25	C1	7	26	1756-OB32	SV-40202_DO_1	C1S7:26/TBDI4:24A
JB-401	Infeed 2nd Floor	C1507-X2	-	SV-40203		3-25-01-402-PD-01	DO	24VDC Sourcing	ACTIVE	C1-S07-P26	C1	7	27	1756-OB32	SV-40203_DO_1	C1S7:27/TBDI4:25A
JB-401	Infeed 2nd Floor	C1507-X2	-	SV-40204		3-25-01-402-PD-01	DO	24VDC Sourcing	ACTIVE	C1-S07-P27	C1	7	28	1756-OB32	SV-40204_DO_1	C1S7:28/TBDI4:26A
JB-401	Infeed 2nd Floor	C1507-X2	-	XV-40201A		3-25-01-402-PD-01	DO	24VDC Sourcing	ACTIVE	C1-S07-P28	C1	7	29	1756-OB32	XV-40201A_DO_1	C1S7:29/TBDI4:27A
JB-401	Infeed 2nd Floor	C1507-X2	-	XV-40201B		3-25-01-402-PD-01	DO	24VDC Sourcing	ACTIVE	C1-S07-P29	C1	7	30	1756-OB32	XV-40201B_DO_1	C1S7:30/TBDI4:28A
JB-401	Infeed 2nd Floor	C1507-X2	-	XV-40201C		3-25-01-402-PD-01	DO	24VDC Sourcing	ACTIVE	C1-S07-P30	C1	7	31	1756-OB32	XV-40201C_DO_1	C1S7:31/TBDI4:29A
JB-401	Infeed 2nd Floor	C1507-X2	-	XV-40201D		3-25-01-402-PD-01	DO	24VDC Sourcing	ACTIVE	C1-S07-P31	C1	7	32	1756-OB32	XV-40201D_DO_1	C1S7:32/TBDI4:30A
JB-401	Infeed 2nd Floor	C1508-X1	-	XV-40201E		3-25-01-402-PD-01	DO	24VDC Sourcing	ACTIVE	C1-S08-P00	C1	8	1	1756-OB32	XV-40201E_DO_1	C1S8:1/RL.1:A1
JB-401	Infeed 2nd Floor	C1508-X1	-	XV-40201F		3-25-01-402-PD-01	DO	24VDC Sourcing	ACTIVE	C1-S08-P01	C1	8	2	1756-OB32	XV-40201F_DO_1	C1S8:2/RL.2:A1
JB-401	Infeed 2nd Floor	C1508-X1	-	XV-40201G		3-25-01-402-PD-01	DO	24VDC Sourcing	ACTIVE	C1-S08-P02	C1	8	3	1756-OB32	XV-40201G_DO_1	C1S8:3/RL.3:A1
JB-401	Infeed 2nd Floor	C1508-X1	-	XV-40201H		3-25-01-402-PD-01	DO	24VDC Sourcing	ACTIVE	C1-S08-P03	C1	8	4	1756-OB32	XV-40201H_DO_1	C1S8:4/RL.4:A1
JB-401	Infeed 2nd Floor	C1508-X1	-	XV-40202A		3-25-01-402-PD-01	DO	24VDC Sourcing	ACTIVE	C1-S08-P04	C1	8	5	1756-OB32	XV-40202A_DO_1	C1S8:5/RL.5:A1
JB-401	Infeed 2nd Floor	C1508-X1	-	XV-40202B		3-25-01-402-PD-01	DO	24VDC Sourcing	ACTIVE	C1-S08-P05	C1	8	6	1756-OB32	XV-40202B_DO_1	C1S8:6/RL.6:A1
JB-401	Infeed 2nd Floor	C1508-X1	-	XV-40202C		3-25-01-402-PD-01	DO	24VDC Sourcing	ACTIVE	C1-S08-P06	C1	8	7	1756-OB32	XV-40202C_DO_1	C1S8:7/RL.7:A1
JB-401	Infeed 2nd Floor	C1508-X1	-	XV-40202D		3-25-01-402-PD-01	DO	24VDC Sourcing	ACTIVE	C1-S08-P07	C1	8	8	1756-OB32	XV-40202D_DO_1	C1S8:8/RL.8:A1

Destination Specification (Field JB / MCC / Terminal Pin / Field Device)							Signal Spec			Source Specification (PLC Rack / Slot / Card Pin / EPLAN Wire Tag)						
Dest ID	Location	Terminal Block	Pin	Instrument Tag	Instrument Description	P&ID Drawing	Type	Signal Spec	Status	Point Ref ID	Rack	Slot	Ch	Module	PLC Tag Name	ePlan Wire Tag
JB-401	Infeed 2nd Floor	C1508-X1	-	Spare	Spare Channel	-	DO	24VDC Sourcing	SPARE	C1-S08-P08	C1	8	9	1756-OB32	Spare_D0_0	C1S8:9/RL.9:A1
JB-401	Infeed 2nd Floor	C1508-X1	-	Spare	Spare Channel	-	DO	24VDC Sourcing	SPARE	C1-S08-P09	C1	8	10	1756-OB32	Spare_D0_0	C1S8:10/RL.10:A1
JB-401	Infeed 2nd Floor	C1508-X1	-	Spare	Spare Channel	-	DO	24VDC Sourcing	SPARE	C1-S08-P10	C1	8	11	1756-OB32	Spare_D0_0	C1S8:11/RL.11:A1
JB-401	Infeed 2nd Floor	C1508-X1	-	Spare	Spare Channel	-	DO	24VDC Sourcing	SPARE	C1-S08-P11	C1	8	12	1756-OB32	Spare_D0_0	C1S8:12/RL.12:A1
JB-401	Infeed 2nd Floor	C1508-X1	-	Spare	Spare Channel	-	DO	24VDC Sourcing	SPARE	C1-S08-P12	C1	8	13	1756-OB32	Spare_D0_0	C1S8:13/RL.13:A1
JB-401	Infeed 2nd Floor	C1508-X1	-	Spare	Spare Channel	-	DO	24VDC Sourcing	SPARE	C1-S08-P13	C1	8	14	1756-OB32	Spare_D0_0	C1S8:14/RL.14:A1
JB-401	Infeed 2nd Floor	C1508-X1	-	Spare	Spare Channel	-	DO	24VDC Sourcing	SPARE	C1-S08-P14	C1	8	15	1756-OB32	Spare_D0_0	C1S8:15/RL.15:A1
JB-401	Infeed 2nd Floor	C1508-X1	-	Spare	Spare Channel	-	DO	24VDC Sourcing	SPARE	C1-S08-P15	C1	8	16	1756-OB32	Spare_D0_0	C1S8:16/RL.16:A1
JB-401	Infeed 2nd Floor	C1509-X1	-	FT-40201	Coriolis Flow Transmitter	3-25-01-402-PD-02	AI	4-20mA HART	ACTIVE	C1-S09-P00	C1	9	1	1756-IF16	FT-40201_AI_1	C1S9:1/RL.33:A1
JB-401	Infeed 2nd Floor	C1509-X1	-	FT-40201	Coriolis Flow Transmitter	3-25-01-402-PD-02	AI	4-20mA HART	ACTIVE	C1-S09-P01	C1	9	2	1756-IF16	FT-40201_AI_2	C1S9:2/RL.34:A1
JB-401	Infeed 2nd Floor	C1509-X1	-	FT-40202	Magnetic Flow Transmitter	3-25-01-402-PD-02	AI	4-20mA HART	ACTIVE	C1-S09-P02	C1	9	3	1756-IF16	FT-40202_AI_1	C1S9:3/RL.35:A1
JB-401	Infeed 2nd Floor	C1509-X1	-	LT-40203	Level Transmitter	3-25-01-402-PD-02	AI	4-20mA HART	ACTIVE	C1-S09-P03	C1	9	4	1756-IF16	LT-40203_AI_1	C1S9:4/RL.36:A1
JB-401	Infeed 2nd Floor	C1509-X1	-	LT-40201	Level Transmitter	3-25-01-402-PD-01	AI	4-20mA HART	ACTIVE	C1-S09-P04	C1	9	5	1756-IF16	LT-40201_AI_1	C1S9:5/RL.37:A1
JB-401	Infeed 2nd Floor	C1509-X1	-	LT-40202	Level Transmitter	3-25-01-402-PD-01	AI	4-20mA HART	ACTIVE	C1-S09-P05	C1	9	6	1756-IF16	LT-40202_AI_1	C1S9:6/RL.38:A1
JB-401	Infeed 2nd Floor	C1509-X1	-	pHT-40201	PH Transmitter	3-25-01-402-PD-01	AI	4-20mA HART	ACTIVE	C1-S09-P06	C1	9	7	1756-IF16	pHT-40201_AI_1	C1S9:7/RL.39:A1
JB-401	Infeed 2nd Floor	C1509-X1	-	pHT-40202	PH Transmitter	3-25-01-402-PD-01	AI	4-20mA HART	ACTIVE	C1-S09-P07	C1	9	8	1756-IF16	pHT-40202_AI_1	C1S9:8/RL.40:A1
JB-401	Infeed 2nd Floor	C1509-X1	-	PT-40201	Pressure Transmitter	3-25-01-402-PD-02	AI	4-20mA HART	ACTIVE	C1-S09-P08	C1	9	9	1756-IF16	PT-40201_AI_1	C1S9:9/RL.41:A1
JB-401	Infeed 2nd Floor	C1509-X1	-	PT-40202	Pressure Transmitter	3-25-01-402-PD-02	AI	4-20mA HART	ACTIVE	C1-S09-P09	C1	9	10	1756-IF16	PT-40202_AI_1	C1S9:10/RL.42:A1

Destination Specification (Field JB / MCC / Terminal Pin / Field Device)							Signal Spec			Source Specification (PLC Rack / Slot / Card Pin / EPLAN Wire Tag)						
Dest ID	Location	Terminal Block	Pin	Instrument Tag	Instrument Description	P&ID Drawing	Type	Signal Spec	Status	Point Ref ID	Rack	Slot	Ch	Module	PLC Tag Name	ePlan Wire Tag
JB-401	Infeed 2nd Floor	C1S09-X1	–	PT-60202	Pressure Transmitter	3-25-01-602-PD-01	AI	4-20mA HART	ACTIVE	C1-S09-P10	C1	9	11	1756-IF16	PT-60202_AI_1	C1S9:11/RL.43:A1
JB-401	Infeed 2nd Floor	C1S09-X1	–	Spare	Spare Channel	–	AI	4-20mA HART	SPARE	C1-S09-P11	C1	9	12	1756-IF16	Spare_AI_0	C1S9:12/RL.44:A1
JB-401	Infeed 2nd Floor	C1S09-X1	–	Spare	Spare Channel	–	AI	4-20mA HART	SPARE	C1-S09-P12	C1	9	13	1756-IF16	Spare_AI_0	C1S9:13/RL.45:A1
JB-401	Infeed 2nd Floor	C1S09-X1	–	Spare	Spare Channel	–	AI	4-20mA HART	SPARE	C1-S09-P13	C1	9	14	1756-IF16	Spare_AI_0	C1S9:14/RL.46:A1
JB-401	Infeed 2nd Floor	C1S09-X1	–	Spare	Spare Channel	–	AI	4-20mA HART	SPARE	C1-S09-P14	C1	9	15	1756-IF16	Spare_AI_0	C1S9:15/RL.47:A1
JB-401	Infeed 2nd Floor	C1S09-X1	–	Spare	Spare Channel	–	AI	4-20mA HART	SPARE	C1-S09-P15	C1	9	16	1756-IF16	Spare_AI_0	C1S9:16/RL.48:A1

DESTINATION: RIO-200 — REMOTE I/O ENCLOSURE RIO-200 Location: Slurry Outbuilding 2nd Floor Size: 800 x 1000 x 400 mm Spec: Remote I/O Skid Cabinet (DLR Fiber Node) Total: 112 Pts Active: 57 Spare: 55 (49.1%) AI:16 DI:64 DO:32																
DESTINATION SPECIFICATION (FIELD JB / MCC / TERMINAL PIN / FIELD DEVICE)							SIGNAL SPEC			SOURCE SPECIFICATION (PLC RACK / SLOT / CARD PIN / EPLAN WIRE TAG)						
Dest ID	Location	Terminal Block	Pin	Instrument Tag	Instrument Description	P&ID Drawing	Type	Signal Spec	Status	Point Ref ID	Rack	Slot	Ch	Module	PLC Tag Name	ePlan Wire Tag
RIO-200	Slurry - Out Building 2nd Floor	C5S01-X1	-	FS-20201		3-25-01-202-PD-01	DI	24VDC Dry Contact	ACTIVE	C5-S01-P00	C5	1	1	1756-IB32	FS-20201_DI_1	C5S1:1/C5S01-X1:1
RIO-200	Slurry - Out Building 2nd Floor	C5S01-X1	-	FT-913201		3-25-01-913-PD-02	DI	24VDC Dry Contact	ACTIVE	C5-S01-P01	C5	1	2	1756-IB32	FT-913201_DI_1	C5S1:2/C5S01-X1:2
RIO-200	Slurry - Out Building 2nd Floor	C5S01-X1	-	FT-936201		3-25-01-930-PD-08	DI	24VDC Dry Contact	ACTIVE	C5-S01-P02	C5	1	3	1756-IB32	FT-936201_DI_1	C5S1:3/C5S01-X1:3
RIO-200	Slurry - Out Building 2nd Floor	C5S01-X1	-	FT-936202		3-25-01-930-PD-07	DI	24VDC Dry Contact	ACTIVE	C5-S01-P03	C5	1	4	1756-IB32	FT-936202_DI_1	C5S1:4/C5S01-X1:4
RIO-200	Slurry - Out Building 2nd Floor	C5S01-X1	-	LSL-814201		3-25-01-814-PD-01	DI	24VDC Dry Contact	ACTIVE	C5-S01-P04	C5	1	5	1756-IB32	LSL-814201_DI_1	C5S1:5/C5S01-X1:5
RIO-200	Slurry - Out Building 2nd Floor	C5S01-X1	-	PK-913201		-	DI	24VDC Dry Contact	ACTIVE	C5-S01-P05	C5	1	6	1756-IB32	PK-913201_DI_1	C5S1:6/C5S01-X1:6
RIO-200	Slurry - Out Building 2nd Floor	C5S01-X1	-	PK-913202		-	DI	24VDC Dry Contact	ACTIVE	C5-S01-P06	C5	1	7	1756-IB32	PK-913202_DI_1	C5S1:7/C5S01-X1:7
RIO-200	Slurry - Out Building 2nd Floor	C5S01-X1	-	HV-20204	Manual Valve With Position Switch	3-25-01-202-PD-01	DI	24VDC Dry Contact	ACTIVE	C5-S01-P07	C5	1	8	1756-IB32	HV-20204_DI_1	C5S1:8/C5S01-X1:8
RIO-200	Slurry - Out Building 2nd Floor	C5S01-X1	-	HV-20205	Manual Valve With Position Switch	3-25-01-202-PD-01	DI	24VDC Dry Contact	ACTIVE	C5-S01-P08	C5	1	9	1756-IB32	HV-20205_DI_1	C5S1:9/C5S01-X1:9
RIO-200	Slurry - Out Building 2nd Floor	C5S01-X1	-	HV-20206	Manual Valve With Position Switch	3-25-01-202-PD-01	DI	24VDC Dry Contact	ACTIVE	C5-S01-P09	C5	1	10	1756-IB32	HV-20206_DI_1	C5S1:10/C5S01-X1:10
RIO-200	Slurry - Out Building 2nd Floor	C5S01-X1	-	HV-20207	Manual Valve With Position Switch	3-25-01-202-PD-01	DI	24VDC Dry Contact	ACTIVE	C5-S01-P10	C5	1	11	1756-IB32	HV-20207_DI_1	C5S1:11/C5S01-X1:11
RIO-200	Slurry - Out Building 2nd Floor	C5S01-X1	-	HV-20208	Manual Valve With	3-25-01-202-PD-02	DI	24VDC Dry Contact	ACTIVE	C5-S01-P11	C5	1	12	1756-IB32	HV-20208_DI_1	C5S1:12/C5S01-X1:12

Destination Specification (Field JB / MCC / Terminal Pin / Field Device)							Signal Spec			Source Specification (PLC Rack / Slot / Card Pin / EPLAN Wire Tag)						
Dest ID	Location	Terminal Block	Pin	Instrument Tag	Instrument Description	P&ID Drawing	Type	Signal Spec	Status	Point Ref ID	Rack	Slot	Ch	Module	PLC Tag Name	ePlan Wire Tag
					Position Switch											
RI0-200	Slurry - Out Building 2nd Floor	C5S01-X1	-	HV-20209	Manual Valve With Position Switch	3-25-01-202-PD-02	DI	24VDC Dry Contact	ACTIVE	C5-S01-P12	C5	1	13	1756-IB32	HV-20209_DI_1	C5S1:13/C5S01-X1:13
RI0-200	Slurry - Out Building 2nd Floor	C5S01-X1	-	HV-20210	Manual Valve With Position Switch	3-25-01-202-PD-02	DI	24VDC Dry Contact	ACTIVE	C5-S01-P13	C5	1	14	1756-IB32	HV-20210_DI_1	C5S1:14/C5S01-X1:14
RI0-200	Slurry - Out Building 2nd Floor	C5S01-X1	-	XA-80305A		-	DI	24VDC Dry Contact	ACTIVE	C5-S01-P14	C5	1	15	1756-IB32	XA-80305A_DI_1	C5S1:15/C5S01-X1:15
RI0-200	Slurry - Out Building 2nd Floor	C5S01-X1	-	XA-80305B		-	DI	24VDC Dry Contact	ACTIVE	C5-S01-P15	C5	1	16	1756-IB32	XA-80305B_DI_1	C5S1:16/C5S01-X1:16
RI0-200	Slurry - Out Building 2nd Floor	C5S01-X2	-	XA-80305C		-	DI	24VDC Dry Contact	ACTIVE	C5-S01-P16	C5	1	17	1756-IB32	XA-80305C_DI_1	C5S1:17/C5S01-X2:17
RI0-200	Slurry - Out Building 2nd Floor	C5S01-X2	-	XA-80305D		-	DI	24VDC Dry Contact	ACTIVE	C5-S01-P17	C5	1	18	1756-IB32	XA-80305D_DI_1	C5S1:18/C5S01-X2:18
RI0-200	Slurry - Out Building 2nd Floor	C5S01-X2	-	XA-80305E		-	DI	24VDC Dry Contact	ACTIVE	C5-S01-P18	C5	1	19	1756-IB32	XA-80305E_DI_1	C5S1:19/C5S01-X2:19
RI0-200	Slurry - Out Building 2nd Floor	C5S01-X2	-	XA-80305F		-	DI	24VDC Dry Contact	ACTIVE	C5-S01-P19	C5	1	20	1756-IB32	XA-80305F_DI_1	C5S1:20/C5S01-X2:20
RI0-200	Slurry - Out Building 2nd Floor	C5S01-X2	-	XA-80306A		-	DI	24VDC Dry Contact	ACTIVE	C5-S01-P20	C5	1	21	1756-IB32	XA-80306A_DI_1	C5S1:21/C5S01-X2:21
RI0-200	Slurry - Out Building 2nd Floor	C5S01-X2	-	XA-80306B		-	DI	24VDC Dry Contact	ACTIVE	C5-S01-P21	C5	1	22	1756-IB32	XA-80306B_DI_1	C5S1:22/C5S01-X2:22
RI0-200	Slurry - Out Building 2nd Floor	C5S01-X2	-	XA-80306C		-	DI	24VDC Dry Contact	ACTIVE	C5-S01-P22	C5	1	23	1756-IB32	XA-80306C_DI_1	C5S1:23/C5S01-X2:23
RI0-200	Slurry - Out Building 2nd Floor	C5S01-X2	-	XA-80306D		-	DI	24VDC Dry Contact	ACTIVE	C5-S01-P23	C5	1	24	1756-IB32	XA-80306D_DI_1	C5S1:24/C5S01-X2:24
RI0-200	Slurry - Out Building 2nd Floor	C5S01-X2	-	XA-80306E		-	DI	24VDC Dry Contact	ACTIVE	C5-S01-P24	C5	1	25	1756-IB32	XA-80306E_DI_1	C5S1:25/C5S01-X2:25

Destination Specification (Field JB / MCC / Terminal Pin / Field Device)							Signal Spec			Source Specification (PLC Rack / Slot / Card Pin / EPLAN Wire Tag)						
Dest ID	Location	Terminal Block	Pin	Instrument Tag	Instrument Description	P&ID Drawing	Type	Signal Spec	Status	Point Ref ID	Rack	Slot	Ch	Module	PLC Tag Name	ePlan Wire Tag
RI0-200	Slurry - Out Building 2nd Floor	C5S01-X2	-	XA-80306F		-	DI	24VDC Dry Contact	ACTIVE	C5-S01-P25	C5	1	26	1756-IB32	XA-80306F_DI_1	C5S1:26/C5S01-X2:26
RI0-200	Slurry - Out Building 2nd Floor	C5S01-X2	-	XV-20201		3-25-01-202-PD-01	DI	24VDC Dry Contact	ACTIVE	C5-S01-P26	C5	1	27	1756-IB32	XV-20201_DI_1	C5S1:27/C5S01-X2:27
RI0-200	Slurry - Out Building 2nd Floor	C5S01-X2	-	XV-20201		3-25-01-202-PD-01	DI	24VDC Dry Contact	ACTIVE	C5-S01-P27	C5	1	28	1756-IB32	XV-20201_DI_2	C5S1:28/C5S01-X2:28
RI0-200	Slurry - Out Building 2nd Floor	C5S01-X2	-	XV-20202		3-25-01-202-PD-01	DI	24VDC Dry Contact	ACTIVE	C5-S01-P28	C5	1	29	1756-IB32	XV-20202_DI_1	C5S1:29/C5S01-X2:29
RI0-200	Slurry - Out Building 2nd Floor	C5S01-X2	-	XV-20202		3-25-01-202-PD-01	DI	24VDC Dry Contact	ACTIVE	C5-S01-P29	C5	1	30	1756-IB32	XV-20202_DI_2	C5S1:30/C5S01-X2:30
RI0-200	Slurry - Out Building 2nd Floor	C5S01-X2	-	XV-20203		3-25-01-202-PD-01	DI	24VDC Dry Contact	ACTIVE	C5-S01-P30	C5	1	31	1756-IB32	XV-20203_DI_1	C5S1:31/C5S01-X2:31
RI0-200	Slurry - Out Building 2nd Floor	C5S01-X2	-	XV-20203		3-25-01-202-PD-01	DI	24VDC Dry Contact	ACTIVE	C5-S01-P31	C5	1	32	1756-IB32	XV-20203_DI_2	C5S1:32/C5S01-X2:32
RI0-200	Slurry - Out Building 2nd Floor	C5S02-X1	-	XV-20211		3-25-01-202-PD-01	DI	24VDC Dry Contact	ACTIVE	C5-S02-P00	C5	2	1	1756-IB32	XV-20211_DI_1	C5S2:1/C5S02-X1:1
RI0-200	Slurry - Out Building 2nd Floor	C5S02-X1	-	XV-20211		3-25-01-202-PD-01	DI	24VDC Dry Contact	ACTIVE	C5-S02-P01	C5	2	2	1756-IB32	XV-20211_DI_2	C5S2:2/C5S02-X1:2
RI0-200	Slurry - Out Building 2nd Floor	C5S02-X1	-	XV-20212		3-25-01-202-PD-01	DI	24VDC Dry Contact	ACTIVE	C5-S02-P02	C5	2	3	1756-IB32	XV-20212_DI_1	C5S2:3/C5S02-X1:3
RI0-200	Slurry - Out Building 2nd Floor	C5S02-X1	-	XV-20212		3-25-01-202-PD-01	DI	24VDC Dry Contact	ACTIVE	C5-S02-P03	C5	2	4	1756-IB32	XV-20212_DI_2	C5S2:4/C5S02-X1:4
RI0-200	Slurry - Out Building 2nd Floor	C5S02-X1	-	XV-20213		3-25-01-202-PD-01	DI	24VDC Dry Contact	ACTIVE	C5-S02-P04	C5	2	5	1756-IB32	XV-20213_DI_1	C5S2:5/C5S02-X1:5
RI0-200	Slurry - Out Building 2nd Floor	C5S02-X1	-	XV-20213		3-25-01-202-PD-01	DI	24VDC Dry Contact	ACTIVE	C5-S02-P05	C5	2	6	1756-IB32	XV-20213_DI_2	C5S2:6/C5S02-X1:6
RI0-200	Slurry - Out Building 2nd Floor	C5S02-X1	-	XV-913201		3-25-01-913-PD-02	DI	24VDC Dry Contact	ACTIVE	C5-S02-P06	C5	2	7	1756-IB32	XV-913201_DI_1	C5S2:7/C5S02-X1:7

Destination Specification (Field JB / MCC / Terminal Pin / Field Device)							Signal Spec			Source Specification (PLC Rack / Slot / Card Pin / EPLAN Wire Tag)						
Dest ID	Location	Terminal Block	Pin	Instrument Tag	Instrument Description	P&ID Drawing	Type	Signal Spec	Status	Point Ref ID	Rack	Slot	Ch	Module	PLC Tag Name	ePlan Wire Tag
RI0-200	Slurry - Out Building 2nd Floor	C5S02-X1	-	XV-913201		3-25-01-913-PD-02	DI	24VDC Dry Contact	ACTIVE	C5-S02-P07	C5	2	8	1756-IB32	XV-913201_DI_1	C5S2:8/C5S02-X1:8
RI0-200	Slurry - Out Building 2nd Floor	C5S02-X1	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C5-S02-P08	C5	2	9	1756-IB32	Spare_DI_0	C5S2:9/C5S02-X1:9
RI0-200	Slurry - Out Building 2nd Floor	C5S02-X1	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C5-S02-P09	C5	2	10	1756-IB32	Spare_DI_0	C5S2:10/C5S02-X1:10
RI0-200	Slurry - Out Building 2nd Floor	C5S02-X1	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C5-S02-P10	C5	2	11	1756-IB32	Spare_DI_0	C5S2:11/C5S02-X1:11
RI0-200	Slurry - Out Building 2nd Floor	C5S02-X1	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C5-S02-P11	C5	2	12	1756-IB32	Spare_DI_0	C5S2:12/C5S02-X1:12
RI0-200	Slurry - Out Building 2nd Floor	C5S02-X1	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C5-S02-P12	C5	2	13	1756-IB32	Spare_DI_0	C5S2:13/C5S02-X1:13
RI0-200	Slurry - Out Building 2nd Floor	C5S02-X1	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C5-S02-P13	C5	2	14	1756-IB32	Spare_DI_0	C5S2:14/C5S02-X1:14
RI0-200	Slurry - Out Building 2nd Floor	C5S02-X1	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C5-S02-P14	C5	2	15	1756-IB32	Spare_DI_0	C5S2:15/C5S02-X1:15
RI0-200	Slurry - Out Building 2nd Floor	C5S02-X1	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C5-S02-P15	C5	2	16	1756-IB32	Spare_DI_0	C5S2:16/C5S02-X1:16
RI0-200	Slurry - Out Building 2nd Floor	C5S02-X2	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C5-S02-P16	C5	2	17	1756-IB32	Spare_DI_0	C5S2:17/C5S02-X2:17
RI0-200	Slurry - Out Building 2nd Floor	C5S02-X2	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C5-S02-P17	C5	2	18	1756-IB32	Spare_DI_0	C5S2:18/C5S02-X2:18
RI0-200	Slurry - Out Building 2nd Floor	C5S02-X2	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C5-S02-P18	C5	2	19	1756-IB32	Spare_DI_0	C5S2:19/C5S02-X2:19
RI0-200	Slurry - Out Building 2nd Floor	C5S02-X2	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C5-S02-P19	C5	2	20	1756-IB32	Spare_DI_0	C5S2:20/C5S02-X2:20
RI0-200	Slurry - Out Building 2nd Floor	C5S02-X2	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C5-S02-P20	C5	2	21	1756-IB32	Spare_DI_0	C5S2:21/C5S02-X2:21

Destination Specification (Field JB / MCC / Terminal Pin / Field Device)							Signal Spec			Source Specification (PLC Rack / Slot / Card Pin / EPLAN Wire Tag)						
Dest ID	Location	Terminal Block	Pin	Instrument Tag	Instrument Description	P&ID Drawing	Type	Signal Spec	Status	Point Ref ID	Rack	Slot	Ch	Module	PLC Tag Name	ePlan Wire Tag
RI0-200	Slurry - Out Building 2nd Floor	C5S02-X2	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C5-S02-P21	C5	2	22	1756-IB32	Spare_DI_0	C5S2:22/C5S02-X2:22
RI0-200	Slurry - Out Building 2nd Floor	C5S02-X2	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C5-S02-P22	C5	2	23	1756-IB32	Spare_DI_0	C5S2:23/C5S02-X2:23
RI0-200	Slurry - Out Building 2nd Floor	C5S02-X2	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C5-S02-P23	C5	2	24	1756-IB32	Spare_DI_0	C5S2:24/C5S02-X2:24
RI0-200	Slurry - Out Building 2nd Floor	C5S02-X2	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C5-S02-P24	C5	2	25	1756-IB32	Spare_DI_0	C5S2:25/C5S02-X2:25
RI0-200	Slurry - Out Building 2nd Floor	C5S02-X2	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C5-S02-P25	C5	2	26	1756-IB32	Spare_DI_0	C5S2:26/C5S02-X2:26
RI0-200	Slurry - Out Building 2nd Floor	C5S02-X2	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C5-S02-P26	C5	2	27	1756-IB32	Spare_DI_0	C5S2:27/C5S02-X2:27
RI0-200	Slurry - Out Building 2nd Floor	C5S02-X2	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C5-S02-P27	C5	2	28	1756-IB32	Spare_DI_0	C5S2:28/C5S02-X2:28
RI0-200	Slurry - Out Building 2nd Floor	C5S02-X2	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C5-S02-P28	C5	2	29	1756-IB32	Spare_DI_0	C5S2:29/C5S02-X2:29
RI0-200	Slurry - Out Building 2nd Floor	C5S02-X2	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C5-S02-P29	C5	2	30	1756-IB32	Spare_DI_0	C5S2:30/C5S02-X2:30
RI0-200	Slurry - Out Building 2nd Floor	C5S02-X2	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C5-S02-P30	C5	2	31	1756-IB32	Spare_DI_0	C5S2:31/C5S02-X2:31
RI0-200	Slurry - Out Building 2nd Floor	C5S02-X2	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C5-S02-P31	C5	2	32	1756-IB32	Spare_DI_0	C5S2:32/C5S02-X2:32
RI0-200	Slurry - Out Building 2nd Floor	C5S03-X1	-	XA-92201		3-25-01-922-PD-03	DO	24VDC Sourcing	ACTIVE	C5-S03-P00	C5	3	1	1756-OB32	XA-92201_D0_1	C5S3:1/C5S03-X1:1
RI0-200	Slurry - Out Building 2nd Floor	C5S03-X1	-	XV-20201		3-25-01-202-PD-01	DO	24VDC Sourcing	ACTIVE	C5-S03-P01	C5	3	2	1756-OB32	XV-20201_D0_1	C5S3:2/C5S03-X1:2
RI0-200	Slurry - Out Building 2nd Floor	C5S03-X1	-	XV-20202		3-25-01-202-PD-01	DO	24VDC Sourcing	ACTIVE	C5-S03-P02	C5	3	3	1756-OB32	XV-20202_D0_1	C5S3:3/C5S03-X1:3

Destination Specification (Field JB / MCC / Terminal Pin / Field Device)							Signal Spec			Source Specification (PLC Rack / Slot / Card Pin / EPLAN Wire Tag)						
Dest ID	Location	Terminal Block	Pin	Instrument Tag	Instrument Description	P&ID Drawing	Type	Signal Spec	Status	Point Ref ID	Rack	Slot	Ch	Module	PLC Tag Name	ePlan Wire Tag
RI0-200	Slurry - Out Building 2nd Floor	C5S03-X1	-	XV-20203		3-25-01-202-PD-01	DO	24VDC Sourcing	ACTIVE	C5-S03-P03	C5	3	4	1756-OB32	XV-20203_D0_1	C5S3:4/C5S03-X1:4
RI0-200	Slurry - Out Building 2nd Floor	C5S03-X1	-	XV-20211		3-25-01-202-PD-01	DO	24VDC Sourcing	ACTIVE	C5-S03-P04	C5	3	5	1756-OB32	XV-20211_D0_1	C5S3:5/C5S03-X1:5
RI0-200	Slurry - Out Building 2nd Floor	C5S03-X1	-	XV-20212		3-25-01-202-PD-01	DO	24VDC Sourcing	ACTIVE	C5-S03-P05	C5	3	6	1756-OB32	XV-20212_D0_1	C5S3:6/C5S03-X1:6
RI0-200	Slurry - Out Building 2nd Floor	C5S03-X1	-	XV-20213		3-25-01-202-PD-01	DO	24VDC Sourcing	ACTIVE	C5-S03-P06	C5	3	7	1756-OB32	XV-20213_D0_1	C5S3:7/C5S03-X1:7
RI0-200	Slurry - Out Building 2nd Floor	C5S03-X1	-	XV-913201		3-25-01-913-PD-02	DO	24VDC Sourcing	ACTIVE	C5-S03-P07	C5	3	8	1756-OB32	XV-913201_D0_1	C5S3:8/C5S03-X1:8
RI0-200	Slurry - Out Building 2nd Floor	C5S03-X1	-	Spare	Spare Channel	-	DO	24VDC Sourcing	SPARE	C5-S03-P08	C5	3	9	1756-OB32	Spare_D0_0	C5S3:9/C5S03-X1:9
RI0-200	Slurry - Out Building 2nd Floor	C5S03-X1	-	Spare	Spare Channel	-	DO	24VDC Sourcing	SPARE	C5-S03-P09	C5	3	10	1756-OB32	Spare_D0_0	C5S3:10/C5S03-X1:10
RI0-200	Slurry - Out Building 2nd Floor	C5S03-X1	-	Spare	Spare Channel	-	DO	24VDC Sourcing	SPARE	C5-S03-P10	C5	3	11	1756-OB32	Spare_D0_0	C5S3:11/C5S03-X1:11
RI0-200	Slurry - Out Building 2nd Floor	C5S03-X1	-	Spare	Spare Channel	-	DO	24VDC Sourcing	SPARE	C5-S03-P11	C5	3	12	1756-OB32	Spare_D0_0	C5S3:12/C5S03-X1:12
RI0-200	Slurry - Out Building 2nd Floor	C5S03-X1	-	Spare	Spare Channel	-	DO	24VDC Sourcing	SPARE	C5-S03-P12	C5	3	13	1756-OB32	Spare_D0_0	C5S3:13/C5S03-X1:13
RI0-200	Slurry - Out Building 2nd Floor	C5S03-X1	-	Spare	Spare Channel	-	DO	24VDC Sourcing	SPARE	C5-S03-P13	C5	3	14	1756-OB32	Spare_D0_0	C5S3:14/C5S03-X1:14
RI0-200	Slurry - Out Building 2nd Floor	C5S03-X1	-	Spare	Spare Channel	-	DO	24VDC Sourcing	SPARE	C5-S03-P14	C5	3	15	1756-OB32	Spare_D0_0	C5S3:15/C5S03-X1:15
RI0-200	Slurry - Out Building 2nd Floor	C5S03-X1	-	Spare	Spare Channel	-	DO	24VDC Sourcing	SPARE	C5-S03-P15	C5	3	16	1756-OB32	Spare_D0_0	C5S3:16/C5S03-X1:16
RI0-200	Slurry - Out Building 2nd Floor	C5S03-X2	-	Spare	Spare Channel	-	DO	24VDC Sourcing	SPARE	C5-S03-P16	C5	3	17	1756-OB32	Spare_D0_0	C5S3:17/C5S03-X2:17

Destination Specification (Field JB / MCC / Terminal Pin / Field Device)							Signal Spec			Source Specification (PLC Rack / Slot / Card Pin / EPLAN Wire Tag)						
Dest ID	Location	Terminal Block	Pin	Instrument Tag	Instrument Description	P&ID Drawing	Type	Signal Spec	Status	Point Ref ID	Rack	Slot	Ch	Module	PLC Tag Name	ePlan Wire Tag
RI0-200	Slurry - Out Building 2nd Floor	C5S03-X2	-	Spare	Spare Channel	-	DO	24VDC Sourcing	SPARE	C5-S03-P17	C5	3	18	1756-OB32	Spare_D0_0	C5S3:18/C5S03-X2:18
RI0-200	Slurry - Out Building 2nd Floor	C5S03-X2	-	Spare	Spare Channel	-	DO	24VDC Sourcing	SPARE	C5-S03-P18	C5	3	19	1756-OB32	Spare_D0_0	C5S3:19/C5S03-X2:19
RI0-200	Slurry - Out Building 2nd Floor	C5S03-X2	-	Spare	Spare Channel	-	DO	24VDC Sourcing	SPARE	C5-S03-P19	C5	3	20	1756-OB32	Spare_D0_0	C5S3:20/C5S03-X2:20
RI0-200	Slurry - Out Building 2nd Floor	C5S03-X2	-	Spare	Spare Channel	-	DO	24VDC Sourcing	SPARE	C5-S03-P20	C5	3	21	1756-OB32	Spare_D0_0	C5S3:21/C5S03-X2:21
RI0-200	Slurry - Out Building 2nd Floor	C5S03-X2	-	Spare	Spare Channel	-	DO	24VDC Sourcing	SPARE	C5-S03-P21	C5	3	22	1756-OB32	Spare_D0_0	C5S3:22/C5S03-X2:22
RI0-200	Slurry - Out Building 2nd Floor	C5S03-X2	-	Spare	Spare Channel	-	DO	24VDC Sourcing	SPARE	C5-S03-P22	C5	3	23	1756-OB32	Spare_D0_0	C5S3:23/C5S03-X2:23
RI0-200	Slurry - Out Building 2nd Floor	C5S03-X2	-	Spare	Spare Channel	-	DO	24VDC Sourcing	SPARE	C5-S03-P23	C5	3	24	1756-OB32	Spare_D0_0	C5S3:24/C5S03-X2:24
RI0-200	Slurry - Out Building 2nd Floor	C5S03-X2	-	Spare	Spare Channel	-	DO	24VDC Sourcing	SPARE	C5-S03-P24	C5	3	25	1756-OB32	Spare_D0_0	C5S3:25/C5S03-X2:25
RI0-200	Slurry - Out Building 2nd Floor	C5S03-X2	-	Spare	Spare Channel	-	DO	24VDC Sourcing	SPARE	C5-S03-P25	C5	3	26	1756-OB32	Spare_D0_0	C5S3:26/C5S03-X2:26
RI0-200	Slurry - Out Building 2nd Floor	C5S03-X2	-	Spare	Spare Channel	-	DO	24VDC Sourcing	SPARE	C5-S03-P26	C5	3	27	1756-OB32	Spare_D0_0	C5S3:27/C5S03-X2:27
RI0-200	Slurry - Out Building 2nd Floor	C5S03-X2	-	Spare	Spare Channel	-	DO	24VDC Sourcing	SPARE	C5-S03-P27	C5	3	28	1756-OB32	Spare_D0_0	C5S3:28/C5S03-X2:28
RI0-200	Slurry - Out Building 2nd Floor	C5S03-X2	-	Spare	Spare Channel	-	DO	24VDC Sourcing	SPARE	C5-S03-P28	C5	3	29	1756-OB32	Spare_D0_0	C5S3:29/C5S03-X2:29
RI0-200	Slurry - Out Building 2nd Floor	C5S03-X2	-	Spare	Spare Channel	-	DO	24VDC Sourcing	SPARE	C5-S03-P29	C5	3	30	1756-OB32	Spare_D0_0	C5S3:30/C5S03-X2:30
RI0-200	Slurry - Out Building 2nd Floor	C5S03-X2	-	Spare	Spare Channel	-	DO	24VDC Sourcing	SPARE	C5-S03-P30	C5	3	31	1756-OB32	Spare_D0_0	C5S3:31/C5S03-X2:31

Destination Specification (Field JB / MCC / Terminal Pin / Field Device)							Signal Spec			Source Specification (PLC Rack / Slot / Card Pin / EPLAN Wire Tag)						
Dest ID	Location	Terminal Block	Pin	Instrument Tag	Instrument Description	P&ID Drawing	Type	Signal Spec	Status	Point Ref ID	Rack	Slot	Ch	Module	PLC Tag Name	ePlan Wire Tag
RI0-200	Slurry - Out Building 2nd Floor	C5S03-X2	-	Spare	Spare Channel	-	DO	24VDC Sourcing	SPARE	C5-S03-P31	C5	3	32	1756-OB32	Spare_DO_0	C5S3:32/C5S03-X2:32
RI0-200	Slurry - Out Building 2nd Floor	C5S04-X1	-	EXT-BIILER		External Remote Setpoint	AI	4-20mA HART	ACTIVE	C5-S04-P00	C5	4	1	1756-IF16	EXT-BIILER_AI_1	C5S4:1/C5S04-X1:1
RI0-200	Slurry - Out Building 2nd Floor	C5S04-X1	-	FT-913201		3-25-01-913-PD-02	AI	4-20mA HART	ACTIVE	C5-S04-P01	C5	4	2	1756-IF16	FT-913201_AI_1	C5S4:2/C5S04-X1:2
RI0-200	Slurry - Out Building 2nd Floor	C5S04-X1	-	FT-913201		3-25-01-913-PD-02	AI	4-20mA HART	ACTIVE	C5-S04-P02	C5	4	3	1756-IF16	FT-913201_AI_2	C5S4:3/C5S04-X1:3
RI0-200	Slurry - Out Building 2nd Floor	C5S04-X1	-	FT-936201		3-25-01-930-PD-08	AI	4-20mA HART	ACTIVE	C5-S04-P03	C5	4	4	1756-IF16	FT-936201_AI_1	C5S4:4/C5S04-X1:4
RI0-200	Slurry - Out Building 2nd Floor	C5S04-X1	-	FT-936202		3-25-01-930-PD-07	AI	4-20mA HART	ACTIVE	C5-S04-P04	C5	4	5	1756-IF16	FT-936202_AI_1	C5S4:5/C5S04-X1:5
RI0-200	Slurry - Out Building 2nd Floor	C5S04-X1	-	LT-913201	Level Transmitter	3-25-01-913-PD-01	AI	4-20mA HART	ACTIVE	C5-S04-P05	C5	4	6	1756-IF16	LT-913201_AI_1	C5S4:6/C5S04-X1:6
RI0-200	Slurry - Out Building 2nd Floor	C5S04-X1	-	PT-913201	Pressure Transmitter	3-25-01-913-PD-02	AI	4-20mA HART	ACTIVE	C5-S04-P06	C5	4	7	1756-IF16	PT-913201_AI_1	C5S4:7/C5S04-X1:7
RI0-200	Slurry - Out Building 2nd Floor	C5S04-X1	-	XT-92201		3-25-01-922-PD-03	AI	4-20mA HART	ACTIVE	C5-S04-P07	C5	4	8	1756-IF16	XT-92201_AI_1	C5S4:8/C5S04-X1:8
RI0-200	Slurry - Out Building 2nd Floor	C5S04-X1	-	XV-913201		3-25-01-913-PD-02	AI	4-20mA HART	ACTIVE	C5-S04-P08	C5	4	9	1756-IF16	XV-913201_AI_1	C5S4:9/C5S04-X1:9
RI0-200	Slurry - Out Building 2nd Floor	C5S04-X1	-	Spare	Spare Channel	3-25-01-913-PD-02	AI	4-20mA HART	SPARE	C5-S04-P09	C5	4	10	1756-IF16	Spare_AI_0	C5S4:10/C5S04-X1:10
RI0-200	Slurry - Out Building 2nd Floor	C5S04-X1	-	Spare	Spare Channel	3-25-01-913-PD-02	AI	4-20mA HART	SPARE	C5-S04-P10	C5	4	11	1756-IF16	Spare_AI_0	C5S4:11/C5S04-X1:11
RI0-200	Slurry - Out Building 2nd Floor	C5S04-X1	-	Spare	Spare Channel	3-25-01-913-PD-02	AI	4-20mA HART	SPARE	C5-S04-P11	C5	4	12	1756-IF16	Spare_AI_0	C5S4:12/C5S04-X1:12
RI0-200	Slurry - Out Building 2nd Floor	C5S04-X1	-	Spare	Spare Channel	3-25-01-913-PD-02	AI	4-20mA HART	SPARE	C5-S04-P12	C5	4	13	1756-IF16	Spare_AI_0	C5S4:13/C5S04-X1:13

Destination Specification (Field JB / MCC / Terminal Pin / Field Device)							Signal Spec			Source Specification (PLC Rack / Slot / Card Pin / EPLAN Wire Tag)						
Dest ID	Location	Terminal Block	Pin	Instrument Tag	Instrument Description	P&ID Drawing	Type	Signal Spec	Status	Point Ref ID	Rack	Slot	Ch	Module	PLC Tag Name	ePlan Wire Tag
RI0-200	Slurry - Out Building 2nd Floor	C5S04-X1	-	Spare	Spare Channel	3-25-01-913-PD-02	AI	4-20mA HART	SPARE	C5-S04-P13	C5	4	14	1756-IF16	Spare_AI_0	C5S4:14/C5S04-X1:14
RI0-200	Slurry - Out Building 2nd Floor	C5S04-X1	-	Spare	Spare Channel	-	AI	4-20mA HART	SPARE	C5-S04-P14	C5	4	15	1756-IF16	Spare_AI_0	C5S4:15/C5S04-X1:15
RI0-200	Slurry - Out Building 2nd Floor	C5S04-X1	-	Spare	Spare Channel	-	AI	4-20mA HART	SPARE	C5-S04-P15	C5	4	16	1756-IF16	Spare_AI_0	C5S4:16/C5S04-X1:16

DESTINATION: JB-601 — SPRAY DRYER 1ST FLOOR JUNCTION BOX										Total: 85 Pts Active: 58 Spare: 27 (31.8%) AI:16 BUS:1 DI:51 DO:17						
Location: Spray Dryer Floor 1F (Base) Size: 500 x 400 x 200 mm Spec: Standard Industrial (IP66 / SS304)																
DESTINATION SPECIFICATION (FIELD JB / MCC / TERMINAL PIN / FIELD DEVICE)							SIGNAL SPEC			SOURCE SPECIFICATION (PLC RACK / SLOT / CARD PIN / EPLAN WIRE TAG)						
Dest ID	Location	Terminal Block	Pin	Instrument Tag	Instrument Description	P&ID Drawing	Type	Signal Spec	Status	Point Ref ID	Rack	Slot	Ch	Module	PLC Tag Name	ePlan Wire Tag
JB-601	Spray Dryer 1st Floor	C1S05-X2	–	ES-60202		–	DI	24VDC Dry Contact	ACTIVE	C1-S05-P16	C1	5	17	1756-IB32	ES-60202_DI_1	C1S5:17/C1S05-X2:17
JB-601	Spray Dryer 1st Floor	C1S05-X2	–	FS-60205	Flow Switch	3-25-01-602-PD-01	DI	24VDC Dry Contact	ACTIVE	C1-S05-P17	C1	5	18	1756-IB32	FS-60205_DI_1	C1S5:18/C1S05-X2:18
JB-601	Spray Dryer 1st Floor	C1S05-X2	–	LSL-60201		3-25-01-602-PD-11	DI	24VDC Dry Contact	ACTIVE	C1-S05-P18	C1	5	19	1756-IB32	LSL-60201_DI_1	C1S5:19/TBDI2:17A
JB-601	Spray Dryer 1st Floor	C1S05-X2	–	SV-60201		3-25-01-602-PD-08	DI	24VDC Dry Contact	ACTIVE	C1-S05-P19	C1	5	20	1756-IB32	SV-60201_DI_1	C1S5:20/TBDI2:18A
JB-601	Spray Dryer 1st Floor	C1S05-X2	–	SV-60201		3-25-01-602-PD-08	DI	24VDC Dry Contact	ACTIVE	C1-S05-P20	C1	5	21	1756-IB32	SV-60201_DI_2	C1S5:21/TBDI2:19A
JB-601	Spray Dryer 1st Floor	C1S05-X2	–	SV-60202		3-25-01-602-PD-08	DI	24VDC Dry Contact	ACTIVE	C1-S05-P21	C1	5	22	1756-IB32	SV-60202_DI_1	C1S5:22/TBDI2:20A
JB-601	Spray Dryer 1st Floor	C1S05-X2	–	SV-60202		3-25-01-602-PD-08	DI	24VDC Dry Contact	ACTIVE	C1-S05-P22	C1	5	23	1756-IB32	SV-60202_DI_2	C1S5:23/TBDI2:21A
JB-601	Spray Dryer 1st Floor	C1S05-X2	–	SV-60203		3-25-01-602-PD-08	DI	24VDC Dry Contact	ACTIVE	C1-S05-P23	C1	5	24	1756-IB32	SV-60203_DI_1	C1S5:24/TBDI2:22A
JB-601	Spray Dryer 1st Floor	C1S05-X2	–	SV-60203		3-25-01-602-PD-08	DI	24VDC Dry Contact	ACTIVE	C1-S05-P24	C1	5	25	1756-IB32	SV-60203_DI_2	C1S5:25/TBDI2:23A
JB-601	Spray Dryer 1st Floor	C1S05-X2	–	VS-60205	Vibration Switch	3-25-01-602-PD-01	DI	24VDC Dry Contact	ACTIVE	C1-S05-P25	C1	5	26	1756-IB32	VS-60205_DI_1	C1S5:26/TBDI2:24A
JB-601	Spray Dryer 1st Floor	C1S05-X2	–	Spare	Spare Channel	–	DI	24VDC Dry Contact	SPARE	C1-S05-P26	C1	5	27	1756-IB32	Spare_DI_0	C1S5:27/TBDI2:25A
JB-601	Spray Dryer 1st Floor	C1S05-X2	–	Spare	Spare Channel	–	DI	24VDC Dry Contact	SPARE	C1-S05-P27	C1	5	28	1756-IB32	Spare_DI_0	C1S5:28/TBDI2:26A
JB-601	Spray Dryer 1st Floor	C1S05-X2	–	Spare	Spare Channel	–	DI	24VDC Dry Contact	SPARE	C1-S05-P28	C1	5	29	1756-IB32	Spare_DI_0	C1S5:29/TBDI2:27A
JB-601	Spray Dryer 1st Floor	C1S05-X2	–	Spare	Spare Channel	–	DI	24VDC Dry Contact	SPARE	C1-S05-P29	C1	5	30	1756-IB32	Spare_DI_0	C1S5:30/TBDI2:28A
JB-601	Spray Dryer 1st Floor	C1S05-X2	–	Spare	Spare Channel	–	DI	24VDC Dry Contact	SPARE	C1-S05-P30	C1	5	31	1756-IB32	Spare_DI_0	C1S5:31/TBDI2:29A
JB-601	Spray Dryer 1st Floor	C1S05-X2	–	Spare	Spare Channel	–	DI	24VDC Dry Contact	SPARE	C1-S05-P31	C1	5	32	1756-IB32	Spare_DI_0	C1S5:32/TBDI2:30A
JB-601	Spray Dryer 1st Floor	C1S06-X1	–	XA-60202A		–	DI	24VDC Dry Contact	ACTIVE	C1-S06-P00	C1	6	1	1756-IB32	XA-60202A_DI_1	C1S6:1/TBDI3:1A

Destination Specification (Field JB / MCC / Terminal Pin / Field Device)							Signal Spec			Source Specification (PLC Rack / Slot / Card Pin / EPLAN Wire Tag)						
Dest ID	Location	Terminal Block	Pin	Instrument Tag	Instrument Description	P&ID Drawing	Type	Signal Spec	Status	Point Ref ID	Rack	Slot	Ch	Module	PLC Tag Name	ePlan Wire Tag
JB-601	Spray Dryer 1st Floor	C1S06-X1	-	XA-60202B		-	DI	24VDC Dry Contact	ACTIVE	C1-S06-P01	C1	6	2	1756-IB32	XA-60202B_DI_1	C1S6:2/TBDI3:2A
JB-601	Spray Dryer 1st Floor	C1S06-X1	-	XA-60202C		-	DI	24VDC Dry Contact	ACTIVE	C1-S06-P02	C1	6	3	1756-IB32	XA-60202C_DI_1	C1S6:3/TBDI3:3A
JB-601	Spray Dryer 1st Floor	C1S06-X1	-	XA-60202D		-	DI	24VDC Dry Contact	ACTIVE	C1-S06-P03	C1	6	4	1756-IB32	XA-60202D_DI_1	C1S6:4/TBDI3:4A
JB-601	Spray Dryer 1st Floor	C1S06-X1	-	XA-60202E		-	DI	24VDC Dry Contact	ACTIVE	C1-S06-P04	C1	6	5	1756-IB32	XA-60202E_DI_1	C1S6:5/TBDI3:5A
JB-601	Spray Dryer 1st Floor	C1S06-X1	-	XA-60202F		-	DI	24VDC Dry Contact	ACTIVE	C1-S06-P05	C1	6	6	1756-IB32	XA-60202F_DI_1	C1S6:6/TBDI3:6A
JB-601	Spray Dryer 1st Floor	C1S06-X1	-	XA-60202G		-	DI	24VDC Dry Contact	ACTIVE	C1-S06-P06	C1	6	7	1756-IB32	XA-60202G_DI_1	C1S6:7/TBDI3:7A
JB-601	Spray Dryer 1st Floor	C1S06-X1	-	XA-60202H		-	DI	24VDC Dry Contact	ACTIVE	C1-S06-P07	C1	6	8	1756-IB32	XA-60202H_DI_1	C1S6:8/TBDI3:8A
JB-601	Spray Dryer 1st Floor	C1S06-X1	-	XA-60202I		-	DI	24VDC Dry Contact	ACTIVE	C1-S06-P08	C1	6	9	1756-IB32	XA-60202I_DI_1	C1S6:9/TBDI3:9A
JB-601	Spray Dryer 1st Floor	C1S06-X1	-	XA-60202J		-	DI	24VDC Dry Contact	ACTIVE	C1-S06-P09	C1	6	10	1756-IB32	XA-60202J_DI_1	C1S6:10/TBDI3:10A
JB-601	Spray Dryer 1st Floor	C1S06-X1	-	XA-60202K		-	DI	24VDC Dry Contact	ACTIVE	C1-S06-P10	C1	6	11	1756-IB32	XA-60202K_DI_1	C1S6:11/TBDI3:11A
JB-601	Spray Dryer 1st Floor	C1S06-X1	-	XA-60202L		-	DI	24VDC Dry Contact	ACTIVE	C1-S06-P11	C1	6	12	1756-IB32	XA-60202L_DI_1	C1S6:12/TBDI3:12A
JB-601	Spray Dryer 1st Floor	C1S06-X1	-	XA-60202M		-	DI	24VDC Dry Contact	ACTIVE	C1-S06-P12	C1	6	13	1756-IB32	XA-60202M_DI_1	C1S6:13/TBDI3:13A
JB-601	Spray Dryer 1st Floor	C1S06-X1	-	XV-60202		3-25-01-602-PD-11	DI	24VDC Dry Contact	ACTIVE	C1-S06-P13	C1	6	14	1756-IB32	XV-60202_DI_1	C1S6:14/TBDI3:14A
JB-601	Spray Dryer 1st Floor	C1S06-X1	-	XV-60202		3-25-01-602-PD-11	DI	24VDC Dry Contact	ACTIVE	C1-S06-P14	C1	6	15	1756-IB32	XV-60202_DI_2	C1S6:15/TBDI3:15A
JB-601	Spray Dryer 1st Floor	C1S06-X1	-	XV-60205A		3-25-01-602-PD-01	DI	24VDC Dry Contact	ACTIVE	C1-S06-P15	C1	6	16	1756-IB32	XV-60205A_DI_1	C1S6:16/TBDI3:16A
JB-601	Spray Dryer 1st Floor	C1S06-X2	-	XV-60205A		3-25-01-602-PD-01	DI	24VDC Dry Contact	ACTIVE	C1-S06-P16	C1	6	17	1756-IB32	XV-60205A_DI_2	C1S6:17/C1S06-X2:17
JB-601	Spray Dryer 1st Floor	C1S06-X2	-	XV-60240D		-	DI	24VDC Dry Contact	ACTIVE	C1-S06-P17	C1	6	18	1756-IB32	XV-60240D_DI_1	C1S6:18/C1S06-X2:18
JB-601	Spray Dryer 1st Floor	C1S06-X2	-	XV-60240D		3-25-01-602-PD-05	DI	24VDC Dry Contact	ACTIVE	C1-S06-P18	C1	6	19	1756-IB32	XV-60240D_DI_2	C1S6:19/TBDI3:17A
JB-601	Spray Dryer 1st Floor	C1S06-X2	-	XV-60240D		-	DI	24VDC Dry Contact	ACTIVE	C1-S06-P19	C1	6	20	1756-IB32	XV-60240D_DI_1	C1S6:20/TBDI3:18A

Destination Specification (Field JB / MCC / Terminal Pin / Field Device)							Signal Spec			Source Specification (PLC Rack / Slot / Card Pin / EPLAN Wire Tag)						
Dest ID	Location	Terminal Block	Pin	Instrument Tag	Instrument Description	P&ID Drawing	Type	Signal Spec	Status	Point Ref ID	Rack	Slot	Ch	Module	PLC Tag Name	ePlan Wire Tag
JB-601	Spray Dryer 1st Floor	C1S06-X2	-	XV-60240D		3-25-01-602-PD-05	DI	24VDC Dry Contact	ACTIVE	C1-S06-P20	C1	6	21	1756-IB32	XV-60240D_DI_2	C1S6:21/TBDI3:19A
JB-601	Spray Dryer 1st Floor	C1S06-X2	-	YA-60205		-	DI	24VDC Dry Contact	ACTIVE	C1-S06-P21	C1	6	22	1756-IB32	YA-60205_DI_1	C1S6:22/TBDI3:20A
JB-601	Spray Dryer 1st Floor	C1S06-X2	-	YI-60205		-	DI	24VDC Dry Contact	ACTIVE	C1-S06-P22	C1	6	23	1756-IB32	YI-60205_DI_1	C1S6:23/TBDI3:21A
JB-601	Spray Dryer 1st Floor	C1S06-X2	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C1-S06-P23	C1	6	24	1756-IB32	Spare_DI_0	C1S6:24/TBDI3:22A
JB-601	Spray Dryer 1st Floor	C1S06-X2	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C1-S06-P24	C1	6	25	1756-IB32	Spare_DI_0	C1S6:25/TBDI3:23A
JB-601	Spray Dryer 1st Floor	C1S06-X2	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C1-S06-P25	C1	6	26	1756-IB32	Spare_DI_0	C1S6:26/TBDI3:24A
JB-601	Spray Dryer 1st Floor	C1S06-X2	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C1-S06-P26	C1	6	27	1756-IB32	Spare_DI_0	C1S6:27/TBDI3:25A
JB-601	Spray Dryer 1st Floor	C1S06-X2	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C1-S06-P27	C1	6	28	1756-IB32	Spare_DI_0	C1S6:28/TBDI3:26A
JB-601	Spray Dryer 1st Floor	C1S06-X2	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C1-S06-P28	C1	6	29	1756-IB32	Spare_DI_0	C1S6:29/TBDI3:27A
JB-601	Spray Dryer 1st Floor	C1S06-X2	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C1-S06-P29	C1	6	30	1756-IB32	Spare_DI_0	C1S6:30/TBDI3:28A
JB-601	Spray Dryer 1st Floor	C1S06-X2	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C1-S06-P30	C1	6	31	1756-IB32	Spare_DI_0	C1S6:31/TBDI3:29A
JB-601	Spray Dryer 1st Floor	C1S06-X2	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C1-S06-P31	C1	6	32	1756-IB32	Spare_DI_0	C1S6:32/TBDI3:30A
JB-601	Spray Dryer 1st Floor	C1S08-X2	-	SV-60201		3-25-01-602-PD-08	DO	24VDC Sourcing	ACTIVE	C1-S08-P16	C1	8	17	1756-OB32	SV-60201_D0_1	C1S8:17/C1S08-X2:17
JB-601	Spray Dryer 1st Floor	C1S08-X2	-	SV-60202		3-25-01-602-PD-08	DO	24VDC Sourcing	ACTIVE	C1-S08-P17	C1	8	18	1756-OB32	SV-60202_D0_1	C1S8:18/C1S08-X2:18
JB-601	Spray Dryer 1st Floor	C1S08-X2	-	SV-60230		3-25-01-602-PD-04	DO	24VDC Sourcing	ACTIVE	C1-S08-P18	C1	8	19	1756-OB32	SV-60230_D0_1	C1S8:19/RL.17:A1
JB-601	Spray Dryer 1st Floor	C1S08-X2	-	SV-60203		3-25-01-602-PD-08	DO	24VDC Sourcing	ACTIVE	C1-S08-P19	C1	8	20	1756-OB32	SV-60203_D0_1	C1S8:20/RL.18:A1
JB-601	Spray Dryer 1st Floor	C1S08-X2	-	SV-60240A		3-25-01-602-PD-05	DO	24VDC Sourcing	ACTIVE	C1-S08-P20	C1	8	21	1756-OB32	SV-60240A_D0_1	C1S8:21/RL.19:A1
JB-601	Spray Dryer 1st Floor	C1S08-X2	-	SV-60231		3-25-01-602-PD-04	DO	24VDC Sourcing	ACTIVE	C1-S08-P21	C1	8	22	1756-OB32	SV-60231_D0_1	C1S8:22/RL.20:A1
JB-601	Spray Dryer 1st Floor	C1S08-X2	-	SV-60240B		3-25-01-602-PD-05	DO	24VDC Sourcing	ACTIVE	C1-S08-P22	C1	8	23	1756-OB32	SV-60240B_D0_1	C1S8:23/RL.21:A1

Destination Specification (Field JB / MCC / Terminal Pin / Field Device)							Signal Spec			Source Specification (PLC Rack / Slot / Card Pin / EPLAN Wire Tag)						
Dest ID	Location	Terminal Block	Pin	Instrument Tag	Instrument Description	P&ID Drawing	Type	Signal Spec	Status	Point Ref ID	Rack	Slot	Ch	Module	PLC Tag Name	ePlan Wire Tag
JB-601	Spray Dryer 1st Floor	C1S08-X2	-	SV-60240C		3-25-01-602-PD-05	DO	24VDC Sourcing	ACTIVE	C1-S08-P23	C1	8	24	1756-OB32	SV-60240C_DO_1	C1S8:24/RL.22:A1
JB-601	Spray Dryer 1st Floor	C1S08-X2	-	XV-60240D		-	DO	24VDC Sourcing	ACTIVE	C1-S08-P24	C1	8	25	1756-OB32	XV-60240D_DO_1	C1S8:25/RL.23:A1
JB-601	Spray Dryer 1st Floor	C1S08-X2	-	XV-60251		3-25-01-602-PD-01	DO	24VDC Sourcing	ACTIVE	C1-S08-P25	C1	8	26	1756-OB32	XV-60251_DO_1	C1S8:26/RL.24:A1
JB-601	Spray Dryer 1st Floor	C1S08-X2	-	XV-60202		3-25-01-602-PD-11	DO	24VDC Sourcing	ACTIVE	C1-S08-P26	C1	8	27	1756-OB32	XV-60202_DO_1	C1S8:27/RL.25:A1
JB-601	Spray Dryer 1st Floor	C1S08-X2	-	XV-60205A		3-25-01-602-PD-01	DO	24VDC Sourcing	ACTIVE	C1-S08-P27	C1	8	28	1756-OB32	XV-60205A_DO_1	C1S8:28/RL.26:A1
JB-601	Spray Dryer 1st Floor	C1S08-X2	-	Spare	Spare Channel	-	DO	24VDC Sourcing	SPARE	C1-S08-P28	C1	8	29	1756-OB32	Spare_DO_0	C1S8:29/RL.27:A1
JB-601	Spray Dryer 1st Floor	C1S08-X2	-	Spare	Spare Channel	-	DO	24VDC Sourcing	SPARE	C1-S08-P29	C1	8	30	1756-OB32	Spare_DO_0	C1S8:30/RL.28:A1
JB-601	Spray Dryer 1st Floor	C1S08-X2	-	Spare	Spare Channel	-	DO	24VDC Sourcing	SPARE	C1-S08-P30	C1	8	31	1756-OB32	Spare_DO_0	C1S8:31/RL.29:A1
JB-601	Spray Dryer 1st Floor	C1S08-X2	-	Spare	Spare Channel	-	DO	24VDC Sourcing	SPARE	C1-S08-P31	C1	8	32	1756-OB32	Spare_DO_0	C1S8:32/RL.30:A1
JB-601	Spray Dryer 1st Floor	C1S10-X1	-	DPI-60240		-	AI	4-20mA HART	ACTIVE	C1-S10-P00	C1	10	1	1756-IF16	DPI-60240_AI_1	C1S10:1/C1S10-X1:1
JB-601	Spray Dryer 1st Floor	C1S10-X1	-	DPT-60202	Differential Pressure Transmitter	3-25-01-602-PD-08	AI	4-20mA HART	ACTIVE	C1-S10-P01	C1	10	2	1756-IF16	DPT-60202_AI_1	C1S10:2/C1S10-X1:2
JB-601	Spray Dryer 1st Floor	C1S10-X1	-	FT-60201		3-25-01-602-PD-08	AI	4-20mA HART	ACTIVE	C1-S10-P02	C1	10	3	1756-IF16	FT-60201_AI_1	C1S10:3/C1S10-X1:3
JB-601	Spray Dryer 1st Floor	C1S10-X1	-	FT-60204		3-25-01-602-PD-10	AI	4-20mA HART	ACTIVE	C1-S10-P03	C1	10	4	1756-IF16	FT-60204_AI_1	C1S10:4/C1S10-X1:4
JB-601	Spray Dryer 1st Floor	C1S10-X1	-	FT-61307		3-25-01-613-PD-04	AI	4-20mA HART	ACTIVE	C1-S10-P04	C1	10	5	1756-IF16	FT-61307_AI_1	C1S10:5/C1S10-X1:5
JB-601	Spray Dryer 1st Floor	C1S10-X1	-	PT-60203	Pressure Transmitter	3-25-01-602-PD-08	AI	4-20mA HART	ACTIVE	C1-S10-P05	C1	10	6	1756-IF16	PT-60203_AI_1	C1S10:6/C1S10-X1:6
JB-601	Spray Dryer 1st Floor	C1S10-X1	-	PT-60204	Pressure Transmitter	3-25-01-602-PD-10	AI	4-20mA HART	ACTIVE	C1-S10-P06	C1	10	7	1756-IF16	PT-60204_AI_1	C1S10:7/C1S10-X1:7
JB-601	Spray Dryer 1st Floor	C1S10-X1	-	PT-60205	Pressure Transmitter	3-25-01-602-PD-01	AI	4-20mA HART	ACTIVE	C1-S10-P07	C1	10	8	1756-IF16	PT-60205_AI_1	C1S10:8/C1S10-X1:8
JB-601	Spray Dryer 1st Floor	C1S10-X1	-	Spare	Spare Channel	-	AI	4-20mA HART	SPARE	C1-S10-P08	C1	10	9	1756-IF16	Spare_AI_0	C1S10:9/C1S10-X1:9

Destination Specification (Field JB / MCC / Terminal Pin / Field Device)							Signal Spec			Source Specification (PLC Rack / Slot / Card Pin / EPLAN Wire Tag)						
Dest ID	Location	Terminal Block	Pin	Instrument Tag	Instrument Description	P&ID Drawing	Type	Signal Spec	Status	Point Ref ID	Rack	Slot	Ch	Module	PLC Tag Name	ePlan Wire Tag
JB-601	Spray Dryer 1st Floor	C1S10-X1	–	Spare	Spare Channel	–	AI	4-20mA HART	SPARE	C1-S10-P09	C1	10	10	1756-IF16	Spare_AI_0	C1S10:10/C1S10-X1:10
JB-601	Spray Dryer 1st Floor	C1S10-X1	–	Spare	Spare Channel	–	AI	4-20mA HART	SPARE	C1-S10-P10	C1	10	11	1756-IF16	Spare_AI_0	C1S10:11/C1S10-X1:11
JB-601	Spray Dryer 1st Floor	C1S10-X1	–	Spare	Spare Channel	–	AI	4-20mA HART	SPARE	C1-S10-P11	C1	10	12	1756-IF16	Spare_AI_0	C1S10:12/C1S10-X1:12
JB-601	Spray Dryer 1st Floor	C1S10-X1	–	Spare	Spare Channel	–	AI	4-20mA HART	SPARE	C1-S10-P12	C1	10	13	1756-IF16	Spare_AI_0	C1S10:13/C1S10-X1:13
JB-601	Spray Dryer 1st Floor	C1S10-X1	–	Spare	Spare Channel	–	AI	4-20mA HART	SPARE	C1-S10-P13	C1	10	14	1756-IF16	Spare_AI_0	C1S10:14/C1S10-X1:14
JB-601	Spray Dryer 1st Floor	C1S10-X1	–	Spare	Spare Channel	–	AI	4-20mA HART	SPARE	C1-S10-P14	C1	10	15	1756-IF16	Spare_AI_0	C1S10:15/C1S10-X1:15
JB-601	Spray Dryer 1st Floor	C1S10-X1	–	Spare	Spare Channel	–	AI	4-20mA HART	SPARE	C1-S10-P15	C1	10	16	1756-IF16	Spare_AI_0	C1S10:16/C1S10-X1:16
JB-601	Spray Dryer 1st Floor	C7S00–	–	PCY-60205		–	BUS	4-20mA HART	ACTIVE	C7-S00-P00	C7	0	1		PCY-60205_BUS_1	C7S0:1/C7S00–:1
JB-601	Spray Dryer 1st Floor	C7S02–	–	PCY-60205		–	DI	24VDC Dry Contact	ACTIVE	C7-S02-P03	C7	2	4		PCY-60205_DI_1	C7S2:4/C7S02–:4
JB-601	Spray Dryer 1st Floor	C7S02–	–	PCY-60205		–	DI	24VDC Dry Contact	ACTIVE	C7-S02-P04	C7	2	5		PCY-60205_DI_2	C7S2:5/C7S02–:5
JB-601	Spray Dryer 1st Floor	C7S03–	–	PCY-60205		–	DI	24VDC Dry Contact	ACTIVE	C7-S03-P25	C7	3	26		PCY-60205_DI_3	C7S3:26/C7S03–:26
JB-601	Spray Dryer 1st Floor	C7S06–	–	PCY-60205		–	DO	24VDC Sourcing	ACTIVE	C7-S06-P31	C7	6	32		PCY-60205_D0_1	C7S6:32/C7S06–:32

DESTINATION: JB-602 — SPRAY DRYER 3RD FLOOR JUNCTION BOX										Total: 82 Pts Active: 57 Spare: 25 (30.5%) AI:32 AO:2 DI:32 DO:16							
Location: Spray Dryer Floor 3F Size: 800 x 600 x 250 mm Spec: Standard Industrial (IP66 / SS304)																	
DESTINATION SPECIFICATION (FIELD JB / MCC / TERMINAL PIN / FIELD DEVICE)							SIGNAL SPEC			SOURCE SPECIFICATION (PLC RACK / SLOT / CARD PIN / EPLAN WIRE TAG)							
Dest ID	Location	Terminal Block	Pin	Instrument Tag	Instrument Description	P&ID Drawing	Type	Signal Spec	Status	Point Ref ID	Rack	Slot	Ch	Module	PLC Tag Name	ePlan Wire Tag	
JB-602	Spray Dryer 3rd Floor	C2S02-X1	–	FT-60202		3-25-01-602-PD-09	DI	24VDC Dry Contact	ACTIVE	C2-S02-P00	C2	2	1	1756-IB32	FT-60202_DI_1	C2S2:1/TBDI2:1A	
JB-602	Spray Dryer 3rd Floor	C2S02-X1	–	LSH-60251		3-25-01-602-PD-04	DI	24VDC Dry Contact	ACTIVE	C2-S02-P01	C2	2	2	1756-IB32	LSH-60251_DI_1	C2S2:2/TBDI2:2A	
JB-602	Spray Dryer 3rd Floor	C2S02-X1	–	PSL-60220		3-25-01-602-PD-04	DI	24VDC Dry Contact	ACTIVE	C2-S02-P02	C2	2	3	1756-IB32	PSL-60220_DI_1	C2S2:3/TBDI2:3A	
JB-602	Spray Dryer 3rd Floor	C2S02-X1	–	TSH-60230		3-25-01-602-PD-04	DI	24VDC Dry Contact	ACTIVE	C2-S02-P03	C2	2	4	1756-IB32	TSH-60230_DI_1	C2S2:4/TBDI2:4A	
JB-602	Spray Dryer 3rd Floor	C2S02-X1	–	TSH-60240		3-25-01-602-PD-05	DI	24VDC Dry Contact	ACTIVE	C2-S02-P04	C2	2	5	1756-IB32	TSH-60240_DI_1	C2S2:5/TBDI2:5A	
JB-602	Spray Dryer 3rd Floor	C2S02-X1	–	TSH-60241A		3-25-01-602-PD-05	DI	24VDC Dry Contact	ACTIVE	C2-S02-P05	C2	2	6	1756-IB32	TSH-60241A_DI_1	C2S2:6/TBDI2:6A	
JB-602	Spray Dryer 3rd Floor	C2S02-X1	–	TSH-60242A		3-25-01-602-PD-05	DI	24VDC Dry Contact	ACTIVE	C2-S02-P06	C2	2	7	1756-IB32	TSH-60242A_DI_1	C2S2:7/TBDI2:7A	
JB-602	Spray Dryer 3rd Floor	C2S02-X1	–	TSH-60243A		3-25-01-602-PD-05	DI	24VDC Dry Contact	ACTIVE	C2-S02-P07	C2	2	8	1756-IB32	TSH-60243A_DI_1	C2S2:8/TBDI2:8A	
JB-602	Spray Dryer 3rd Floor	C2S02-X1	–	TSL-60241B		3-25-01-602-PD-05	DI	24VDC Dry Contact	ACTIVE	C2-S02-P08	C2	2	9	1756-IB32	TSL-60241B_DI_1	C2S2:9/TBDI2:9A	
JB-602	Spray Dryer 3rd Floor	C2S02-X1	–	TSL-60242B		3-25-01-602-PD-05	DI	24VDC Dry Contact	ACTIVE	C2-S02-P09	C2	2	10	1756-IB32	TSL-60242B_DI_1	C2S2:10/TBDI2:10A	
JB-602	Spray Dryer 3rd Floor	C2S02-X1	–	TSL-60243B		3-25-01-602-PD-05	DI	24VDC Dry Contact	ACTIVE	C2-S02-P10	C2	2	11	1756-IB32	TSL-60243B_DI_1	C2S2:11/TBDI2:11A	
JB-602	Spray Dryer 3rd Floor	C2S02-X1	–	XA-60240A		–	DI	24VDC Dry Contact	ACTIVE	C2-S02-P11	C2	2	12	1756-IB32	XA-60240A_DI_1	C2S2:12/TBDI2:12A	
JB-602	Spray Dryer 3rd Floor	C2S02-X1	–	XA-60240B		–	DI	24VDC Dry Contact	ACTIVE	C2-S02-P12	C2	2	13	1756-IB32	XA-60240B_DI_1	C2S2:13/TBDI2:13A	
JB-602	Spray Dryer 3rd Floor	C2S02-X1	–	XA-60241A		–	DI	24VDC Dry Contact	ACTIVE	C2-S02-P13	C2	2	14	1756-IB32	XA-60241A_DI_1	C2S2:14/TBDI2:14A	
JB-602	Spray Dryer 3rd Floor	C2S02-X1	–	XA-60241B		–	DI	24VDC Dry Contact	ACTIVE	C2-S02-P14	C2	2	15	1756-IB32	XA-60241B_DI_1	C2S2:15/TBDI2:15A	
JB-602	Spray Dryer 3rd Floor	C2S02-X1	–	XA-60242A		–	DI	24VDC Dry Contact	ACTIVE	C2-S02-P15	C2	2	16	1756-IB32	XA-60242A_DI_1	C2S2:16/TBDI2:16A	
JB-602	Spray Dryer 3rd Floor	C2S02-X2	–	XA-60242B		–	DI	24VDC Dry Contact	ACTIVE	C2-S02-P16	C2	2	17	1756-IB32	XA-60242B_DI_1	C2S2:17/C2S02-X2:17	

Destination Specification (Field JB / MCC / Terminal Pin / Field Device)							Signal Spec			Source Specification (PLC Rack / Slot / Card Pin / EPLAN Wire Tag)						
Dest ID	Location	Terminal Block	Pin	Instrument Tag	Instrument Description	P&ID Drawing	Type	Signal Spec	Status	Point Ref ID	Rack	Slot	Ch	Module	PLC Tag Name	ePlan Wire Tag
JB-602	Spray Dryer 3rd Floor	C2S02-X2	-	XA-60243A		-	DI	24VDC Dry Contact	ACTIVE	C2-S02-P17	C2	2	18	1756-IB32	XA-60243A_DI_1	C2S2:18/C2S02-X2:18
JB-602	Spray Dryer 3rd Floor	C2S02-X2	-	XA-60243B		-	DI	24VDC Dry Contact	ACTIVE	C2-S02-P18	C2	2	19	1756-IB32	XA-60243B_DI_1	C2S2:19/TBDI2:17A
JB-602	Spray Dryer 3rd Floor	C2S02-X2	-	XV-60214		3-25-01-602-PD-03	DI	24VDC Dry Contact	ACTIVE	C2-S02-P19	C2	2	20	1756-IB32	XV-60214_DI_1	C2S2:20/TBDI2:18A
JB-602	Spray Dryer 3rd Floor	C2S02-X2	-	XV-60214		3-25-01-602-PD-03	DI	24VDC Dry Contact	ACTIVE	C2-S02-P20	C2	2	21	1756-IB32	XV-60214_DI_2	C2S2:21/TBDI2:19A
JB-602	Spray Dryer 3rd Floor	C2S02-X2	-	XV-60241		3-25-01-602-PD-05	DI	24VDC Dry Contact	ACTIVE	C2-S02-P21	C2	2	22	1756-IB32	XV-60241_DI_1	C2S2:22/TBDI2:20A
JB-602	Spray Dryer 3rd Floor	C2S02-X2	-	XV-60241		3-25-01-602-PD-05	DI	24VDC Dry Contact	ACTIVE	C2-S02-P22	C2	2	23	1756-IB32	XV-60241_DI_2	C2S2:23/TBDI2:21A
JB-602	Spray Dryer 3rd Floor	C2S02-X2	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C2-S02-P23	C2	2	24	1756-IB32	Spare_DI_0	C2S2:24/TBDI2:22A
JB-602	Spray Dryer 3rd Floor	C2S02-X2	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C2-S02-P24	C2	2	25	1756-IB32	Spare_DI_0	C2S2:25/TBDI2:23A
JB-602	Spray Dryer 3rd Floor	C2S02-X2	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C2-S02-P25	C2	2	26	1756-IB32	Spare_DI_0	C2S2:26/TBDI2:24A
JB-602	Spray Dryer 3rd Floor	C2S02-X2	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C2-S02-P26	C2	2	27	1756-IB32	Spare_DI_0	C2S2:27/TBDI2:25A
JB-602	Spray Dryer 3rd Floor	C2S02-X2	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C2-S02-P27	C2	2	28	1756-IB32	Spare_DI_0	C2S2:28/TBDI2:26A
JB-602	Spray Dryer 3rd Floor	C2S02-X2	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C2-S02-P28	C2	2	29	1756-IB32	Spare_DI_0	C2S2:29/TBDI2:27A
JB-602	Spray Dryer 3rd Floor	C2S02-X2	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C2-S02-P29	C2	2	30	1756-IB32	Spare_DI_0	C2S2:30/TBDI2:28A
JB-602	Spray Dryer 3rd Floor	C2S02-X2	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C2-S02-P30	C2	2	31	1756-IB32	Spare_DI_0	C2S2:31/TBDI2:29A
JB-602	Spray Dryer 3rd Floor	C2S02-X2	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C2-S02-P31	C2	2	32	1756-IB32	Spare_DI_0	C2S2:32/TBDI2:30A
JB-602	Spray Dryer 3rd Floor	C2S06-X2	-	XS-60240B		-	DO	24VDC Sourcing	ACTIVE	C2-S06-P16	C2	6	17	1756-OB32	XS-60240B_DO_1	C2S6:17/C2S06-X2:17
JB-602	Spray Dryer 3rd Floor	C2S06-X2	-	XV-60214		3-25-01-602-PD-03	DO	24VDC Sourcing	ACTIVE	C2-S06-P17	C2	6	18	1756-OB32	XV-60214_DO_1	C2S6:18/C2S06-X2:18
JB-602	Spray Dryer 3rd Floor	C2S06-X2	-	XV-60241		3-25-01-602-PD-05	DO	24VDC Sourcing	ACTIVE	C2-S06-P18	C2	6	19	1756-OB32	XV-60241_DO_1	C2S6:19/RL.49:A1
JB-602	Spray Dryer 3rd Floor	C2S06-X2	-	Spare	Spare Channel	-	DO	24VDC Sourcing	SPARE	C2-S06-P19	C2	6	20	1756-OB32	Spare_DO_0	C2S6:20/RL.50:A1

Destination Specification (Field JB / MCC / Terminal Pin / Field Device)							Signal Spec			Source Specification (PLC Rack / Slot / Card Pin / EPLAN Wire Tag)						
Dest ID	Location	Terminal Block	Pin	Instrument Tag	Instrument Description	P&ID Drawing	Type	Signal Spec	Status	Point Ref ID	Rack	Slot	Ch	Module	PLC Tag Name	ePlan Wire Tag
JB-602	Spray Dryer 3rd Floor	C2S06-X2	-	Spare	Spare Channel	-	DO	24VDC Sourcing	SPARE	C2-S06-P20	C2	6	21	1756-OB32	Spare_D0_0	C2S6:21/RL.51:A1
JB-602	Spray Dryer 3rd Floor	C2S06-X2	-	Spare	Spare Channel	-	DO	24VDC Sourcing	SPARE	C2-S06-P21	C2	6	22	1756-OB32	Spare_D0_0	C2S6:22/RL.52:A1
JB-602	Spray Dryer 3rd Floor	C2S06-X2	-	Spare	Spare Channel	-	DO	24VDC Sourcing	SPARE	C2-S06-P22	C2	6	23	1756-OB32	Spare_D0_0	C2S6:23/RL.53:A1
JB-602	Spray Dryer 3rd Floor	C2S06-X2	-	Spare	Spare Channel	-	DO	24VDC Sourcing	SPARE	C2-S06-P23	C2	6	24	1756-OB32	Spare_D0_0	C2S6:24/RL.54:A1
JB-602	Spray Dryer 3rd Floor	C2S06-X2	-	Spare	Spare Channel	-	DO	24VDC Sourcing	SPARE	C2-S06-P24	C2	6	25	1756-OB32	Spare_D0_0	C2S6:25/RL.55:A1
JB-602	Spray Dryer 3rd Floor	C2S06-X2	-	Spare	Spare Channel	-	DO	24VDC Sourcing	SPARE	C2-S06-P25	C2	6	26	1756-OB32	Spare_D0_0	C2S6:26/RL.56:A1
JB-602	Spray Dryer 3rd Floor	C2S06-X2	-	Spare	Spare Channel	-	DO	24VDC Sourcing	SPARE	C2-S06-P26	C2	6	27	1756-OB32	Spare_D0_0	C2S6:27/RL.57:A1
JB-602	Spray Dryer 3rd Floor	C2S06-X2	-	Spare	Spare Channel	-	DO	24VDC Sourcing	SPARE	C2-S06-P27	C2	6	28	1756-OB32	Spare_D0_0	C2S6:28/RL.58:A1
JB-602	Spray Dryer 3rd Floor	C2S06-X2	-	Spare	Spare Channel	-	DO	24VDC Sourcing	SPARE	C2-S06-P28	C2	6	29	1756-OB32	Spare_D0_0	C2S6:29/RL.59:A1
JB-602	Spray Dryer 3rd Floor	C2S06-X2	-	Spare	Spare Channel	-	DO	24VDC Sourcing	SPARE	C2-S06-P29	C2	6	30	1756-OB32	Spare_D0_0	C2S6:30/RL.60:A1
JB-602	Spray Dryer 3rd Floor	C2S06-X2	-	Spare	Spare Channel	-	DO	24VDC Sourcing	SPARE	C2-S06-P30	C2	6	31	1756-OB32	Spare_D0_0	C2S6:31/RL.61:A1
JB-602	Spray Dryer 3rd Floor	C2S06-X2	-	Spare	Spare Channel	-	DO	24VDC Sourcing	SPARE	C2-S06-P31	C2	6	32	1756-OB32	Spare_D0_0	C2S6:32/RL.62:A1
JB-602	Spray Dryer 3rd Floor	C2S10-X1	-	AT-60241	Dust Analyzer Transmitter	3-25-01-602-PD-05	AI	4-20mA HART	ACTIVE	C2-S10-P00	C2	10	1	1756-IF16	AT-60241_AI_1	C2S10:1/C2S10-X1:1
JB-602	Spray Dryer 3rd Floor	C2S10-X1	-	DPT-60203	Differential Pressure Transmitter	3-25-01-602-PD-03	AI	4-20mA HART	ACTIVE	C2-S10-P01	C2	10	2	1756-IF16	DPT-60203_AI_1	C2S10:2/C2S10-X1:2
JB-602	Spray Dryer 3rd Floor	C2S10-X1	-	FT-60202		3-25-01-602-PD-09	AI	4-20mA HART	ACTIVE	C2-S10-P02	C2	10	3	1756-IF16	FT-60202_AI_1	C2S10:3/C2S10-X1:3
JB-602	Spray Dryer 3rd Floor	C2S10-X1	-	PT-60210	Pressure Transmitter	3-25-01-602-PD-03	AI	4-20mA HART	ACTIVE	C2-S10-P03	C2	10	4	1756-IF16	PT-60210_AI_1	C2S10:4/C2S10-X1:4
JB-602	Spray Dryer 3rd Floor	C2S10-X1	-	PT-60215	Pressure Transmitter	3-25-01-602-PD-03	AI	4-20mA HART	ACTIVE	C2-S10-P04	C2	10	5	1756-IF16	PT-60215_AI_1	C2S10:5/C2S10-X1:5
JB-602	Spray Dryer 3rd Floor	C2S10-X1	-	PT-60216	Pressure Transmitter	3-25-01-602-PD-03	AI	4-20mA HART	ACTIVE	C2-S10-P05	C2	10	6	1756-IF16	PT-60216_AI_1	C2S10:6/C2S10-X1:6

Destination Specification (Field JB / MCC / Terminal Pin / Field Device)							Signal Spec			Source Specification (PLC Rack / Slot / Card Pin / EPLAN Wire Tag)						
Dest ID	Location	Terminal Block	Pin	Instrument Tag	Instrument Description	P&ID Drawing	Type	Signal Spec	Status	Point Ref ID	Rack	Slot	Ch	Module	PLC Tag Name	ePlan Wire Tag
JB-602	Spray Dryer 3rd Floor	C2S10-X1	-	PT-60240	Pressure Transmitter	3-25-01-602-PD-05	AI	4-20mA HART	ACTIVE	C2-S10-P06	C2	10	7	1756-IF16	PT-60240_AI_1	C2S10:7/C2S10-X1:7
JB-602	Spray Dryer 3rd Floor	C2S10-X1	-	PT-60241	Pressure Transmitter	3-25-01-602-PD-05	AI	4-20mA HART	ACTIVE	C2-S10-P07	C2	10	8	1756-IF16	PT-60241_AI_1	C2S10:8/C2S10-X1:8
JB-602	Spray Dryer 3rd Floor	C2S10-X1	-	TT-60210		3-25-01-602-PD-03	AI	4-20mA HART	ACTIVE	C2-S10-P08	C2	10	9	1756-IF16	TT-60210_AI_1	C2S10:9/C2S10-X1:9
JB-602	Spray Dryer 3rd Floor	C2S10-X1	-	TT-60210A		-	AI	4-20mA HART	ACTIVE	C2-S10-P09	C2	10	10	1756-IF16	TT-60210A_AI_1	C2S10:10/C2S10-X1:10
JB-602	Spray Dryer 3rd Floor	C2S10-X1	-	TT-60210B		-	AI	4-20mA HART	ACTIVE	C2-S10-P10	C2	10	11	1756-IF16	TT-60210B_AI_1	C2S10:11/C2S10-X1:11
JB-602	Spray Dryer 3rd Floor	C2S10-X1	-	TT-60211		3-25-01-602-PD-03	AI	4-20mA HART	ACTIVE	C2-S10-P11	C2	10	12	1756-IF16	TT-60211_AI_1	C2S10:12/C2S10-X1:12
JB-602	Spray Dryer 3rd Floor	C2S10-X1	-	TT-60212A		3-25-01-602-PD-03	AI	4-20mA HART	ACTIVE	C2-S10-P12	C2	10	13	1756-IF16	TT-60212A_AI_1	C2S10:13/C2S10-X1:13
JB-602	Spray Dryer 3rd Floor	C2S10-X1	-	TT-60212B		3-25-01-602-PD-03	AI	4-20mA HART	ACTIVE	C2-S10-P13	C2	10	14	1756-IF16	TT-60212B_AI_1	C2S10:14/C2S10-X1:14
JB-602	Spray Dryer 3rd Floor	C2S10-X1	-	TT-60214		3-25-01-602-PD-03	AI	4-20mA HART	ACTIVE	C2-S10-P14	C2	10	15	1756-IF16	TT-60214_AI_1	C2S10:15/C2S10-X1:15
JB-602	Spray Dryer 3rd Floor	C2S10-X1	-	TT-60215A		3-25-01-602-PD-03	AI	4-20mA HART	ACTIVE	C2-S10-P15	C2	10	16	1756-IF16	TT-60215A_AI_1	C2S10:16/C2S10-X1:16
JB-602	Spray Dryer 3rd Floor	C2S11-X1	-	TT-60215B		3-25-01-602-PD-03	AI	4-20mA HART	ACTIVE	C2-S11-P00	C2	11	1	1756-IF16	TT-60215B_AI_1	C2S11:1/C2S11-X1:1
JB-602	Spray Dryer 3rd Floor	C2S11-X1	-	TT-60216		3-25-01-602-PD-03	AI	4-20mA HART	ACTIVE	C2-S11-P01	C2	11	2	1756-IF16	TT-60216_AI_1	C2S11:2/C2S11-X1:2
JB-602	Spray Dryer 3rd Floor	C2S11-X1	-	TT-60240		3-25-01-602-PD-05	AI	4-20mA HART	ACTIVE	C2-S11-P02	C2	11	3	1756-IF16	TT-60240_AI_1	C2S11:3/C2S11-X1:3
JB-602	Spray Dryer 3rd Floor	C2S11-X1	-	TT-60241A		3-25-01-602-PD-05	AI	4-20mA HART	ACTIVE	C2-S11-P03	C2	11	4	1756-IF16	TT-60241A_AI_1	C2S11:4/C2S11-X1:4
JB-602	Spray Dryer 3rd Floor	C2S11-X1	-	TT-60241B		3-25-01-602-PD-05	AI	4-20mA HART	ACTIVE	C2-S11-P04	C2	11	5	1756-IF16	TT-60241B_AI_1	C2S11:5/C2S11-X1:5
JB-602	Spray Dryer 3rd Floor	C2S11-X1	-	VT-60210A		3-25-01-602-PD-03	AI	4-20mA HART	ACTIVE	C2-S11-P05	C2	11	6	1756-IF16	VT-60210A_AI_1	C2S11:6/C2S11-X1:6
JB-602	Spray Dryer 3rd Floor	C2S11-X1	-	VT-60210B		3-25-01-602-PD-03	AI	4-20mA HART	ACTIVE	C2-S11-P06	C2	11	7	1756-IF16	VT-60210B_AI_1	C2S11:7/C2S11-X1:7
JB-602	Spray Dryer 3rd Floor	C2S11-X1	-	VT-60241A		3-25-01-602-PD-05	AI	4-20mA HART	ACTIVE	C2-S11-P07	C2	11	8	1756-IF16	VT-60241A_AI_1	C2S11:8/C2S11-X1:8
JB-602	Spray Dryer 3rd Floor	C2S11-X1	-	VT-60241B		3-25-01-602-PD-05	AI	4-20mA HART	ACTIVE	C2-S11-P08	C2	11	9	1756-IF16	VT-60241B_AI_1	C2S11:9/C2S11-X1:9

Destination Specification (Field JB / MCC / Terminal Pin / Field Device)							Signal Spec			Source Specification (PLC Rack / Slot / Card Pin / EPLAN Wire Tag)						
Dest ID	Location	Terminal Block	Pin	Instrument Tag	Instrument Description	P&ID Drawing	Type	Signal Spec	Status	Point Ref ID	Rack	Slot	Ch	Module	PLC Tag Name	ePlan Wire Tag
JB-602	Spray Dryer 3rd Floor	C2S11-X1	–	FT-60210		3-25-01-602-PD-03	AI	4-20mA HART	ACTIVE	C2-S11-P09	C2	11	10	1756-IF16	FT-60210_AI_1	C2S11:10/C2S11-X1:10
JB-602	Spray Dryer 3rd Floor	C2S11-X1	–	FT-60211		3-25-01-602-PD-03	AI	4-20mA HART	ACTIVE	C2-S11-P10	C2	11	11	1756-IF16	FT-60211_AI_1	C2S11:11/C2S11-X1:11
JB-602	Spray Dryer 3rd Floor	C2S11-X1	–	FT-60210		3-25-01-602-PD-03	AI	4-20mA HART	ACTIVE	C2-S11-P11	C2	11	12	1756-IF16	FT-60210_AI_2	C2S11:12/C2S11-X1:12
JB-602	Spray Dryer 3rd Floor	C2S11-X1	–	FT-60211		3-25-01-602-PD-03	AI	4-20mA HART	ACTIVE	C2-S11-P12	C2	11	13	1756-IF16	FT-60211_AI_2	C2S11:13/C2S11-X1:13
JB-602	Spray Dryer 3rd Floor	C2S11-X1	–	Spare	Spare Channel	–	AI	4-20mA HART	SPARE	C2-S11-P13	C2	11	14	1756-IF16	Spare_AI_0	C2S11:14/C2S11-X1:14
JB-602	Spray Dryer 3rd Floor	C2S11-X1	–	Spare	Spare Channel	–	AI	4-20mA HART	SPARE	C2-S11-P14	C2	11	15	1756-IF16	Spare_AI_0	C2S11:15/C2S11-X1:15
JB-602	Spray Dryer 3rd Floor	C2S11-X1	–	Spare	Spare Channel	–	AI	4-20mA HART	SPARE	C2-S11-P15	C2	11	16	1756-IF16	Spare_AI_0	C2S11:16/C2S11-X1:16
JB-602	Spray Dryer 3rd Floor	C3S13-X1	–	TV-60202		3-25-01-602-PD-07	AO	4-20mA HART	ACTIVE	C3-S13-P01	C3	13	2	1756-OF8	TV-60202_A0_1	C3S13:2/C3S13-X1:2
JB-602	Spray Dryer 3rd Floor	C3S13-X1	–	TV-60214		3-25-01-602-PD-03	AO	4-20mA HART	ACTIVE	C3-S13-P02	C3	13	3	1756-OF8	TV-60214_A0_1	C3S13:3/C3S13-X1:3

DESTINATION: JB-402 — JET COOKER 2ND FLOOR JUNCTION BOX

Location: Jet Cooker Processing 2F | Size: 450 x 300 x 150 mm | Spec: Standard Industrial (IP66 / SS304)

Total: 65 Pts | Active: 41 | Spare: 24 (36.9%) | AI:16 | AO:1 | DI:32 | DO:16

DESTINATION SPECIFICATION (FIELD JB / MCC / TERMINAL PIN / FIELD DEVICE)							SIGNAL SPEC			SOURCE SPECIFICATION (PLC RACK / SLOT / CARD PIN / EPLAN WIRE TAG)						
Dest ID	Location	Terminal Block	Pin	Instrument Tag	Instrument Description	P&ID Drawing	Type	Signal Spec	Status	Point Ref ID	Rack	Slot	Ch	Module	PLC Tag Name	ePlan Wire Tag
JB-402	Jet Cooker 2nd Floor	C2S01-X1	–	FS-40204	Flow Switch	325-01-402-PD-01	DI	24VDC Dry Contact	ACTIVE	C2-S01-P00	C2	1	1	1756-IB32	FS-40204_DI_1	C2S1:1/TBDI1:1A
JB-402	Jet Cooker 2nd Floor	C2S01-X1	–	FS-40205	Flow Switch	325-01-402-PD-02	DI	24VDC Dry Contact	ACTIVE	C2-S01-P01	C2	1	2	1756-IB32	FS-40205_DI_1	C2S1:2/TBDI1:2A
JB-402	Jet Cooker 2nd Floor	C2S01-X1	–	FT-40221	Coriolis Flow Transmitter	325-01-402-PD-02	DI	24VDC Dry Contact	ACTIVE	C2-S01-P02	C2	1	3	1756-IB32	FT-40221_DI_1	C2S1:3/TBDI1:3A
JB-402	Jet Cooker 2nd Floor	C2S01-X1	–	FT-40222	Coriolis Flow Transmitter	325-01-402-PD-02	DI	24VDC Dry Contact	ACTIVE	C2-S01-P03	C2	1	4	1756-IB32	FT-40222_DI_1	C2S1:4/TBDI1:4A
JB-402	Jet Cooker 2nd Floor	C2S01-X1	–	HV-40207	Manual Valve With Position Switch	325-01-402-PD-01	DI	24VDC Dry Contact	ACTIVE	C2-S01-P04	C2	1	5	1756-IB32	HV-40207_DI_1	C2S1:5/TBDI1:5A
JB-402	Jet Cooker 2nd Floor	C2S01-X1	–	HV-40208	Manual Valve With Position Switch	325-01-402-PD-01	DI	24VDC Dry Contact	ACTIVE	C2-S01-P05	C2	1	6	1756-IB32	HV-40208_DI_1	C2S1:6/TBDI1:6A
JB-402	Jet Cooker 2nd Floor	C2S01-X1	–	XV-40203F		325-01-402-PD-02	DI	24VDC Dry Contact	ACTIVE	C2-S01-P06	C2	1	7	1756-IB32	XV-40203F_DI_1	C2S1:7/TBDI1:7A
JB-402	Jet Cooker 2nd Floor	C2S01-X1	–	XV-40203F		325-01-402-PD-02	DI	24VDC Dry Contact	ACTIVE	C2-S01-P07	C2	1	8	1756-IB32	XV-40203F_DI_2	C2S1:8/TBDI1:8A
JB-402	Jet Cooker 2nd Floor	C2S01-X1	–	XV-40204B		325-01-402-PD-01	DI	24VDC Dry Contact	ACTIVE	C2-S01-P08	C2	1	9	1756-IB32	XV-40204B_DI_1	C2S1:9/TBDI1:9A
JB-402	Jet Cooker 2nd Floor	C2S01-X1	–	XV-40204B		325-01-402-PD-01	DI	24VDC Dry Contact	ACTIVE	C2-S01-P09	C2	1	10	1756-IB32	XV-40204B_DI_2	C2S1:10/TBDI1:10A
JB-402	Jet Cooker 2nd Floor	C2S01-X1	–	XV-40204C		325-01-402-PD-01	DI	24VDC Dry Contact	ACTIVE	C2-S01-P10	C2	1	11	1756-IB32	XV-40204C_DI_1	C2S1:11/TBDI1:11A
JB-402	Jet Cooker 2nd Floor	C2S01-X1	–	XV-40204C		325-01-402-PD-01	DI	24VDC Dry Contact	ACTIVE	C2-S01-P11	C2	1	12	1756-IB32	XV-40204C_DI_2	C2S1:12/TBDI1:12A
JB-402	Jet Cooker 2nd Floor	C2S01-X1	–	XV-40205A		325-01-402-PD-02	DI	24VDC Dry Contact	ACTIVE	C2-S01-P12	C2	1	13	1756-IB32	XV-40205A_DI_1	C2S1:13/TBDI1:13A
JB-402	Jet Cooker 2nd Floor	C2S01-X1	–	XV-40205A		325-01-402-PD-02	DI	24VDC Dry Contact	ACTIVE	C2-S01-P13	C2	1	14	1756-IB32	XV-40205A_DI_2	C2S1:14/TBDI1:14A
JB-402	Jet Cooker 2nd Floor	C2S01-X1	–	XV-40205B		325-01-402-PD-02	DI	24VDC Dry Contact	ACTIVE	C2-S01-P14	C2	1	15	1756-IB32	XV-40205B_DI_1	C2S1:15/TBDI1:15A

Destination Specification (Field JB / MCC / Terminal Pin / Field Device)							Signal Spec			Source Specification (PLC Rack / Slot / Card Pin / EPLAN Wire Tag)						
Dest ID	Location	Terminal Block	Pin	Instrument Tag	Instrument Description	P&ID Drawing	Type	Signal Spec	Status	Point Ref ID	Rack	Slot	Ch	Module	PLC Tag Name	ePlan Wire Tag
JB-402	Jet Cooker 2nd Floor	C2S01-X1	-	XV-40205B		325-01-402-PD-02	DI	24VDC Dry Contact	ACTIVE	C2-S01-P15	C2	1	16	1756-IB32	XV-40205B_DI_2	C2S1:16/TBDI1:16A
JB-402	Jet Cooker 2nd Floor	C2S01-X2	-	XV-40205C		325-01-402-PD-02	DI	24VDC Dry Contact	ACTIVE	C2-S01-P16	C2	1	17	1756-IB32	XV-40205C_DI_1	C2S1:17/C2S01-X2:17
JB-402	Jet Cooker 2nd Floor	C2S01-X2	-	XV-40205C		325-01-402-PD-02	DI	24VDC Dry Contact	ACTIVE	C2-S01-P17	C2	1	18	1756-IB32	XV-40205C_DI_2	C2S1:18/C2S01-X2:18
JB-402	Jet Cooker 2nd Floor	C2S01-X2	-	XV-40205D		325-01-402-PD-02	DI	24VDC Dry Contact	ACTIVE	C2-S01-P18	C2	1	19	1756-IB32	XV-40205D_DI_1	C2S1:19/TBDI1:17A
JB-402	Jet Cooker 2nd Floor	C2S01-X2	-	XV-40205D		325-01-402-PD-02	DI	24VDC Dry Contact	ACTIVE	C2-S01-P19	C2	1	20	1756-IB32	XV-40205D_DI_2	C2S1:20/TBDI1:18A
JB-402	Jet Cooker 2nd Floor	C2S01-X2	-	XV-40205F		325-01-402-PD-02	DI	24VDC Dry Contact	ACTIVE	C2-S01-P20	C2	1	21	1756-IB32	XV-40205F_DI_1	C2S1:21/TBDI1:19A
JB-402	Jet Cooker 2nd Floor	C2S01-X2	-	XV-40205F		325-01-402-PD-02	DI	24VDC Dry Contact	ACTIVE	C2-S01-P21	C2	1	22	1756-IB32	XV-40205F_DI_2	C2S1:22/TBDI1:20A
JB-402	Jet Cooker 2nd Floor	C2S01-X2	-	XV-40222		325-01-402-PD-02	DI	24VDC Dry Contact	ACTIVE	C2-S01-P22	C2	1	23	1756-IB32	XV-40222_DI_1	C2S1:23/TBDI1:21A
JB-402	Jet Cooker 2nd Floor	C2S01-X2	-	XV-40222		-	DI	24VDC Dry Contact	ACTIVE	C2-S01-P23	C2	1	24	1756-IB32	XV-40222_DI_2	C2S1:24/TBDI1:22A
JB-402	Jet Cooker 2nd Floor	C2S01-X2	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C2-S01-P24	C2	1	25	1756-IB32	Spare_DI_2	C2S1:25/TBDI1:23A
JB-402	Jet Cooker 2nd Floor	C2S01-X2	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C2-S01-P25	C2	1	26	1756-IB32	Spare_DI_2	C2S1:26/TBDI1:24A
JB-402	Jet Cooker 2nd Floor	C2S01-X2	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C2-S01-P26	C2	1	27	1756-IB32	Spare_DI_2	C2S1:27/TBDI1:25A
JB-402	Jet Cooker 2nd Floor	C2S01-X2	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C2-S01-P27	C2	1	28	1756-IB32	Spare_DI_2	C2S1:28/TBDI1:26A
JB-402	Jet Cooker 2nd Floor	C2S01-X2	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C2-S01-P28	C2	1	29	1756-IB32	Spare_DI_2	C2S1:29/TBDI1:27A
JB-402	Jet Cooker 2nd Floor	C2S01-X2	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C2-S01-P29	C2	1	30	1756-IB32	Spare_DI_2	C2S1:30/TBDI1:28A
JB-402	Jet Cooker 2nd Floor	C2S01-X2	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C2-S01-P30	C2	1	31	1756-IB32	Spare_DI_2	C2S1:31/TBDI1:29A
JB-402	Jet Cooker 2nd Floor	C2S01-X2	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C2-S01-P31	C2	1	32	1756-IB32	Spare_DI_2	C2S1:32/TBDI1:30A
JB-402	Jet Cooker 2nd Floor	C2S06-X1	-	XV-40203F		325-01-402-PD-02	DO	24VDC Sourcing	ACTIVE	C2-S06-P00	C2	6	1	1756-OB32	XV-40203F_DO_1	C2S6:1/RL.33:A1
JB-402	Jet Cooker 2nd Floor	C2S06-X1	-	XV-40204B		325-01-402-PD-01	DO	24VDC Sourcing	ACTIVE	C2-S06-P01	C2	6	2	1756-OB32	XV-40204B_DO_1	C2S6:2/RL.34:A1

Destination Specification (Field JB / MCC / Terminal Pin / Field Device)							Signal Spec			Source Specification (PLC Rack / Slot / Card Pin / EPLAN Wire Tag)						
Dest ID	Location	Terminal Block	Pin	Instrument Tag	Instrument Description	P&ID Drawing	Type	Signal Spec	Status	Point Ref ID	Rack	Slot	Ch	Module	PLC Tag Name	ePlan Wire Tag
JB-402	Jet Cooker 2nd Floor	C2S06-X1	-	XV-40204C		325-01-402-PD-01	DO	24VDC Sourcing	ACTIVE	C2-S06-P02	C2	6	3	1756-OB32	XV-40204C_DO_1	C2S6:3/RL.35:A1
JB-402	Jet Cooker 2nd Floor	C2S06-X1	-	XV-40205A		325-01-402-PD-02	DO	24VDC Sourcing	ACTIVE	C2-S06-P03	C2	6	4	1756-OB32	XV-40205A_DO_1	C2S6:4/RL.36:A1
JB-402	Jet Cooker 2nd Floor	C2S06-X1	-	XV-40205B		325-01-402-PD-02	DO	24VDC Sourcing	ACTIVE	C2-S06-P04	C2	6	5	1756-OB32	XV-40205B_DO_1	C2S6:5/RL.37:A1
JB-402	Jet Cooker 2nd Floor	C2S06-X1	-	XV-40205C		325-01-402-PD-02	DO	24VDC Sourcing	ACTIVE	C2-S06-P05	C2	6	6	1756-OB32	XV-40205C_DO_1	C2S6:6/RL.38:A1
JB-402	Jet Cooker 2nd Floor	C2S06-X1	-	XV-40205D		325-01-402-PD-02	DO	24VDC Sourcing	ACTIVE	C2-S06-P06	C2	6	7	1756-OB32	XV-40205D_DO_1	C2S6:7/RL.39:A1
JB-402	Jet Cooker 2nd Floor	C2S06-X1	-	XV-40205F		325-01-402-PD-02	DO	24VDC Sourcing	ACTIVE	C2-S06-P07	C2	6	8	1756-OB32	XV-40205F_DO_1	C2S6:8/RL.40:A1
JB-402	Jet Cooker 2nd Floor	C2S06-X1	-	XV-40222		325-01-402-PD-02	DO	24VDC Sourcing	ACTIVE	C2-S06-P08	C2	6	9	1756-OB32	XV-40222_DO_1	C2S6:9/RL.41:A1
JB-402	Jet Cooker 2nd Floor	C2S06-X1	-	Spare	Spare Channel	-	DO	24VDC Sourcing	SPARE	C2-S06-P09	C2	6	10	1756-OB32	Spare_DO_0	C2S6:10/RL.42:A1
JB-402	Jet Cooker 2nd Floor	C2S06-X1	-	Spare	Spare Channel	-	DO	24VDC Sourcing	SPARE	C2-S06-P10	C2	6	11	1756-OB32	Spare_DO_0	C2S6:11/RL.43:A1
JB-402	Jet Cooker 2nd Floor	C2S06-X1	-	Spare	Spare Channel	-	DO	24VDC Sourcing	SPARE	C2-S06-P11	C2	6	12	1756-OB32	Spare_DO_0	C2S6:12/RL.44:A1
JB-402	Jet Cooker 2nd Floor	C2S06-X1	-	Spare	Spare Channel	-	DO	24VDC Sourcing	SPARE	C2-S06-P12	C2	6	13	1756-OB32	Spare_DO_0	C2S6:13/RL.45:A1
JB-402	Jet Cooker 2nd Floor	C2S06-X1	-	Spare	Spare Channel	-	DO	24VDC Sourcing	SPARE	C2-S06-P13	C2	6	14	1756-OB32	Spare_DO_0	C2S6:14/RL.46:A1
JB-402	Jet Cooker 2nd Floor	C2S06-X1	-	Spare	Spare Channel	-	DO	24VDC Sourcing	SPARE	C2-S06-P14	C2	6	15	1756-OB32	Spare_DO_0	C2S6:15/RL.47:A1
JB-402	Jet Cooker 2nd Floor	C2S06-X1	-	Spare	Spare Channel	-	DO	24VDC Sourcing	SPARE	C2-S06-P15	C2	6	16	1756-OB32	Spare_DO_0	C2S6:16/RL.48:A1
JB-402	Jet Cooker 2nd Floor	C2S09-X1	-	FT-40221	Coriolis Flow Transmitter	325-01-402-PD-02	AI	4-20mA HART	ACTIVE	C2-S09-P00	C2	9	1	1756-IF16	FT-40221_AI_1	C2S9:1/C2S09-X1:1
JB-402	Jet Cooker 2nd Floor	C2S09-X1	-	FT-40221	Coriolis Flow Transmitter	325-01-402-PD-02	AI	4-20mA HART	ACTIVE	C2-S09-P01	C2	9	2	1756-IF16	FT-40221_AI_2	C2S9:2/C2S09-X1:2
JB-402	Jet Cooker 2nd Floor	C2S09-X1	-	FT-40222	Coriolis Flow Transmitter	325-01-402-PD-02	AI	4-20mA HART	ACTIVE	C2-S09-P02	C2	9	3	1756-IF16	FT-40222_AI_1	C2S9:3/C2S09-X1:3
JB-402	Jet Cooker 2nd Floor	C2S09-X1	-	FT-40222	Coriolis Flow	325-01-402-PD-02	AI	4-20mA HART	ACTIVE	C2-S09-P03	C2	9	4	1756-IF16	FT-40222_AI_2	C2S9:4/C2S09-X1:4

Destination Specification (Field JB / MCC / Terminal Pin / Field Device)							Signal Spec			Source Specification (PLC Rack / Slot / Card Pin / EPLAN Wire Tag)						
Dest ID	Location	Terminal Block	Pin	Instrument Tag	Instrument Description	P&ID Drawing	Type	Signal Spec	Status	Point Ref ID	Rack	Slot	Ch	Module	PLC Tag Name	ePlan Wire Tag
					Transmitter											
JB-402	Jet Cooker 2nd Floor	C2S09-X1	-	PT-40222	Pressure Transmitter	325-01-402-PD-02	AI	4-20mA HART	ACTIVE	C2-S09-P04	C2	9	5	1756-IF16	PT-40222_AI_1	C2S9:5/C2S09-X1:5
JB-402	Jet Cooker 2nd Floor	C2S09-X1	-	TT-40221		325-01-402-PD-02	AI	4-20mA HART	ACTIVE	C2-S09-P05	C2	9	6	1756-IF16	TT-40221_AI_1	C2S9:6/C2S09-X1:6
JB-402	Jet Cooker 2nd Floor	C2S09-X1	-	TT-40222		325-01-402-PD-02	AI	4-20mA HART	ACTIVE	C2-S09-P06	C2	9	7	1756-IF16	TT-40222_AI_1	C2S9:7/C2S09-X1:7
JB-402	Jet Cooker 2nd Floor	C2S09-X1	-	Spare	Spare Channel	-	AI	4-20mA HART	SPARE	C2-S09-P07	C2	9	8	1756-IF16	Spare_AI_0	C2S9:8/C2S09-X1:8
JB-402	Jet Cooker 2nd Floor	C2S09-X1	-	Spare	Spare Channel	-	AI	4-20mA HART	SPARE	C2-S09-P08	C2	9	9	1756-IF16	Spare_AI_0	C2S9:9/C2S09-X1:9
JB-402	Jet Cooker 2nd Floor	C2S09-X1	-	Spare	Spare Channel	-	AI	4-20mA HART	SPARE	C2-S09-P09	C2	9	10	1756-IF16	Spare_AI_0	C2S9:10/C2S09-X1:10
JB-402	Jet Cooker 2nd Floor	C2S09-X1	-	Spare	Spare Channel	-	AI	4-20mA HART	SPARE	C2-S09-P10	C2	9	11	1756-IF16	Spare_AI_0	C2S9:11/C2S09-X1:11
JB-402	Jet Cooker 2nd Floor	C2S09-X1	-	Spare	Spare Channel	-	AI	4-20mA HART	SPARE	C2-S09-P11	C2	9	12	1756-IF16	Spare_AI_0	C2S9:12/C2S09-X1:12
JB-402	Jet Cooker 2nd Floor	C2S09-X1	-	Spare	Spare Channel	-	AI	4-20mA HART	SPARE	C2-S09-P12	C2	9	13	1756-IF16	Spare_AI_0	C2S9:13/C2S09-X1:13
JB-402	Jet Cooker 2nd Floor	C2S09-X1	-	Spare	Spare Channel	-	AI	4-20mA HART	SPARE	C2-S09-P13	C2	9	14	1756-IF16	Spare_AI_0	C2S9:14/C2S09-X1:14
JB-402	Jet Cooker 2nd Floor	C2S09-X1	-	Spare	Spare Channel	-	AI	4-20mA HART	SPARE	C2-S09-P14	C2	9	15	1756-IF16	Spare_AI_0	C2S9:15/C2S09-X1:15
JB-402	Jet Cooker 2nd Floor	C2S09-X1	-	Spare	Spare Channel	-	AI	4-20mA HART	SPARE	C2-S09-P15	C2	9	16	1756-IF16	Spare_AI_0	C2S9:16/C2S09-X1:16
JB-402	Jet Cooker 2nd Floor	C3S13-X1	-	TCV-40222		325-01-402-PD-02	AO	4-20mA HART	ACTIVE	C3-S13-P00	C3	13	1	1756-OF8	TCV-40222_A0_1	C3S13:1/C3S13-X1:1

DESTINATION: JB-612 — PACKING TOWER 2ND FLOOR JUNCTION BOX Location: Packing Tower 2F (Intermediate) Size: 450 x 300 x 150 mm Spec: Standard Industrial (IP66 / SS304) Total: 57 Pts Active: 37 Spare: 20 (35.1%) AI:8 BUS:1 DI:32 DO:16																
DESTINATION SPECIFICATION (FIELD JB / MCC / TERMINAL PIN / FIELD DEVICE)							SIGNAL SPEC			SOURCE SPECIFICATION (PLC RACK / SLOT / CARD PIN / EPLAN WIRE TAG)						
Dest ID	Location	Terminal Block	Pin	Instrument Tag	Instrument Description	P&ID Drawing	Type	Signal Spec	Status	Point Ref ID	Rack	Slot	Ch	Module	PLC Tag Name	ePlan Wire Tag
JB-612	Packing Tower 2th Floor	C4S02-X1	–	PSL-61305		3-25-01-613-PD-03	DI	24VDC Dry Contact	ACTIVE	C4-S02-P00	C4	2	1	1756-IB32	PSL-61305_DI_1	C4S2:1/C4S02-X1:1
JB-612	Packing Tower 2th Floor	C4S02-X1	–	PSL-61306		3-25-01-613-PD-05	DI	24VDC Dry Contact	ACTIVE	C4-S02-P01	C4	2	2	1756-IB32	PSL-61306_DI_1	C4S2:2/C4S02-X1:2
JB-612	Packing Tower 2th Floor	C4S02-X1	–	PVM-61301		–	DI	24VDC Dry Contact	ACTIVE	C4-S02-P02	C4	2	3	1756-IB32	PVM-61301_DI_1	C4S2:3/C4S02-X1:3
JB-612	Packing Tower 2th Floor	C4S02-X1	–	PVM-61301		–	DI	24VDC Dry Contact	ACTIVE	C4-S02-P03	C4	2	4	1756-IB32	PVM-61301_DI_2	C4S2:4/C4S02-X1:4
JB-612	Packing Tower 2th Floor	C4S02-X1	–	XA-61301A		–	DI	24VDC Dry Contact	ACTIVE	C4-S02-P04	C4	2	5	1756-IB32	XA-61301A_DI_1	C4S2:5/C4S02-X1:5
JB-612	Packing Tower 2th Floor	C4S02-X1	–	XA-61301B		–	DI	24VDC Dry Contact	ACTIVE	C4-S02-P05	C4	2	6	1756-IB32	XA-61301B_DI_1	C4S2:6/C4S02-X1:6
JB-612	Packing Tower 2th Floor	C4S02-X1	–	XA-61301C		–	DI	24VDC Dry Contact	ACTIVE	C4-S02-P06	C4	2	7	1756-IB32	XA-61301C_DI_1	C4S2:7/C4S02-X1:7
JB-612	Packing Tower 2th Floor	C4S02-X1	–	XA-61301D		–	DI	24VDC Dry Contact	ACTIVE	C4-S02-P07	C4	2	8	1756-IB32	XA-61301D_DI_1	C4S2:8/C4S02-X1:8
JB-612	Packing Tower 2th Floor	C4S02-X1	–	XA-61301E		–	DI	24VDC Dry Contact	ACTIVE	C4-S02-P08	C4	2	9	1756-IB32	XA-61301E_DI_1	C4S2:9/C4S02-X1:9
JB-612	Packing Tower 2th Floor	C4S02-X1	–	XA-61301F		–	DI	24VDC Dry Contact	ACTIVE	C4-S02-P09	C4	2	10	1756-IB32	XA-61301F_DI_1	C4S2:10/C4S02-X1:10
JB-612	Packing Tower 2th Floor	C4S02-X1	–	XA-61301G		–	DI	24VDC Dry Contact	ACTIVE	C4-S02-P10	C4	2	11	1756-IB32	XA-61301G_DI_1	C4S2:11/C4S02-X1:11
JB-612	Packing Tower 2th Floor	C4S02-X1	–	XA-61301H		–	DI	24VDC Dry Contact	ACTIVE	C4-S02-P11	C4	2	12	1756-IB32	XA-61301H_DI_1	C4S2:12/C4S02-X1:12
JB-612	Packing Tower 2th Floor	C4S02-X1	–	XA-61301J		–	DI	24VDC Dry Contact	ACTIVE	C4-S02-P12	C4	2	13	1756-IB32	XA-61301J_DI_1	C4S2:13/C4S02-X1:13

Destination Specification (Field JB / MCC / Terminal Pin / Field Device)							Signal Spec			Source Specification (PLC Rack / Slot / Card Pin / EPLAN Wire Tag)						
Dest ID	Location	Terminal Block	Pin	Instrument Tag	Instrument Description	P&ID Drawing	Type	Signal Spec	Status	Point Ref ID	Rack	Slot	Ch	Module	PLC Tag Name	ePlan Wire Tag
JB-612	Packing Tower 2th Floor	C4S02-X1	-	XV-61302		3-25-01-613-PD-02	DI	24VDC Dry Contact	ACTIVE	C4-S02-P13	C4	2	14	1756-IB32	XV-61302_DI_1	C4S2:14/C4S02-X1:14
JB-612	Packing Tower 2th Floor	C4S02-X1	-	XV-61302		3-25-01-613-PD-02	DI	24VDC Dry Contact	ACTIVE	C4-S02-P14	C4	2	15	1756-IB32	XV-61302_DI_2	C4S2:15/C4S02-X1:15
JB-612	Packing Tower 2th Floor	C4S02-X1	-	XV-61303		3-25-01-613-PD-02	DI	24VDC Dry Contact	ACTIVE	C4-S02-P15	C4	2	16	1756-IB32	XV-61303_DI_1	C4S2:16/C4S02-X1:16
JB-612	Packing Tower 2th Floor	C4S02-X2	-	XV-61303		3-25-01-613-PD-02	DI	24VDC Dry Contact	ACTIVE	C4-S02-P16	C4	2	17	1756-IB32	XV-61303_DI_2	C4S2:17/C4S02-X2:17
JB-612	Packing Tower 2th Floor	C4S02-X2	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C4-S02-P17	C4	2	18	1756-IB32	Spare_DI_0	C4S2:18/C4S02-X2:18
JB-612	Packing Tower 2th Floor	C4S02-X2	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C4-S02-P18	C4	2	19	1756-IB32	Spare_DI_0	C4S2:19/C4S02-X2:19
JB-612	Packing Tower 2th Floor	C4S02-X2	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C4-S02-P19	C4	2	20	1756-IB32	Spare_DI_0	C4S2:20/C4S02-X2:20
JB-612	Packing Tower 2th Floor	C4S02-X2	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C4-S02-P20	C4	2	21	1756-IB32	Spare_DI_0	C4S2:21/C4S02-X2:21
JB-612	Packing Tower 2th Floor	C4S02-X2	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C4-S02-P21	C4	2	22	1756-IB32	Spare_DI_0	C4S2:22/C4S02-X2:22
JB-612	Packing Tower 2th Floor	C4S02-X2	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C4-S02-P22	C4	2	23	1756-IB32	Spare_DI_0	C4S2:23/C4S02-X2:23
JB-612	Packing Tower 2th Floor	C4S02-X2	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C4-S02-P23	C4	2	24	1756-IB32	Spare_DI_0	C4S2:24/C4S02-X2:24
JB-612	Packing Tower 2th Floor	C4S02-X2	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C4-S02-P24	C4	2	25	1756-IB32	Spare_DI_0	C4S2:25/C4S02-X2:25
JB-612	Packing Tower 2th Floor	C4S02-X2	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C4-S02-P25	C4	2	26	1756-IB32	Spare_DI_0	C4S2:26/C4S02-X2:26
JB-612	Packing Tower 2th Floor	C4S02-X2	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C4-S02-P26	C4	2	27	1756-IB32	Spare_DI_0	C4S2:27/C4S02-X2:27

Destination Specification (Field JB / MCC / Terminal Pin / Field Device)							Signal Spec			Source Specification (PLC Rack / Slot / Card Pin / EPLAN Wire Tag)						
Dest ID	Location	Terminal Block	Pin	Instrument Tag	Instrument Description	P&ID Drawing	Type	Signal Spec	Status	Point Ref ID	Rack	Slot	Ch	Module	PLC Tag Name	ePlan Wire Tag
JB-612	Packing Tower 2th Floor	C4S02-X2	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C4-S02-P27	C4	2	28	1756-IB32	Spare_DI_0	C4S2:28/C4S02-X2:28
JB-612	Packing Tower 2th Floor	C4S02-X2	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C4-S02-P28	C4	2	29	1756-IB32	Spare_DI_0	C4S2:29/C4S02-X2:29
JB-612	Packing Tower 2th Floor	C4S02-X2	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C4-S02-P29	C4	2	30	1756-IB32	Spare_DI_0	C4S2:30/C4S02-X2:30
JB-612	Packing Tower 2th Floor	C4S02-X2	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C4-S02-P30	C4	2	31	1756-IB32	Spare_DI_0	C4S2:31/C4S02-X2:31
JB-612	Packing Tower 2th Floor	C4S02-X2	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C4-S02-P31	C4	2	32	1756-IB32	Spare_DI_0	C4S2:32/C4S02-X2:32
JB-612	Packing Tower 2th Floor	C4S04-X2	-	PVM-61301		-	DO	24VDC Sourcing	ACTIVE	C4-S04-P16	C4	4	17	1756-OB32	PVM-61301_D0_1	C4S4:17/C4S04-X2:17
JB-612	Packing Tower 2th Floor	C4S04-X2	-	PVM-61301		-	DO	24VDC Sourcing	ACTIVE	C4-S04-P17	C4	4	18	1756-OB32	PVM-61301_D0_2	C4S4:18/C4S04-X2:18
JB-612	Packing Tower 2th Floor	C4S04-X2	-	SV-61307		3-25-01-613-PD-01	DO	24VDC Sourcing	ACTIVE	C4-S04-P18	C4	4	19	1756-OB32	SV-61307_D0_1	C4S4:19/C4S04-X2:19
JB-612	Packing Tower 2th Floor	C4S04-X2	-	SV-61308		-	DO	24VDC Sourcing	ACTIVE	C4-S04-P19	C4	4	20	1756-OB32	SV-61308_D0_1	C4S4:20/C4S04-X2:20
JB-612	Packing Tower 2th Floor	C4S04-X2	-	SV-61309		3-25-01-613-PD-03	DO	24VDC Sourcing	ACTIVE	C4-S04-P20	C4	4	21	1756-OB32	SV-61309_D0_1	C4S4:21/C4S04-X2:21
JB-612	Packing Tower 2th Floor	C4S04-X2	-	SV-61310		-	DO	24VDC Sourcing	ACTIVE	C4-S04-P21	C4	4	22	1756-OB32	SV-61310_D0_1	C4S4:22/C4S04-X2:22
JB-612	Packing Tower 2th Floor	C4S04-X2	-	SV-61311		3-25-01-613-PD-05	DO	24VDC Sourcing	ACTIVE	C4-S04-P22	C4	4	23	1756-OB32	SV-61311_D0_1	C4S4:23/C4S04-X2:23
JB-612	Packing Tower 2th Floor	C4S04-X2	-	XS-61301A		-	DO	24VDC Sourcing	ACTIVE	C4-S04-P23	C4	4	24	1756-OB32	XS-61301A_D0_1	C4S4:24/C4S04-X2:24
JB-612	Packing Tower 2th Floor	C4S04-X2	-	XS-61301B		-	DO	24VDC Sourcing	ACTIVE	C4-S04-P24	C4	4	25	1756-OB32	XS-61301B_D0_1	C4S4:25/C4S04-X2:25

Destination Specification (Field JB / MCC / Terminal Pin / Field Device)							Signal Spec			Source Specification (PLC Rack / Slot / Card Pin / EPLAN Wire Tag)						
Dest ID	Location	Terminal Block	Pin	Instrument Tag	Instrument Description	P&ID Drawing	Type	Signal Spec	Status	Point Ref ID	Rack	Slot	Ch	Module	PLC Tag Name	ePlan Wire Tag
JB-612	Packing Tower 2th Floor	C4S04-X2	-	XS-61301C		-	DO	24VDC Sourcing	ACTIVE	C4-S04-P25	C4	4	26	1756-OB32	XS-61301C_D0_1	C4S4:26/C4S04-X2:26
JB-612	Packing Tower 2th Floor	C4S04-X2	-	XS-61301D		-	DO	24VDC Sourcing	ACTIVE	C4-S04-P26	C4	4	27	1756-OB32	XS-61301D_D0_1	C4S4:27/C4S04-X2:27
JB-612	Packing Tower 2th Floor	C4S04-X2	-	XS-61301E		-	DO	24VDC Sourcing	ACTIVE	C4-S04-P27	C4	4	28	1756-OB32	XS-61301E_D0_1	C4S4:28/C4S04-X2:28
JB-612	Packing Tower 2th Floor	C4S04-X2	-	XS-61301F		-	DO	24VDC Sourcing	ACTIVE	C4-S04-P28	C4	4	29	1756-OB32	XS-61301F_D0_1	C4S4:29/C4S04-X2:29
JB-612	Packing Tower 2th Floor	C4S04-X2	-	XV-61302		3-25-01-613-PD-02	DO	24VDC Sourcing	ACTIVE	C4-S04-P29	C4	4	30	1756-OB32	XV-61302_D0_1	C4S4:30/C4S04-X2:30
JB-612	Packing Tower 2th Floor	C4S04-X2	-	XV-61303		3-25-01-613-PD-02	DO	24VDC Sourcing	ACTIVE	C4-S04-P30	C4	4	31	1756-OB32	XV-61303_D0_1	C4S4:31/C4S04-X2:31
JB-612	Packing Tower 2th Floor	C4S04-X2	-	Spare	Spare Channel	-	DO	24VDC Sourcing	SPARE	C4-S04-P31	C4	4	32	1756-OB32	Spare_D0_0	C4S4:32/C4S04-X2:32
JB-612	Packing Tower 2th Floor	C4S05-X1	-	PT-61302	Pressure Transmitter	3-25-01-613-PD-03	AI	4-20mA HART	ACTIVE	C4-S05-P08	C4	5	9	1756-IF16	PT-61302_AI_1	C4S5:9/C4S05-X1:9
JB-612	Packing Tower 2th Floor	C4S05-X1	-	PT-61309	Pressure Transmitter	3-25-01-613-PD-04	AI	4-20mA HART	ACTIVE	C4-S05-P09	C4	5	10	1756-IF16	PT-61309_AI_1	C4S5:10/C4S05-X1:10
JB-612	Packing Tower 2th Floor	C4S05-X1	-	Spare	Spare Channel	-	AI	4-20mA HART	SPARE	C4-S05-P10	C4	5	11	1756-IF16	Spare_AI_0	C4S5:11/C4S05-X1:11
JB-612	Packing Tower 2th Floor	C4S05-X1	-	Spare	Spare Channel	-	AI	4-20mA HART	SPARE	C4-S05-P11	C4	5	12	1756-IF16	Spare_AI_0	C4S5:12/C4S05-X1:12
JB-612	Packing Tower 2th Floor	C4S05-X1	-	PT-61302	Pressure Transmitter	3-25-01-613-PD-03	AI	4-20mA HART	ACTIVE	C4-S05-P12	C4	5	13	1756-IF16	PT-61302_AI_1	C4S5:13/C4S05-X1:13
JB-612	Packing Tower 2th Floor	C4S05-X1	-	PT-61309	Pressure Transmitter	3-25-01-613-PD-04	AI	4-20mA HART	ACTIVE	C4-S05-P13	C4	5	14	1756-IF16	PT-61309_AI_1	C4S5:14/C4S05-X1:14
JB-612	Packing Tower 2th Floor	C4S05-X1	-	Spare	Spare Channel	-	AI	4-20mA HART	SPARE	C4-S05-P14	C4	5	15	1756-IF16	Spare_AI_0	C4S5:15/C4S05-X1:15

Destination Specification (Field JB / MCC / Terminal Pin / Field Device)							Signal Spec			Source Specification (PLC Rack / Slot / Card Pin / EPLAN Wire Tag)						
Dest ID	Location	Terminal Block	Pin	Instrument Tag	Instrument Description	P&ID Drawing	Type	Signal Spec	Status	Point Ref ID	Rack	Slot	Ch	Module	PLC Tag Name	ePlan Wire Tag
JB-612	Packing Tower 2th Floor	C4S05-X1	-	Spare	Spare Channel	-	AI	4-20mA HART	SPARE	C4-S05-P15	C4	5	16	1756-IF16	Spare_AI_0	C4S5:16/C4S05-X1:16
JB-612	Packing Tower 2th Floor	C7S00-	-	Communication Signal		-	BUS	4-20mA HART	ACTIVE	C7-S00-P00	C7	0	1		Communication Signal_BUS_1	C7S0:1/C7S00-:1

DESTINATION: JB-618 — PACKING TOWER 8TH FLOOR JUNCTION BOX Location: Packing Tower 8F (Top Head) Size: 450 x 300 x 150 mm Spec: Standard Industrial (IP66 / SS304) Total: 52 Pts Active: 25 Spare: 27 (51.9%) AI:4 DI:16 DO:32																
DESTINATION SPECIFICATION (FIELD JB / MCC / TERMINAL PIN / FIELD DEVICE)							SIGNAL SPEC			SOURCE SPECIFICATION (PLC RACK / SLOT / CARD PIN / EPLAN WIRE TAG)						
Dest ID	Location	Terminal Block	Pin	Instrument Tag	Instrument Description	P&ID Drawing	Type	Signal Spec	Status	Point Ref ID	Rack	Slot	Ch	Module	PLC Tag Name	ePlan Wire Tag
JB-618	Packing Tower 8th Floor	C3S01-X2	-	DV-61301		3-25-01-613-PD-01	DI	24VDC Dry Contact	ACTIVE	C3-S01-P16	C3	1	17	1756-IB32	DV-61301_DI_1	C3S1:17/C3S01-X2:17
JB-618	Packing Tower 8th Floor	C3S01-X2	-	DV-61301		3-25-01-613-PD-01	DI	24VDC Dry Contact	ACTIVE	C3-S01-P17	C3	1	18	1756-IB32	DV-61301_DI_2	C3S1:18/C3S01-X2:18
JB-618	Packing Tower 8th Floor	C3S01-X2	-	DV-61302		3-25-01-613-PD-01	DI	24VDC Dry Contact	ACTIVE	C3-S01-P18	C3	1	19	1756-IB32	DV-61302_DI_1	C3S1:19/C3S01-X2:19
JB-618	Packing Tower 8th Floor	C3S01-X2	-	DV-61302		3-25-01-613-PD-01	DI	24VDC Dry Contact	ACTIVE	C3-S01-P19	C3	1	20	1756-IB32	DV-61302_DI_2	C3S1:20/C3S01-X2:20
JB-618	Packing Tower 8th Floor	C3S01-X2	-	LS-61303		3-25-01-613-PD-01	DI	24VDC Dry Contact	ACTIVE	C3-S01-P20	C3	1	21	1756-IB32	LS-61303_DI_1	C3S1:21/C3S01-X2:21
JB-618	Packing Tower 8th Floor	C3S01-X2	-	PSL-61301		-	DI	24VDC Dry Contact	ACTIVE	C3-S01-P21	C3	1	22	1756-IB32	PSL-61301_DI_1	C3S1:22/C3S01-X2:22
JB-618	Packing Tower 8th Floor	C3S01-X2	-	PSL-61302		3-25-01-613-PD-01	DI	24VDC Dry Contact	ACTIVE	C3-S01-P22	C3	1	23	1756-IB32	PSL-61302_DI_1	C3S1:23/C3S01-X2:23
JB-618	Packing Tower 8th Floor	C3S01-X2	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C3-S01-P28	C3	1	29	1756-IB32	Spare_DI_0	C3S1:29/C3S01-X2:29
JB-618	Packing Tower 8th Floor	C3S01-X2	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C3-S01-P29	C3	1	30	1756-IB32	Spare_DI_0	C3S1:30/C3S01-X2:30
JB-618	Packing Tower 8th Floor	C3S01-X2	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C3-S01-P30	C3	1	31	1756-IB32	Spare_DI_0	C3S1:31/C3S01-X2:31
JB-618	Packing Tower 8th Floor	C3S01-X2	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C3-S01-P31	C3	1	32	1756-IB32	Spare_DI_0	C3S1:32/C3S01-X2:32
JB-618	Packing Tower 8th Floor	C3S02-X2	-	PSL-61311		3-25-01-613-PD-04	DI	24VDC Dry Contact	ACTIVE	C3-S02-P23	C3	2	24	1756-IB32	PSL-61311_DI_1	C3S2:24/C3S02-X2:24
JB-618	Packing Tower 8th Floor	C3S02-X2	-	SV-61304		3-25-01-613-PD-01	DI	24VDC Dry Contact	ACTIVE	C3-S02-P24	C3	2	25	1756-IB32	SV-61304_DI_1	C3S2:25/C3S02-X2:25

Destination Specification (Field JB / MCC / Terminal Pin / Field Device)							Signal Spec			Source Specification (PLC Rack / Slot / Card Pin / EPLAN Wire Tag)						
Dest ID	Location	Terminal Block	Pin	Instrument Tag	Instrument Description	P&ID Drawing	Type	Signal Spec	Status	Point Ref ID	Rack	Slot	Ch	Module	PLC Tag Name	ePlan Wire Tag
JB-618	Packing Tower 8th Floor	C3S02-X2	-	SV-61304		3-25-01-613-PD-01	DI	24VDC Dry Contact	ACTIVE	C3-S02-P25	C3	2	26	1756-IB32	SV-61304_DI_2	C3S2:26/C3S02-X2:26
JB-618	Packing Tower 8th Floor	C3S02-X2	-	XV-61301		3-25-01-613-PD-01	DI	24VDC Dry Contact	ACTIVE	C3-S02-P26	C3	2	27	1756-IB32	XV-61301_DI_1	C3S2:27/C3S02-X2:27
JB-618	Packing Tower 8th Floor	C3S02-X2	-	XV-61301		3-25-01-613-PD-01	DI	24VDC Dry Contact	ACTIVE	C3-S02-P27	C3	2	28	1756-IB32	XV-61301_DI_2	C3S2:28/C3S02-X2:28
JB-618	Packing Tower 8th Floor	C3S03-X1	-	DV-61301		3-25-01-613-PD-01	DO	24VDC Sourcing	ACTIVE	C3-S03-P00	C3	3	1	1756-OB32	DV-61301_D0_1	C3S3:1/C3S03-X1:1
JB-618	Packing Tower 8th Floor	C3S03-X1	-	DV-61302		3-25-01-613-PD-01	DO	24VDC Sourcing	ACTIVE	C3-S03-P01	C3	3	2	1756-OB32	DV-61302_D0_1	C3S3:2/C3S03-X1:2
JB-618	Packing Tower 8th Floor	C3S03-X1	-	SV-61301		-	DO	24VDC Sourcing	ACTIVE	C3-S03-P02	C3	3	3	1756-OB32	SV-61301_D0_1	C3S3:3/C3S03-X1:3
JB-618	Packing Tower 8th Floor	C3S03-X1	-	SV-61302		3-25-01-613-PD-01	DO	24VDC Sourcing	ACTIVE	C3-S03-P03	C3	3	4	1756-OB32	SV-61302_D0_1	C3S3:4/C3S03-X1:4
JB-618	Packing Tower 8th Floor	C3S03-X1	-	SV-61303		3-25-01-613-PD-01	DO	24VDC Sourcing	ACTIVE	C3-S03-P04	C3	3	5	1756-OB32	SV-61303_D0_1	C3S3:5/C3S03-X1:5
JB-618	Packing Tower 8th Floor	C3S03-X1	-	SV-61304		3-25-01-613-PD-01	DO	24VDC Sourcing	ACTIVE	C3-S03-P05	C3	3	6	1756-OB32	SV-61304_D0_1	C3S3:6/C3S03-X1:6
JB-618	Packing Tower 8th Floor	C3S03-X1	-	SV-61305		3-25-01-613-PD-01	DO	24VDC Sourcing	ACTIVE	C3-S03-P06	C3	3	7	1756-OB32	SV-61305_D0_1	C3S3:7/C3S03-X1:7
JB-618	Packing Tower 8th Floor	C3S03-X1	-	SV-61306		3-25-01-613-PD-01	DO	24VDC Sourcing	ACTIVE	C3-S03-P07	C3	3	8	1756-OB32	SV-61306_D0_1	C3S3:8/C3S03-X1:8
JB-618	Packing Tower 8th Floor	C3S03-X1	-	XV-61301		3-25-01-613-PD-01	DO	24VDC Sourcing	ACTIVE	C3-S03-P08	C3	3	9	1756-OB32	XV-61301_D0_1	C3S3:9/C3S03-X1:9
JB-618	Packing Tower 8th Floor	C3S03-X1	-	Spare	Spare Channel	-	DO	24VDC Sourcing	SPARE	C3-S03-P09	C3	3	10	1756-OB32	Spare_D0_0	C3S3:10/C3S03-X1:10
JB-618	Packing Tower 8th Floor	C3S03-X1	-	Spare	Spare Channel	-	DO	24VDC Sourcing	SPARE	C3-S03-P10	C3	3	11	1756-OB32	Spare_D0_0	C3S3:11/C3S03-X1:11

Destination Specification (Field JB / MCC / Terminal Pin / Field Device)							Signal Spec			Source Specification (PLC Rack / Slot / Card Pin / EPLAN Wire Tag)						
Dest ID	Location	Terminal Block	Pin	Instrument Tag	Instrument Description	P&ID Drawing	Type	Signal Spec	Status	Point Ref ID	Rack	Slot	Ch	Module	PLC Tag Name	ePlan Wire Tag
JB-618	Packing Tower 8th Floor	C3S03-X1	-	Spare	Spare Channel	-	DO	24VDC Sourcing	SPARE	C3-S03-P11	C3	3	12	1756-OB32	Spare_D0_0	C3S3:12/C3S03-X1:12
JB-618	Packing Tower 8th Floor	C3S03-X1	-	Spare	Spare Channel	-	DO	24VDC Sourcing	SPARE	C3-S03-P12	C3	3	13	1756-OB32	Spare_D0_0	C3S3:13/C3S03-X1:13
JB-618	Packing Tower 8th Floor	C3S03-X1	-	Spare	Spare Channel	-	DO	24VDC Sourcing	SPARE	C3-S03-P13	C3	3	14	1756-OB32	Spare_D0_0	C3S3:14/C3S03-X1:14
JB-618	Packing Tower 8th Floor	C3S03-X1	-	Spare	Spare Channel	-	DO	24VDC Sourcing	SPARE	C3-S03-P14	C3	3	15	1756-OB32	Spare_D0_0	C3S3:15/C3S03-X1:15
JB-618	Packing Tower 8th Floor	C3S03-X1	-	Spare	Spare Channel	-	DO	24VDC Sourcing	SPARE	C3-S03-P15	C3	3	16	1756-OB32	Spare_D0_0	C3S3:16/C3S03-X1:16
JB-618	Packing Tower 8th Floor	C3S03-X2	-	Spare	Spare Channel	-	DO	24VDC Sourcing	SPARE	C3-S03-P16	C3	3	17	1756-OB32	Spare_D0_0	C3S3:17/C3S03-X2:17
JB-618	Packing Tower 8th Floor	C3S03-X2	-	Spare	Spare Channel	-	DO	24VDC Sourcing	SPARE	C3-S03-P17	C3	3	18	1756-OB32	Spare_D0_0	C3S3:18/C3S03-X2:18
JB-618	Packing Tower 8th Floor	C3S03-X2	-	Spare	Spare Channel	-	DO	24VDC Sourcing	SPARE	C3-S03-P18	C3	3	19	1756-OB32	Spare_D0_0	C3S3:19/C3S03-X2:19
JB-618	Packing Tower 8th Floor	C3S03-X2	-	Spare	Spare Channel	-	DO	24VDC Sourcing	SPARE	C3-S03-P19	C3	3	20	1756-OB32	Spare_D0_0	C3S3:20/C3S03-X2:20
JB-618	Packing Tower 8th Floor	C3S03-X2	-	Spare	Spare Channel	-	DO	24VDC Sourcing	SPARE	C3-S03-P20	C3	3	21	1756-OB32	Spare_D0_0	C3S3:21/C3S03-X2:21
JB-618	Packing Tower 8th Floor	C3S03-X2	-	Spare	Spare Channel	-	DO	24VDC Sourcing	SPARE	C3-S03-P21	C3	3	22	1756-OB32	Spare_D0_0	C3S3:22/C3S03-X2:22
JB-618	Packing Tower 8th Floor	C3S03-X2	-	Spare	Spare Channel	-	DO	24VDC Sourcing	SPARE	C3-S03-P22	C3	3	23	1756-OB32	Spare_D0_0	C3S3:23/C3S03-X2:23
JB-618	Packing Tower 8th Floor	C3S03-X2	-	Spare	Spare Channel	-	DO	24VDC Sourcing	SPARE	C3-S03-P23	C3	3	24	1756-OB32	Spare_D0_0	C3S3:24/C3S03-X2:24
JB-618	Packing Tower 8th Floor	C3S03-X2	-	Spare	Spare Channel	-	DO	24VDC Sourcing	SPARE	C3-S03-P24	C3	3	25	1756-OB32	Spare_D0_0	C3S3:25/C3S03-X2:25

Destination Specification (Field JB / MCC / Terminal Pin / Field Device)							Signal Spec			Source Specification (PLC Rack / Slot / Card Pin / EPLAN Wire Tag)						
Dest ID	Location	Terminal Block	Pin	Instrument Tag	Instrument Description	P&ID Drawing	Type	Signal Spec	Status	Point Ref ID	Rack	Slot	Ch	Module	PLC Tag Name	ePlan Wire Tag
JB-618	Packing Tower 8th Floor	C3S03-X2	-	Spare	Spare Channel	-	DO	24VDC Sourcing	SPARE	C3-S03-P25	C3	3	26	1756-OB32	Spare_DO_0	C3S3:26/C3S03-X2:26
JB-618	Packing Tower 8th Floor	C3S03-X2	-	Spare	Spare Channel	-	DO	24VDC Sourcing	SPARE	C3-S03-P26	C3	3	27	1756-OB32	Spare_DO_0	C3S3:27/C3S03-X2:27
JB-618	Packing Tower 8th Floor	C3S03-X2	-	Spare	Spare Channel	-	DO	24VDC Sourcing	SPARE	C3-S03-P27	C3	3	28	1756-OB32	Spare_DO_0	C3S3:28/C3S03-X2:28
JB-618	Packing Tower 8th Floor	C3S03-X2	-	Spare	Spare Channel	-	DO	24VDC Sourcing	SPARE	C3-S03-P28	C3	3	29	1756-OB32	Spare_DO_0	C3S3:29/C3S03-X2:29
JB-618	Packing Tower 8th Floor	C3S03-X2	-	Spare	Spare Channel	-	DO	24VDC Sourcing	SPARE	C3-S03-P29	C3	3	30	1756-OB32	Spare_DO_0	C3S3:30/C3S03-X2:30
JB-618	Packing Tower 8th Floor	C3S03-X2	-	Spare	Spare Channel	-	DO	24VDC Sourcing	SPARE	C3-S03-P30	C3	3	31	1756-OB32	Spare_DO_0	C3S3:31/C3S03-X2:31
JB-618	Packing Tower 8th Floor	C3S03-X2	-	Spare	Spare Channel	-	DO	24VDC Sourcing	SPARE	C3-S03-P31	C3	3	32	1756-OB32	Spare_DO_0	C3S3:32/C3S03-X2:32
JB-618	Packing Tower 8th Floor	C3S05-X1	-	PT-61303	Pressure Transmitter	3-25-01-613-PD-01	AI	4-20mA HART	ACTIVE	C3-S05-P00	C3	5	1	1756-IF16	PT-61303_AI_1	C3S5:1/C3S05-X1:1
JB-618	Packing Tower 8th Floor	C3S05-X1	-	PT-61306		3-25-01-613-PD-01	AI	4-20mA HART	ACTIVE	C3-S05-P01	C3	5	2	1756-IF16	PT-61306_AI_1	C3S5:2/C3S05-X1:2
JB-618	Packing Tower 8th Floor	C3S05-X1	-	TT-61303		3-25-01-613-PD-01	AI	4-20mA HART	ACTIVE	C3-S05-P02	C3	5	3	1756-IF16	TT-61303_AI_1	C3S5:3/C3S05-X1:3
JB-618	Packing Tower 8th Floor	C3S05-X1	-	TT-61304		3-25-01-613-PD-01	AI	4-20mA HART	ACTIVE	C3-S05-P03	C3	5	4	1756-IF16	TT-61304_AI_1	C3S5:4/C3S05-X1:4

Destination: IS-JB-618 — Packing Tower 8th Floor Intrinsically Safe JB											Total: 44 Pts Active: 22 Spare: 22 (50.0%) AI:12 DI:32					
Location: Packing Tower 8F (Hazardous Vapor Area) Size: 450 x 300 x 150 mm Spec: Intrinsically Safe (Ex i Blue Terminals)																
Destination Specification (Field JB / MCC / Terminal Pin / Field Device)							Signal Spec			Source Specification (PLC Rack / Slot / Card Pin / Eplan Wire Tag)						
Dest ID	Location	Terminal Block	Pin	Instrument Tag	Instrument Description	P&ID Drawing	Type	Signal Spec	Status	Point Ref ID	Rack	Slot	Ch	Module	PLC Tag Name	ePlan Wire Tag
IS-JB-618	Packing Tower 8th Floor	C3S02-X1	-	ISV-61301		3-25-01-613-PD-01	DI	24VDC Dry Contact	ACTIVE	C3-S02-P00	C3	2	1	1756-IB32	ISV-61301_DI_1	C3S2:1/C3S02-X1:1
IS-JB-618	Packing Tower 8th Floor	C3S02-X1	-	LSH-61301		3-25-01-613-PD-01	DI	24VDC Dry Contact	ACTIVE	C3-S02-P01	C3	2	2	1756-IB32	LSH-61301_DI_1	C3S2:2/C3S02-X1:2
IS-JB-618	Packing Tower 8th Floor	C3S02-X1	-	LSH-61303		-	DI	24VDC Dry Contact	ACTIVE	C3-S02-P02	C3	2	3	1756-IB32	LSH-61303_DI_1	C3S2:3/C3S02-X1:3
IS-JB-618	Packing Tower 8th Floor	C3S02-X1	-	LSH-61306		3-25-01-613-PD-01	DI	24VDC Dry Contact	ACTIVE	C3-S02-P03	C3	2	4	1756-IB32	LSH-61306_DI_1	C3S2:4/C3S02-X1:4
IS-JB-618	Packing Tower 8th Floor	C3S02-X1	-	LSH-61308		3-25-01-613-PD-01	DI	24VDC Dry Contact	ACTIVE	C3-S02-P04	C3	2	5	1756-IB32	LSH-61308_DI_1	C3S2:5/C3S02-X1:5
IS-JB-618	Packing Tower 8th Floor	C3S02-X1	-	LSL-61302		3-25-01-613-PD-01	DI	24VDC Dry Contact	ACTIVE	C3-S02-P05	C3	2	6	1756-IB32	LSL-61302_DI_1	C3S2:6/C3S02-X1:6
IS-JB-618	Packing Tower 8th Floor	C3S02-X1	-	PSE-61300		3-25-01-613-PD-01	DI	24VDC Dry Contact	ACTIVE	C3-S02-P06	C3	2	7	1756-IB32	PSE-61300_DI_1	C3S2:7/C3S02-X1:7
IS-JB-618	Packing Tower 8th Floor	C3S02-X1	-	PSE-61301		3-25-01-613-PD-01	DI	24VDC Dry Contact	ACTIVE	C3-S02-P07	C3	2	8	1756-IB32	PSE-61301_DI_1	C3S2:8/C3S02-X1:8
IS-JB-618	Packing Tower 8th Floor	C3S02-X1	-	PSE-61304		3-25-01-613-PD-01	DI	24VDC Dry Contact	ACTIVE	C3-S02-P08	C3	2	9	1756-IB32	PSE-61304_DI_1	C3S2:9/C3S02-X1:9
IS-JB-618	Packing Tower 8th Floor	C3S02-X1	-	PSV-61301A		325-01-613-PD-01	DI	24VDC Dry Contact	ACTIVE	C3-S02-P09	C3	2	10	1756-IB32	PSV-61301A_DI_1	C3S2:10/C3S02-X1:10
IS-JB-618	Packing Tower 8th Floor	C3S02-X1	-	PSV-61301B		325-01-613-PD-01	DI	24VDC Dry Contact	ACTIVE	C3-S02-P10	C3	2	11	1756-IB32	PSV-61301B_DI_1	C3S2:11/C3S02-X1:11
IS-JB-618	Packing Tower 8th Floor	C3S02-X1	-	ZS-61310		3-25-01-613-PD-01	DI	24VDC Dry Contact	ACTIVE	C3-S02-P11	C3	2	12	1756-IB32	ZS-61310_DI_1	C3S2:12/C3S02-X1:12
IS-JB-618	Packing Tower 8th Floor	C3S02-X1	-	ZS-61311		3-25-01-613-PD-01	DI	24VDC Dry Contact	ACTIVE	C3-S02-P12	C3	2	13	1756-IB32	ZS-61311_DI_1	C3S2:13/C3S02-X1:13

Destination Specification (Field JB / MCC / Terminal Pin / Field Device)							Signal Spec			Source Specification (PLC Rack / Slot / Card Pin / EPLAN Wire Tag)						
Dest ID	Location	Terminal Block	Pin	Instrument Tag	Instrument Description	P&ID Drawing	Type	Signal Spec	Status	Point Ref ID	Rack	Slot	Ch	Module	PLC Tag Name	ePlan Wire Tag
IS-JB-618	Packing Tower 8th Floor	C3S02-X1	-	Spare	Spare Channel	3-25-01-613-PD-01	DI	24VDC Dry Contact	SPARE	C3-S02-P13	C3	2	14	1756-IB32	Spare_DI_0	C3S2:14/C3S02-X1:14
IS-JB-618	Packing Tower 8th Floor	C3S02-X1	-	Spare	Spare Channel	3-25-01-613-PD-01	DI	24VDC Dry Contact	SPARE	C3-S02-P14	C3	2	15	1756-IB32	Spare_DI_0	C3S2:15/C3S02-X1:15
IS-JB-618	Packing Tower 8th Floor	C3S02-X1	-	Spare	Spare Channel	3-25-01-613-PD-01	DI	24VDC Dry Contact	SPARE	C3-S02-P15	C3	2	16	1756-IB32	Spare_DI_0	C3S2:16/C3S02-X1:16
IS-JB-618	Packing Tower 8th Floor	C3S02-X2	-	Spare	Spare Channel	3-25-01-613-PD-01	DI	24VDC Dry Contact	SPARE	C3-S02-P16	C3	2	17	1756-IB32	Spare_DI_0	C3S2:17/C3S02-X2:17
IS-JB-618	Packing Tower 8th Floor	C3S02-X2	-	Spare	Spare Channel	3-25-01-613-PD-01	DI	24VDC Dry Contact	SPARE	C3-S02-P17	C3	2	18	1756-IB32	Spare_DI_0	C3S2:18/C3S02-X2:18
IS-JB-618	Packing Tower 8th Floor	C3S02-X2	-	Spare	Spare Channel	3-25-01-613-PD-01	DI	24VDC Dry Contact	SPARE	C3-S02-P18	C3	2	19	1756-IB32	Spare_DI_0	C3S2:19/C3S02-X2:19
IS-JB-618	Packing Tower 8th Floor	C3S02-X2	-	Spare	Spare Channel	3-25-01-613-PD-01	DI	24VDC Dry Contact	SPARE	C3-S02-P19	C3	2	20	1756-IB32	Spare_DI_0	C3S2:20/C3S02-X2:20
IS-JB-618	Packing Tower 8th Floor	C3S02-X2	-	Spare	Spare Channel	3-25-01-613-PD-01	DI	24VDC Dry Contact	SPARE	C3-S02-P20	C3	2	21	1756-IB32	Spare_DI_0	C3S2:21/C3S02-X2:21
IS-JB-618	Packing Tower 8th Floor	C3S02-X2	-	Spare	Spare Channel	3-25-01-613-PD-01	DI	24VDC Dry Contact	SPARE	C3-S02-P21	C3	2	22	1756-IB32	Spare_DI_0	C3S2:22/C3S02-X2:22
IS-JB-618	Packing Tower 8th Floor	C3S02-X2	-	Spare	Spare Channel	3-25-01-613-PD-01	DI	24VDC Dry Contact	SPARE	C3-S02-P22	C3	2	23	1756-IB32	Spare_DI_0	C3S2:23/C3S02-X2:23
IS-JB-618	Packing Tower 8th Floor	C3S02-X2	-	Spare	Spare Channel	3-25-01-613-PD-01	DI	24VDC Dry Contact	SPARE	C3-S02-P23	C3	2	24	1756-IB32	Spare_DI_0	C3S2:24/C3S02-X2:24
IS-JB-618	Packing Tower 8th Floor	C3S02-X2	-	Spare	Spare Channel	3-25-01-613-PD-01	DI	24VDC Dry Contact	SPARE	C3-S02-P24	C3	2	25	1756-IB32	Spare_DI_0	C3S2:25/C3S02-X2:25
IS-JB-618	Packing Tower 8th Floor	C3S02-X2	-	Spare	Spare Channel	3-25-01-613-PD-01	DI	24VDC Dry Contact	SPARE	C3-S02-P25	C3	2	26	1756-IB32	Spare_DI_0	C3S2:26/C3S02-X2:26
IS-JB-618	Packing Tower 8th Floor	C3S02-X2	-	Spare	Spare Channel	3-25-01-613-PD-01	DI	24VDC Dry Contact	SPARE	C3-S02-P26	C3	2	27	1756-IB32	Spare_DI_0	C3S2:27/C3S02-X2:27

Destination Specification (Field JB / MCC / Terminal Pin / Field Device)							Signal Spec			Source Specification (PLC Rack / Slot / Card Pin / EPLAN Wire Tag)						
Dest ID	Location	Terminal Block	Pin	Instrument Tag	Instrument Description	P&ID Drawing	Type	Signal Spec	Status	Point Ref ID	Rack	Slot	Ch	Module	PLC Tag Name	ePlan Wire Tag
IS-JB-618	Packing Tower 8th Floor	C3S02-X2	-	Spare	Spare Channel	3-25-01-613-PD-01	DI	24VDC Dry Contact	SPARE	C3-S02-P27	C3	2	28	1756-IB32	Spare_DI_0	C3S2:28/C3S02-X2:28
IS-JB-618	Packing Tower 8th Floor	C3S02-X2	-	Spare	Spare Channel	3-25-01-613-PD-01	DI	24VDC Dry Contact	SPARE	C3-S02-P28	C3	2	29	1756-IB32	Spare_DI_0	C3S2:29/C3S02-X2:29
IS-JB-618	Packing Tower 8th Floor	C3S02-X2	-	Spare	Spare Channel	3-25-01-613-PD-01	DI	24VDC Dry Contact	SPARE	C3-S02-P29	C3	2	30	1756-IB32	Spare_DI_0	C3S2:30/C3S02-X2:30
IS-JB-618	Packing Tower 8th Floor	C3S02-X2	-	Spare	Spare Channel	3-25-01-613-PD-01	DI	24VDC Dry Contact	SPARE	C3-S02-P30	C3	2	31	1756-IB32	Spare_DI_0	C3S2:31/C3S02-X2:31
IS-JB-618	Packing Tower 8th Floor	C3S02-X2	-	Spare	Spare Channel	3-25-01-613-PD-01	DI	24VDC Dry Contact	SPARE	C3-S02-P31	C3	2	32	1756-IB32	Spare_DI_0	C3S2:32/C3S02-X2:32
IS-JB-618	Packing Tower 8th Floor	C3S05-X1	-	DPT-61301	Differential Pressure Transmitter	3-25-01-613-PD-01	AI	4-20mA HART	ACTIVE	C3-S05-P04	C3	5	5	1756-IF16	DPT-61301_AI_1	C3S5:5/C3S05-X1:5
IS-JB-618	Packing Tower 8th Floor	C3S05-X1	-	DPT-61302	Differential Pressure Transmitter	3-25-01-613-PD-01	AI	4-20mA HART	ACTIVE	C3-S05-P05	C3	5	6	1756-IF16	DPT-61302_AI_1	C3S5:6/C3S05-X1:6
IS-JB-618	Packing Tower 8th Floor	C3S05-X1	-	LT-61301	Level Transmitter	3-25-01-613-PD-01	AI	4-20mA HART	ACTIVE	C3-S05-P06	C3	5	7	1756-IF16	LT-61301_AI_1	C3S5:7/C3S05-X1:7
IS-JB-618	Packing Tower 8th Floor	C3S05-X1	-	PT-61301	Pressure Transmitter	3-25-01-613-PD-01	AI	4-20mA HART	ACTIVE	C3-S05-P07	C3	5	8	1756-IF16	PT-61301_AI_1	C3S5:8/C3S05-X1:8
IS-JB-618	Packing Tower 8th Floor	C3S05-X1	-	PT-61303	Pressure Transmitter	3-25-01-613-PD-01	AI	4-20mA HART	ACTIVE	C3-S05-P08	C3	5	9	1756-IF16	PT-61303_AI_1	C3S5:9/C3S05-X1:9
IS-JB-618	Packing Tower 8th Floor	C3S05-X1	-	PT-61304	Pressure Transmitter	3-25-01-613-PD-01	AI	4-20mA HART	ACTIVE	C3-S05-P09	C3	5	10	1756-IF16	PT-61304_AI_1	C3S5:10/C3S05-X1:10
IS-JB-618	Packing Tower 8th Floor	C3S05-X1	-	PT-61305	Pressure Transmitter	3-25-01-613-PD-01	AI	4-20mA HART	ACTIVE	C3-S05-P10	C3	5	11	1756-IF16	PT-61305_AI_1	C3S5:11/C3S05-X1:11
IS-JB-618	Packing Tower 8th Floor	C3S05-X1	-	TT-61301		3-25-01-613-PD-01	AI	4-20mA HART	ACTIVE	C3-S05-P11	C3	5	12	1756-IF16	TT-61301_AI_1	C3S5:12/C3S05-X1:12
IS-JB-618	Packing Tower 8th Floor	C3S05-X1	-	TT-61302		3-25-01-613-PD-01	AI	4-20mA HART	ACTIVE	C3-S05-P12	C3	5	13	1756-IF16	TT-61302_AI_1	C3S5:13/C3S05-X1:13

Destination Specification (Field JB / MCC / Terminal Pin / Field Device)							Signal Spec			Source Specification (PLC Rack / Slot / Card Pin / EPLAN Wire Tag)						
Dest ID	Location	Terminal Block	Pin	Instrument Tag	Instrument Description	P&ID Drawing	Type	Signal Spec	Status	Point Ref ID	Rack	Slot	Ch	Module	PLC Tag Name	ePlan Wire Tag
IS-JB-618	Packing Tower 8th Floor	C3S05-X1	–	Spare	Spare Channel	–	AI	4-20mA HART	SPARE	C3-S05-P13	C3	5	14	1756-IF16	Spare_AI_0	C3S5:14/C3S05-X1:14
IS-JB-618	Packing Tower 8th Floor	C3S05-X1	–	Spare	Spare Channel	–	AI	4-20mA HART	SPARE	C3-S05-P14	C3	5	15	1756-IF16	Spare_AI_0	C3S5:15/C3S05-X1:15
IS-JB-618	Packing Tower 8th Floor	C3S05-X1	–	Spare	Spare Channel	–	AI	4-20mA HART	SPARE	C3-S05-P15	C3	5	16	1756-IF16	Spare_AI_0	C3S5:16/C3S05-X1:16

DESTINATION: IS-JB-612 — PACKING TOWER 2ND FLOOR INTRINSICALLY SAFE JB Location: Packing Tower 2F (Dust Hazard Area) Size: 300 x 200 x 150 mm Spec: Intrinsically Safe (Ex i Blue Terminals) Total: 41 Pts Active: 17 Spare: 24 (58.5%) AI:10 DI:31																
DESTINATION SPECIFICATION (FIELD JB / MCC / TERMINAL PIN / FIELD DEVICE)							SIGNAL SPEC			SOURCE SPECIFICATION (PLC RACK / SLOT / CARD PIN / EPLAN WIRE TAG)						
Dest ID	Location	Terminal Block	Pin	Instrument Tag	Instrument Description	P&ID Drawing	Type	Signal Spec	Status	Point Ref ID	Rack	Slot	Ch	Module	PLC Tag Name	ePlan Wire Tag
IS-JB-612	Packing Tower 2th Floor	C4S03-X1	–	ISV-61303		3-25-01-613-PD-03	DI	24VDC Dry Contact	ACTIVE	C4-S03-P00	C4	3	1	1756-IB32	ISV-61303_DI_1	C4S3:1/C4S03-X1:1
IS-JB-612	Packing Tower 2th Floor	C4S03-X1	–	ISV-61304		3-25-01-613-PD-05	DI	24VDC Dry Contact	ACTIVE	C4-S03-P01	C4	3	2	1756-IB32	ISV-61304_DI_1	C4S3:2/C4S03-X1:2
IS-JB-612	Packing Tower 2th Floor	C4S03-X1	–	LSH-61304		3-25-01-613-PD-03	DI	24VDC Dry Contact	ACTIVE	C4-S03-P02	C4	3	3	1756-IB32	LSH-61304_DI_1	C4S3:3/C4S03-X1:3
IS-JB-612	Packing Tower 2th Floor	C4S03-X1	–	LSH-61305		3-25-01-613-PD-05	DI	24VDC Dry Contact	ACTIVE	C4-S03-P03	C4	3	4	1756-IB32	LSH-61305_DI_1	C4S3:4/C4S03-X1:4
IS-JB-612	Packing Tower 2th Floor	C4S03-X1	–	LSH-61307		3-25-01-613-PD-01	DI	24VDC Dry Contact	ACTIVE	C4-S03-P04	C4	3	5	1756-IB32	LSH-61307_DI_1	C4S3:5/C4S03-X1:5
IS-JB-612	Packing Tower 2th Floor	C4S03-X1	–	LSH-61312		3-25-01-613-PD-05	DI	24VDC Dry Contact	ACTIVE	C4-S03-P05	C4	3	6	1756-IB32	LSH-61312_DI_1	C4S3:6/C4S03-X1:6
IS-JB-612	Packing Tower 2th Floor	C4S03-X1	–	PSE-61302		3-25-01-613-PD-03	DI	24VDC Dry Contact	ACTIVE	C4-S03-P06	C4	3	7	1756-IB32	PSE-61302_DI_1	C4S3:7/C4S03-X1:7
IS-JB-612	Packing Tower 2th Floor	C4S03-X1	–	PSE-61303		3-25-01-613-PD-05	DI	24VDC Dry Contact	ACTIVE	C4-S03-P07	C4	3	8	1756-IB32	PSE-61303_DI_1	C4S3:8/C4S03-X1:8
IS-JB-612	Packing Tower 2th Floor	C4S03-X1	–	RV-61301		–	DI	24VDC Dry Contact	ACTIVE	C4-S03-P09	C4	3	10	1756-IB32	RV-61301_DI_1	C4S3:10/C4S03-X1:10
IS-JB-612	Packing Tower 2th Floor	C4S03-X1	–	RV-61304		–	DI	24VDC Dry Contact	ACTIVE	C4-S03-P10	C4	3	11	1756-IB32	RV-61304_DI_1	C4S3:11/C4S03-X1:11
IS-JB-612	Packing Tower 2th Floor	C4S03-X1	–	RV-61305		–	DI	24VDC Dry Contact	ACTIVE	C4-S03-P11	C4	3	12	1756-IB32	RV-61305_DI_1	C4S3:12/C4S03-X1:12
IS-JB-612	Packing Tower 2th Floor	C4S03-X1	–	SC-61301		–	DI	24VDC Dry Contact	ACTIVE	C4-S03-P12	C4	3	13	1756-IB32	SC-61301_DI_1	C4S3:13/C4S03-X1:13
IS-JB-612	Packing Tower 2th Floor	C4S03-X1	–	SC-61302		–	DI	24VDC Dry Contact	ACTIVE	C4-S03-P13	C4	3	14	1756-IB32	SC-61302_DI_1	C4S3:14/C4S03-X1:14

Destination Specification (Field JB / MCC / Terminal Pin / Field Device)							Signal Spec			Source Specification (PLC Rack / Slot / Card Pin / EPLAN Wire Tag)						
Dest ID	Location	Terminal Block	Pin	Instrument Tag	Instrument Description	P&ID Drawing	Type	Signal Spec	Status	Point Ref ID	Rack	Slot	Ch	Module	PLC Tag Name	ePlan Wire Tag
IS-JB-612	Packing Tower 2th Floor	C4S03-X1	-	ZS-61312		3-25-01-613-PD-01	DI	24VDC Dry Contact	ACTIVE	C4-S03-P14	C4	3	15	1756-IB32	ZS-61312_DI_1	C4S3:15/C4S03-X1:15
IS-JB-612	Packing Tower 2th Floor	C4S03-X1	-	ZS-61313		3-25-01-613-PD-01	DI	24VDC Dry Contact	ACTIVE	C4-S03-P15	C4	3	16	1756-IB32	ZS-61313_DI_1	C4S3:16/C4S03-X1:16
IS-JB-612	Packing Tower 2th Floor	C4S03-X2	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C4-S03-P16	C4	3	17	1756-IB32	Spare_DI_0	C4S3:17/C4S03-X2:17
IS-JB-612	Packing Tower 2th Floor	C4S03-X2	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C4-S03-P17	C4	3	18	1756-IB32	Spare_DI_0	C4S3:18/C4S03-X2:18
IS-JB-612	Packing Tower 2th Floor	C4S03-X2	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C4-S03-P18	C4	3	19	1756-IB32	Spare_DI_0	C4S3:19/C4S03-X2:19
IS-JB-612	Packing Tower 2th Floor	C4S03-X2	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C4-S03-P19	C4	3	20	1756-IB32	Spare_DI_0	C4S3:20/C4S03-X2:20
IS-JB-612	Packing Tower 2th Floor	C4S03-X2	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C4-S03-P20	C4	3	21	1756-IB32	Spare_DI_0	C4S3:21/C4S03-X2:21
IS-JB-612	Packing Tower 2th Floor	C4S03-X2	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C4-S03-P21	C4	3	22	1756-IB32	Spare_DI_0	C4S3:22/C4S03-X2:22
IS-JB-612	Packing Tower 2th Floor	C4S03-X2	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C4-S03-P22	C4	3	23	1756-IB32	Spare_DI_0	C4S3:23/C4S03-X2:23
IS-JB-612	Packing Tower 2th Floor	C4S03-X2	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C4-S03-P23	C4	3	24	1756-IB32	Spare_DI_0	C4S3:24/C4S03-X2:24
IS-JB-612	Packing Tower 2th Floor	C4S03-X2	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C4-S03-P24	C4	3	25	1756-IB32	Spare_DI_0	C4S3:25/C4S03-X2:25
IS-JB-612	Packing Tower 2th Floor	C4S03-X2	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C4-S03-P25	C4	3	26	1756-IB32	Spare_DI_0	C4S3:26/C4S03-X2:26
IS-JB-612	Packing Tower 2th Floor	C4S03-X2	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C4-S03-P26	C4	3	27	1756-IB32	Spare_DI_0	C4S3:27/C4S03-X2:27
IS-JB-612	Packing Tower 2th Floor	C4S03-X2	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C4-S03-P27	C4	3	28	1756-IB32	Spare_DI_0	C4S3:28/C4S03-X2:28

Destination Specification (Field JB / MCC / Terminal Pin / Field Device)							Signal Spec			Source Specification (PLC Rack / Slot / Card Pin / EPLAN Wire Tag)						
Dest ID	Location	Terminal Block	Pin	Instrument Tag	Instrument Description	P&ID Drawing	Type	Signal Spec	Status	Point Ref ID	Rack	Slot	Ch	Module	PLC Tag Name	ePlan Wire Tag
IS-JB-612	Packing Tower 2th Floor	C4S03-X2	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C4-S03-P28	C4	3	29	1756-IB32	Spare_DI_0	C4S3:29/C4S03-X2:29
IS-JB-612	Packing Tower 2th Floor	C4S03-X2	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C4-S03-P29	C4	3	30	1756-IB32	Spare_DI_0	C4S3:30/C4S03-X2:30
IS-JB-612	Packing Tower 2th Floor	C4S03-X2	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C4-S03-P30	C4	3	31	1756-IB32	Spare_DI_0	C4S3:31/C4S03-X2:31
IS-JB-612	Packing Tower 2th Floor	C4S03-X2	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C4-S03-P31	C4	3	32	1756-IB32	Spare_DI_0	C4S3:32/C4S03-X2:32
IS-JB-612	Packing Tower 2th Floor	C4S05-X1	-	Spare	Spare Channel	-	AI	4-20mA HART	SPARE	C4-S05-P14	C4	5	15	1756-IF16	Spare_AI_0	C4S5:15/C4S05-X1:15
IS-JB-612	Packing Tower 2th Floor	C4S05-X1	-	Spare	Spare Channel	-	AI	4-20mA HART	SPARE	C4-S05-P14	C4	5	15	1756-IF16	Spare_AI_0	C4S5:15/C4S05-X1:15
IS-JB-612	Packing Tower 2th Floor	C4S05-X1	-	Spare	Spare Channel	-	AI	4-20mA HART	SPARE	C4-S05-P14	C4	5	15	1756-IF16	Spare_AI_0	C4S5:15/C4S05-X1:15
IS-JB-612	Packing Tower 2th Floor	C4S05-X1	-	Spare	Spare Channel	-	AI	4-20mA HART	SPARE	C4-S05-P14	C4	5	15	1756-IF16	Spare_AI_0	C4S5:15/C4S05-X1:15
IS-JB-612	Packing Tower 2th Floor	C4S05-X1	-	Spare	Spare Channel	-	AI	4-20mA HART	SPARE	C4-S05-P14	C4	5	15	1756-IF16	Spare_AI_0	C4S5:15/C4S05-X1:15
IS-JB-612	Packing Tower 2th Floor	C4S05-X1	-	Spare	Spare Channel	-	AI	4-20mA HART	SPARE	C4-S05-P14	C4	5	15	1756-IF16	Spare_AI_0	C4S5:15/C4S05-X1:15
IS-JB-612	Packing Tower 2th Floor	C4S05-X1	-	Spare	Spare Channel	-	AI	4-20mA HART	SPARE	C4-S05-P14	C4	5	15	1756-IF16	Spare_AI_0	C4S5:15/C4S05-X1:15
IS-JB-612	Packing Tower 2th Floor	C4S05-X1	-	Spare	Spare Channel	-	AI	4-20mA HART	SPARE	C4-S05-P14	C4	5	15	1756-IF16	Spare_AI_0	C4S5:15/C4S05-X1:15
IS-JB-612	Packing Tower 2th Floor	C4S06-X1	-	DPT-61310	Differential Pressure Transmitter	3-25-01-613-PD-03	AI	4-20mA HART	ACTIVE	C4-S06-P06	C4	6	7	1756-IF16	DPT-61310_AI_1	C4S6:7/C4S06-X1:7
IS-JB-612	Packing Tower 2th Floor	C4S06-X1	-	DPT-61312		3-25-01-613-PD-05	AI	4-20mA HART	ACTIVE	C4-S06-P07	C4	6	8	1756-IF16	DPT-61312_AI_1	C4S6:8/C4S06-X1:8

DESTINATION: CA1 — MAIN CONTROL PANEL CA1 LOCAL TERMINALS Location: Control Room Cabinet CA1 Size: 1600 x 2000 x 800 mm Spec: Main PLC Enclosure Internal Marshelling Total: 32 Pts Active: 0 Spare: 32 (100.0%) DI:16 DO:16																
DESTINATION SPECIFICATION (FIELD JB / MCC / TERMINAL PIN / FIELD DEVICE)							SIGNAL SPEC			SOURCE SPECIFICATION (PLC RACK / SLOT / CARD PIN / EPLAN WIRE TAG)						
Dest ID	Location	Terminal Block	Pin	Instrument Tag	Instrument Description	P&ID Drawing	Type	Signal Spec	Status	Point Ref ID	Rack	Slot	Ch	Module	PLC Tag Name	ePlan Wire Tag
CA1	Main Control Cabinet	C1S03-X1	–	Spare	Spare Channel	–	DI	24VDC Dry Contact	SPARE	C1-S03-P00	C1	3	1	1756-IB32	Spare_DI_0	C1S3:1/C1S03-X1:1
CA1	Main Control Cabinet	C1S03-X1	–	Spare	Spare Channel	–	DI	24VDC Dry Contact	SPARE	C1-S03-P01	C1	3	2	1756-IB32	Spare_DI_0	C1S3:2/C1S03-X1:2
CA1	Main Control Cabinet	C1S03-X1	–	Spare	Spare Channel	–	DI	24VDC Dry Contact	SPARE	C1-S03-P02	C1	3	3	1756-IB32	Spare_DI_0	C1S3:3/C1S03-X1:3
CA1	Main Control Cabinet	C1S03-X1	–	Spare	Spare Channel	–	DI	24VDC Dry Contact	SPARE	C1-S03-P03	C1	3	4	1756-IB32	Spare_DI_0	C1S3:4/C1S03-X1:4
CA1	Main Control Cabinet	C1S03-X1	–	Spare	Spare Channel	–	DI	24VDC Dry Contact	SPARE	C1-S03-P04	C1	3	5	1756-IB32	Spare_DI_0	C1S3:5/C1S03-X1:5
CA1	Main Control Cabinet	C1S03-X1	–	Spare	Spare Channel	–	DI	24VDC Dry Contact	SPARE	C1-S03-P05	C1	3	6	1756-IB32	Spare_DI_0	C1S3:6/C1S03-X1:6
CA1	Main Control Cabinet	C1S03-X1	–	Spare	Spare Channel	–	DI	24VDC Dry Contact	SPARE	C1-S03-P06	C1	3	7	1756-IB32	Spare_DI_0	C1S3:7/C1S03-X1:7
CA1	Main Control Cabinet	C1S03-X1	–	Spare	Spare Channel	–	DI	24VDC Dry Contact	SPARE	C1-S03-P07	C1	3	8	1756-IB32	Spare_DI_0	C1S3:8/C1S03-X1:8
CA1	Main Control Cabinet	C1S03-X1	–	Spare	Spare Channel	–	DI	24VDC Dry Contact	SPARE	C1-S03-P08	C1	3	9	1756-IB32	Spare_DI_0	C1S3:9/C1S03-X1:9
CA1	Main Control Cabinet	C1S03-X1	–	Spare	Spare Channel	–	DI	24VDC Dry Contact	SPARE	C1-S03-P09	C1	3	10	1756-IB32	Spare_DI_0	C1S3:10/C1S03-X1:10
CA1	Main Control Cabinet	C1S03-X1	–	Spare	Spare Channel	–	DI	24VDC Dry Contact	SPARE	C1-S03-P10	C1	3	11	1756-IB32	Spare_DI_0	C1S3:11/C1S03-X1:11
CA1	Main Control Cabinet	C1S03-X1	–	Spare	Spare Channel	–	DI	24VDC Dry Contact	SPARE	C1-S03-P11	C1	3	12	1756-IB32	Spare_DI_0	C1S3:12/C1S03-X1:12
CA1	Main Control Cabinet	C1S03-X1	–	Spare	Spare Channel	–	DI	24VDC Dry Contact	SPARE	C1-S03-P12	C1	3	13	1756-IB32	Spare_DI_0	C1S3:13/C1S03-X1:13
CA1	Main Control Cabinet	C1S03-X1	–	Spare	Spare Channel	–	DI	24VDC Dry Contact	SPARE	C1-S03-P13	C1	3	14	1756-IB32	Spare_DI_0	C1S3:14/C1S03-X1:14
CA1	Main Control Cabinet	C1S03-X1	–	Spare	Spare Channel	–	DI	24VDC Dry Contact	SPARE	C1-S03-P14	C1	3	15	1756-IB32	Spare_DI_0	C1S3:15/C1S03-X1:15
CA1	Main Control Cabinet	C1S03-X1	–	Spare	Spare Channel	–	DI	24VDC Dry Contact	SPARE	C1-S03-P15	C1	3	16	1756-IB32	Spare_DI_0	C1S3:16/C1S03-X1:16
CA1	Main Control Cabinet	C1S07-X1	–	Spare	Spare Channel	–	DO	24VDC Sourcing	SPARE	C1-S07-P00	C1	7	1	1756-OB32	Spare_DO_0	C1S7:1/TBDI4:1A

Destination Specification (Field JB / MCC / Terminal Pin / Field Device)							Signal Spec			Source Specification (PLC Rack / Slot / Card Pin / EPLAN Wire Tag)						
Dest ID	Location	Terminal Block	Pin	Instrument Tag	Instrument Description	P&ID Drawing	Type	Signal Spec	Status	Point Ref ID	Rack	Slot	Ch	Module	PLC Tag Name	ePlan Wire Tag
CA1	Main Control Cabinet	C1S07-X1	–	Spare	Spare Channel	–	DO	24VDC Sourcing	SPARE	C1-S07-P01	C1	7	2	1756-OB32	Spare_D0_0	C1S7:2/TBDI4:2A
CA1	Main Control Cabinet	C1S07-X1	–	Spare	Spare Channel	–	DO	24VDC Sourcing	SPARE	C1-S07-P02	C1	7	3	1756-OB32	Spare_D0_0	C1S7:3/TBDI4:3A
CA1	Main Control Cabinet	C1S07-X1	–	Spare	Spare Channel	–	DO	24VDC Sourcing	SPARE	C1-S07-P03	C1	7	4	1756-OB32	Spare_D0_0	C1S7:4/TBDI4:4A
CA1	Main Control Cabinet	C1S07-X1	–	Spare	Spare Channel	–	DO	24VDC Sourcing	SPARE	C1-S07-P04	C1	7	5	1756-OB32	Spare_D0_0	C1S7:5/TBDI4:5A
CA1	Main Control Cabinet	C1S07-X1	–	Spare	Spare Channel	–	DO	24VDC Sourcing	SPARE	C1-S07-P05	C1	7	6	1756-OB32	Spare_D0_0	C1S7:6/TBDI4:6A
CA1	Main Control Cabinet	C1S07-X1	–	Spare	Spare Channel	–	DO	24VDC Sourcing	SPARE	C1-S07-P06	C1	7	7	1756-OB32	Spare_D0_0	C1S7:7/TBDI4:7A
CA1	Main Control Cabinet	C1S07-X1	–	Spare	Spare Channel	–	DO	24VDC Sourcing	SPARE	C1-S07-P07	C1	7	8	1756-OB32	Spare_D0_0	C1S7:8/TBDI4:8A
CA1	Main Control Cabinet	C1S07-X1	–	Spare	Spare Channel	–	DO	24VDC Sourcing	SPARE	C1-S07-P08	C1	7	9	1756-OB32	Spare_D0_0	C1S7:9/TBDI4:9A
CA1	Main Control Cabinet	C1S07-X1	–	Spare	Spare Channel	–	DO	24VDC Sourcing	SPARE	C1-S07-P09	C1	7	10	1756-OB32	Spare_D0_0	C1S7:10/TBDI4:10A
CA1	Main Control Cabinet	C1S07-X1	–	Spare	Spare Channel	–	DO	24VDC Sourcing	SPARE	C1-S07-P10	C1	7	11	1756-OB32	Spare_D0_0	C1S7:11/TBDI4:11A
CA1	Main Control Cabinet	C1S07-X1	–	Spare	Spare Channel	–	DO	24VDC Sourcing	SPARE	C1-S07-P11	C1	7	12	1756-OB32	Spare_D0_0	C1S7:12/TBDI4:12A
CA1	Main Control Cabinet	C1S07-X1	–	Spare	Spare Channel	–	DO	24VDC Sourcing	SPARE	C1-S07-P12	C1	7	13	1756-OB32	Spare_D0_0	C1S7:13/TBDI4:13A
CA1	Main Control Cabinet	C1S07-X1	–	Spare	Spare Channel	–	DO	24VDC Sourcing	SPARE	C1-S07-P13	C1	7	14	1756-OB32	Spare_D0_0	C1S7:14/TBDI4:14A
CA1	Main Control Cabinet	C1S07-X1	–	Spare	Spare Channel	–	DO	24VDC Sourcing	SPARE	C1-S07-P14	C1	7	15	1756-OB32	Spare_D0_0	C1S7:15/TBDI4:15A
CA1	Main Control Cabinet	C1S07-X1	–	Spare	Spare Channel	–	DO	24VDC Sourcing	SPARE	C1-S07-P15	C1	7	16	1756-OB32	Spare_D0_0	C1S7:16/TBDI4:16A

DESTINATION: IS-JB-603 — SPRAY DRYER 3RD FLOOR INTRINSICALLY SAFE JB Location: Spray Dryer 3F (Internal Chamber Access) Size: 300 x 200 x 150 mm Spec: Intrinsically Safe (Ex i Blue Terminals) Total: 32 Pts Active: 22 Spare: 10 (31.2%) AI:16 DI:16																
DESTINATION SPECIFICATION (FIELD JB / MCC / TERMINAL PIN / FIELD DEVICE)							SIGNAL SPEC			SOURCE SPECIFICATION (PLC RACK / SLOT / CARD PIN / EPLAN WIRE TAG)						
Dest ID	Location	Terminal Block	Pin	Instrument Tag	Instrument Description	P&ID Drawing	Type	Signal Spec	Status	Point Ref ID	Rack	Slot	Ch	Module	PLC Tag Name	ePlan Wire Tag
IS-JB-603	Spray Dryer 3rd Floor	C3S01-X1	-	AT-40201		-	DI	24VDC Dry Contact	ACTIVE	C3-S01-P00	C3	1	1	1756-IB32	AT-40201_DI_1	C3S1:1/C3S01-X1:1
IS-JB-603	Spray Dryer 3rd Floor	C3S01-X1	-	AT-40202		-	DI	24VDC Dry Contact	ACTIVE	C3-S01-P01	C3	1	2	1756-IB32	AT-40202_DI_1	C3S1:2/C3S01-X1:2
IS-JB-603	Spray Dryer 3rd Floor	C3S01-X1	-	AT-40203		-	DI	24VDC Dry Contact	ACTIVE	C3-S01-P02	C3	1	3	1756-IB32	AT-40203_DI_1	C3S1:3/C3S01-X1:3
IS-JB-603	Spray Dryer 3rd Floor	C3S01-X1	-	LSH-60230		3-25-01-602-PD-04	DI	24VDC Dry Contact	ACTIVE	C3-S01-P03	C3	1	4	1756-IB32	LSH-60230_DI_1	C3S1:4/C3S01-X1:4
IS-JB-603	Spray Dryer 3rd Floor	C3S01-X1	-	LSH-60231		3-25-01-602-PD-04	DI	24VDC Dry Contact	ACTIVE	C3-S01-P04	C3	1	5	1756-IB32	LSH-60231_DI_1	C3S1:5/C3S01-X1:5
IS-JB-603	Spray Dryer 3rd Floor	C3S01-X1	-	LSH-60240		3-25-01-602-PD-05	DI	24VDC Dry Contact	ACTIVE	C3-S01-P05	C3	1	6	1756-IB32	LSH-60240_DI_1	C3S1:6/C3S01-X1:6
IS-JB-603	Spray Dryer 3rd Floor	C3S01-X1	-	PD-60202		-	DI	24VDC Dry Contact	ACTIVE	C3-S01-P06	C3	1	7	1756-IB32	PD-60202_DI_1	C3S1:7/C3S01-X1:7
IS-JB-603	Spray Dryer 3rd Floor	C3S01-X1	-	RV-60204		-	DI	24VDC Dry Contact	ACTIVE	C3-S01-P07	C3	1	8	1756-IB32	RV-60204_DI_1	C3S1:8/C3S01-X1:8
IS-JB-603	Spray Dryer 3rd Floor	C3S01-X1	-	ZS-60201C		3-25-01-602-PD-04	DI	24VDC Dry Contact	ACTIVE	C3-S01-P08	C3	1	9	1756-IB32	ZS-60201C_DI_1	C3S1:9/C3S01-X1:9
IS-JB-603	Spray Dryer 3rd Floor	C3S01-X1	-	ZS-60201D		3-25-01-602-PD-04	DI	24VDC Dry Contact	ACTIVE	C3-S01-P09	C3	1	10	1756-IB32	ZS-60201D_DI_1	C3S1:10/C3S01-X1:10
IS-JB-603	Spray Dryer 3rd Floor	C3S01-X1	-	ZS-60201E		3-25-01-602-PD-04	DI	24VDC Dry Contact	ACTIVE	C3-S01-P10	C3	1	11	1756-IB32	ZS-60201E_DI_1	C3S1:11/C3S01-X1:11
IS-JB-603	Spray Dryer 3rd Floor	C3S01-X1	-	ZS-60229		3-25-01-602-PD-04	DI	24VDC Dry Contact	ACTIVE	C3-S01-P11	C3	1	12	1756-IB32	ZS-60229_DI_1	C3S1:12/C3S01-X1:12
IS-JB-603	Spray Dryer 3rd Floor	C3S01-X1	-	ZS-60230		3-25-01-602-PD-04	DI	24VDC Dry Contact	ACTIVE	C3-S01-P12	C3	1	13	1756-IB32	ZS-60230_DI_1	C3S1:13/C3S01-X1:13
IS-JB-603	Spray Dryer 3rd Floor	C3S01-X1	-	ZS-60231A		3-25-01-602-PD-05	DI	24VDC Dry Contact	ACTIVE	C3-S01-P13	C3	1	14	1756-IB32	ZS-60231A_DI_1	C3S1:14/C3S01-X1:14
IS-JB-603	Spray Dryer 3rd Floor	C3S01-X1	-	ZS-60231B		3-25-01-602-PD-05	DI	24VDC Dry Contact	ACTIVE	C3-S01-P14	C3	1	15	1756-IB32	ZS-60231B_DI_1	C3S1:15/C3S01-X1:15
IS-JB-603	Spray Dryer 3rd Floor	C3S01-X1	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C3-S01-P15	C3	1	16	1756-IB32	Spare_DI_0	C3S1:16/C3S01-X1:16
IS-JB-603	Spray Dryer 3rd Floor	C3S04-X1	-	PT-60230	Pressure Transmitter	3-25-01-602-PD-04	AI	4-20mA HART	ACTIVE	C3-S04-P00	C3	4	1	1756-IF16	PT-60230_AI_1	C3S4:1/C3S04-X1:1

Destination Specification (Field JB / MCC / Terminal Pin / Field Device)							Signal Spec			Source Specification (PLC Rack / Slot / Card Pin / EPLAN Wire Tag)						
Dest ID	Location	Terminal Block	Pin	Instrument Tag	Instrument Description	P&ID Drawing	Type	Signal Spec	Status	Point Ref ID	Rack	Slot	Ch	Module	PLC Tag Name	ePlan Wire Tag
IS-JB-603	Spray Dryer 3rd Floor	C3S04-X1	-	PT-60231	Pressure Transmitter	3-25-01-602-PD-04	AI	4-20mA HART	ACTIVE	C3-S04-P01	C3	4	2	1756-IF16	PT-60231_AI_1	C3S4:2/C3S04-X1:2
IS-JB-603	Spray Dryer 3rd Floor	C3S04-X1	-	TT-60224		3-25-01-602-PD-04	AI	4-20mA HART	ACTIVE	C3-S04-P02	C3	4	3	1756-IF16	TT-60224_AI_1	C3S4:3/C3S04-X1:3
IS-JB-603	Spray Dryer 3rd Floor	C3S04-X1	-	TT-60225		3-25-01-602-PD-04	AI	4-20mA HART	ACTIVE	C3-S04-P03	C3	4	4	1756-IF16	TT-60225_AI_1	C3S4:4/C3S04-X1:4
IS-JB-603	Spray Dryer 3rd Floor	C3S04-X1	-	TT-60226		3-25-01-602-PD-04	AI	4-20mA HART	ACTIVE	C3-S04-P04	C3	4	5	1756-IF16	TT-60226_AI_1	C3S4:5/C3S04-X1:5
IS-JB-603	Spray Dryer 3rd Floor	C3S04-X1	-	TT-60227		3-25-01-602-PD-04	AI	4-20mA HART	ACTIVE	C3-S04-P05	C3	4	6	1756-IF16	TT-60227_AI_1	C3S4:6/C3S04-X1:6
IS-JB-603	Spray Dryer 3rd Floor	C3S04-X1	-	TT-60230		3-25-01-602-PD-04	AI	4-20mA HART	ACTIVE	C3-S04-P06	C3	4	7	1756-IF16	TT-60230_AI_1	C3S4:7/C3S04-X1:7
IS-JB-603	Spray Dryer 3rd Floor	C3S04-X1	-	Spare	Spare Channel	-	AI	4-20mA HART	SPARE	C3-S04-P07	C3	4	8	1756-IF16	Spare_AI_0	C3S4:8/C3S04-X1:8
IS-JB-603	Spray Dryer 3rd Floor	C3S04-X1	-	Spare	Spare Channel	-	AI	4-20mA HART	SPARE	C3-S04-P08	C3	4	9	1756-IF16	Spare_AI_0	C3S4:9/C3S04-X1:9
IS-JB-603	Spray Dryer 3rd Floor	C3S04-X1	-	Spare	Spare Channel	-	AI	4-20mA HART	SPARE	C3-S04-P09	C3	4	10	1756-IF16	Spare_AI_0	C3S4:10/C3S04-X1:10
IS-JB-603	Spray Dryer 3rd Floor	C3S04-X1	-	Spare	Spare Channel	-	AI	4-20mA HART	SPARE	C3-S04-P10	C3	4	11	1756-IF16	Spare_AI_0	C3S4:11/C3S04-X1:11
IS-JB-603	Spray Dryer 3rd Floor	C3S04-X1	-	Spare	Spare Channel	-	AI	4-20mA HART	SPARE	C3-S04-P11	C3	4	12	1756-IF16	Spare_AI_0	C3S4:12/C3S04-X1:12
IS-JB-603	Spray Dryer 3rd Floor	C3S04-X1	-	Spare	Spare Channel	-	AI	4-20mA HART	SPARE	C3-S04-P12	C3	4	13	1756-IF16	Spare_AI_0	C3S4:13/C3S04-X1:13
IS-JB-603	Spray Dryer 3rd Floor	C3S04-X1	-	Spare	Spare Channel	-	AI	4-20mA HART	SPARE	C3-S04-P13	C3	4	14	1756-IF16	Spare_AI_0	C3S4:14/C3S04-X1:14
IS-JB-603	Spray Dryer 3rd Floor	C3S04-X1	-	Spare	Spare Channel	-	AI	4-20mA HART	SPARE	C3-S04-P14	C3	4	15	1756-IF16	Spare_AI_0	C3S4:15/C3S04-X1:15
IS-JB-603	Spray Dryer 3rd Floor	C3S04-X1	-	Spare	Spare Channel	-	AI	4-20mA HART	SPARE	C3-S04-P15	C3	4	16	1756-IF16	Spare_AI_0	C3S4:16/C3S04-X1:16

DESTINATION: IS-JB-608 — SPRAY DRYER 8TH FLOOR INTRINSICALLY SAFE JB Location: Spray Dryer 8F (Roof Atomizer Deck) Size: 300 x 200 x 150 mm Spec: Intrinsically Safe (Ex i Blue Terminals) Total: 32 Pts Active: 14 Spare: 18 (56.2%) AI:8 DI:16 DO:8																
DESTINATION SPECIFICATION (FIELD JB / MCC / TERMINAL PIN / FIELD DEVICE)							SIGNAL SPEC			SOURCE SPECIFICATION (PLC RACK / SLOT / CARD PIN / EPLAN WIRE TAG)						
Dest ID	Location	Terminal Block	Pin	Instrument Tag	Instrument Description	P&ID Drawing	Type	Signal Spec	Status	Point Ref ID	Rack	Slot	Ch	Module	PLC Tag Name	ePlan Wire Tag
IS-JB-608	Spray Dryer 8th Floor	C4S01-X2	-	ZS-60201A		3-25-01-602-PD-04	DI	24VDC Dry Contact	ACTIVE	C4-S01-P16	C4	1	17	1756-IB32	ZS-60201A_DI_1	C4S1:17/C4S01-X2:17
IS-JB-608	Spray Dryer 8th Floor	C4S01-X2	-	ZS-60201B		3-25-01-602-PD-04	DI	24VDC Dry Contact	ACTIVE	C4-S01-P17	C4	1	18	1756-IB32	ZS-60201B_DI_1	C4S1:18/C4S01-X2:18
IS-JB-608	Spray Dryer 8th Floor	C4S01-X2	-	ZS-60231C		3-25-01-602-PD-04	DI	24VDC Dry Contact	ACTIVE	C4-S01-P18	C4	1	19	1756-IB32	ZS-60231C_DI_1	C4S1:19/C4S01-X2:19
IS-JB-608	Spray Dryer 8th Floor	C4S01-X2	-	ZS-60231D		3-25-01-602-PD-04	DI	24VDC Dry Contact	ACTIVE	C4-S01-P19	C4	1	20	1756-IB32	ZS-60231D_DI_1	C4S1:20/C4S01-X2:20
IS-JB-608	Spray Dryer 8th Floor	C4S01-X2	-	ZS-60231E		3-25-01-602-PD-05	DI	24VDC Dry Contact	ACTIVE	C4-S01-P20	C4	1	21	1756-IB32	ZS-60231E_DI_1	C4S1:21/C4S01-X2:21
IS-JB-608	Spray Dryer 8th Floor	C4S01-X2	-	ZS-60231F		3-25-01-602-PD-05	DI	24VDC Dry Contact	ACTIVE	C4-S01-P21	C4	1	22	1756-IB32	ZS-60231F_DI_1	C4S1:22/C4S01-X2:22
IS-JB-608	Spray Dryer 8th Floor	C4S01-X2	-	ZS-60240		3-25-01-602-PD-05	DI	24VDC Dry Contact	ACTIVE	C4-S01-P22	C4	1	23	1756-IB32	ZS-60240_DI_1	C4S1:23/C4S01-X2:23
IS-JB-608	Spray Dryer 8th Floor	C4S01-X2	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C4-S01-P23	C4	1	24	1756-IB32	Spare_DI_0	C4S1:24/C4S01-X2:24
IS-JB-608	Spray Dryer 8th Floor	C4S01-X2	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C4-S01-P24	C4	1	25	1756-IB32	Spare_DI_0	C4S1:25/C4S01-X2:25
IS-JB-608	Spray Dryer 8th Floor	C4S01-X2	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C4-S01-P25	C4	1	26	1756-IB32	Spare_DI_0	C4S1:26/C4S01-X2:26
IS-JB-608	Spray Dryer 8th Floor	C4S01-X2	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C4-S01-P26	C4	1	27	1756-IB32	Spare_DI_0	C4S1:27/C4S01-X2:27
IS-JB-608	Spray Dryer 8th Floor	C4S01-X2	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C4-S01-P27	C4	1	28	1756-IB32	Spare_DI_0	C4S1:28/C4S01-X2:28
IS-JB-608	Spray Dryer 8th Floor	C4S01-X2	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C4-S01-P28	C4	1	29	1756-IB32	Spare_DI_0	C4S1:29/C4S01-X2:29
IS-JB-608	Spray Dryer 8th Floor	C4S01-X2	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C4-S01-P29	C4	1	30	1756-IB32	Spare_DI_0	C4S1:30/C4S01-X2:30
IS-JB-608	Spray Dryer 8th Floor	C4S01-X2	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C4-S01-P30	C4	1	31	1756-IB32	Spare_DI_0	C4S1:31/C4S01-X2:31
IS-JB-608	Spray Dryer 8th Floor	C4S01-X2	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C4-S01-P31	C4	1	32	1756-IB32	Spare_DI_0	C4S1:32/C4S01-X2:32
IS-JB-608	Spray Dryer 8th Floor	C4S04-X1	-	XA-60201		3-25-01-602-PD-03	DO	24VDC Sourcing	ACTIVE	C4-S04-P08	C4	4	9	1756-OB32	XA-60201_DO_1	C4S4:9/C4S04-X1:9

Destination Specification (Field JB / MCC / Terminal Pin / Field Device)							Signal Spec			Source Specification (PLC Rack / Slot / Card Pin / EPLAN Wire Tag)						
Dest ID	Location	Terminal Block	Pin	Instrument Tag	Instrument Description	P&ID Drawing	Type	Signal Spec	Status	Point Ref ID	Rack	Slot	Ch	Module	PLC Tag Name	ePlan Wire Tag
IS-JB-608	Spray Dryer 8th Floor	C4S04-X1	-	Spare	Spare Channel	-	DO	24VDC Sourcing	SPARE	C4-S04-P09	C4	4	10	1756-OB32	Spare_DO_0	C4S4:10/C4S04-X1:10
IS-JB-608	Spray Dryer 8th Floor	C4S04-X1	-	Spare	Spare Channel	-	DO	24VDC Sourcing	SPARE	C4-S04-P10	C4	4	11	1756-OB32	Spare_DO_0	C4S4:11/C4S04-X1:11
IS-JB-608	Spray Dryer 8th Floor	C4S04-X1	-	Spare	Spare Channel	-	DO	24VDC Sourcing	SPARE	C4-S04-P11	C4	4	12	1756-OB32	Spare_DO_0	C4S4:12/C4S04-X1:12
IS-JB-608	Spray Dryer 8th Floor	C4S04-X1	-	Spare	Spare Channel	-	DO	24VDC Sourcing	SPARE	C4-S04-P12	C4	4	13	1756-OB32	Spare_DO_0	C4S4:13/C4S04-X1:13
IS-JB-608	Spray Dryer 8th Floor	C4S04-X1	-	Spare	Spare Channel	-	DO	24VDC Sourcing	SPARE	C4-S04-P13	C4	4	14	1756-OB32	Spare_DO_0	C4S4:14/C4S04-X1:14
IS-JB-608	Spray Dryer 8th Floor	C4S04-X1	-	Spare	Spare Channel	-	DO	24VDC Sourcing	SPARE	C4-S04-P14	C4	4	15	1756-OB32	Spare_DO_0	C4S4:15/C4S04-X1:15
IS-JB-608	Spray Dryer 8th Floor	C4S04-X1	-	Spare	Spare Channel	-	DO	24VDC Sourcing	SPARE	C4-S04-P15	C4	4	16	1756-OB32	Spare_DO_0	C4S4:16/C4S04-X1:16
IS-JB-608	Spray Dryer 8th Floor	C4S05-X1	-	Spare	Spare Channel	-	AI	4-20mA HART	SPARE	C4-S05-P06	C4	5	7	1756-IF16	Spare_AI_0	C4S5:7/C4S05-X1:7
IS-JB-608	Spray Dryer 8th Floor	C4S05-X1	-	Spare	Spare Channel	-	AI	4-20mA HART	SPARE	C4-S05-P07	C4	5	8	1756-IF16	Spare_AI_0	C4S5:8/C4S05-X1:8
IS-JB-608	Spray Dryer 8th Floor	C4S06-X1	-	PT-60220	Pressure Transmitter	3-25-01-602-PD-04	AI	4-20mA HART	ACTIVE	C4-S06-P00	C4	6	1	1756-IF16	PT-60220_AI_1	C4S6:1/C4S06-X1:1
IS-JB-608	Spray Dryer 8th Floor	C4S06-X1	-	TT-60220		3-25-01-602-PD-04	AI	4-20mA HART	ACTIVE	C4-S06-P01	C4	6	2	1756-IF16	TT-60220_AI_1	C4S6:2/C4S06-X1:2
IS-JB-608	Spray Dryer 8th Floor	C4S06-X1	-	TT-60221		3-25-01-602-PD-04	AI	4-20mA HART	ACTIVE	C4-S06-P02	C4	6	3	1756-IF16	TT-60221_AI_1	C4S6:3/C4S06-X1:3
IS-JB-608	Spray Dryer 8th Floor	C4S06-X1	-	TT-60222		3-25-01-602-PD-04	AI	4-20mA HART	ACTIVE	C4-S06-P03	C4	6	4	1756-IF16	TT-60222_AI_1	C4S6:4/C4S06-X1:4
IS-JB-608	Spray Dryer 8th Floor	C4S06-X1	-	TT-60223		3-25-01-602-PD-04	AI	4-20mA HART	ACTIVE	C4-S06-P04	C4	6	5	1756-IF16	TT-60223_AI_1	C4S6:5/C4S06-X1:5
IS-JB-608	Spray Dryer 8th Floor	C4S06-X1	-	XT-60201		3-25-01-602-PD-03	AI	4-20mA HART	ACTIVE	C4-S06-P05	C4	6	6	1756-IF16	XT-60201_AI_1	C4S6:6/C4S06-X1:6

DESTINATION: JB-606 — SPRAY DRYER 6TH FLOOR JUNCTION BOX Location: Spray Dryer 6F (Air Heater Section) Size: 300 x 200 x 150 mm Spec: Standard Industrial (IP66 / SS304) Total: 26 Pts Active: 7 Spare: 19 (73.1%) AI:2 DI:16 DO:8																
Destination Specification (Field JB / MCC / Terminal Pin / Field Device)							Signal Spec			Source Specification (PLC Rack / Slot / Card Pin / EPLAN Wire Tag)						
Dest ID	Location	Terminal Block	Pin	Instrument Tag	Instrument Description	P&ID Drawing	Type	Signal Spec	Status	Point Ref ID	Rack	Slot	Ch	Module	PLC Tag Name	ePlan Wire Tag
JB-606	Spray Dryer 6th Floor	C4S01-X1	-	FT-60203		3-25-01-602-PD-09	DI	24VDC Dry Contact	ACTIVE	C4-S01-P00	C4	1	1	1756-IB32	FT-60203_DI_1	C4S1:1/C4S01-X1:1
JB-606	Spray Dryer 6th Floor	C4S01-X1	-	LSH-60250		3-25-01-602-PD-05	DI	24VDC Dry Contact	ACTIVE	C4-S01-P01	C4	1	2	1756-IB32	LSH-60250_DI_1	C4S1:2/C4S01-X1:2
JB-606	Spray Dryer 6th Floor	C4S01-X1	-	XA-60261		-	DI	24VDC Dry Contact	ACTIVE	C4-S01-P02	C4	1	3	1756-IB32	XA-60261_DI_1	C4S1:3/C4S01-X1:3
JB-606	Spray Dryer 6th Floor	C4S01-X1	-	XA-60262		-	DI	24VDC Dry Contact	ACTIVE	C4-S01-P03	C4	1	4	1756-IB32	XA-60262_DI_1	C4S1:4/C4S01-X1:4
JB-606	Spray Dryer 6th Floor	C4S01-X1	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C4-S01-P04	C4	1	5	1756-IB32	Spare_DI_0	C4S1:5/C4S01-X1:5
JB-606	Spray Dryer 6th Floor	C4S01-X1	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C4-S01-P05	C4	1	6	1756-IB32	Spare_DI_0	C4S1:6/C4S01-X1:6
JB-606	Spray Dryer 6th Floor	C4S01-X1	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C4-S01-P06	C4	1	7	1756-IB32	Spare_DI_0	C4S1:7/C4S01-X1:7
JB-606	Spray Dryer 6th Floor	C4S01-X1	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C4-S01-P07	C4	1	8	1756-IB32	Spare_DI_0	C4S1:8/C4S01-X1:8
JB-606	Spray Dryer 6th Floor	C4S01-X1	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C4-S01-P08	C4	1	9	1756-IB32	Spare_DI_0	C4S1:9/C4S01-X1:9
JB-606	Spray Dryer 6th Floor	C4S01-X1	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C4-S01-P09	C4	1	10	1756-IB32	Spare_DI_0	C4S1:10/C4S01-X1:10
JB-606	Spray Dryer 6th Floor	C4S01-X1	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C4-S01-P10	C4	1	11	1756-IB32	Spare_DI_0	C4S1:11/C4S01-X1:11
JB-606	Spray Dryer 6th Floor	C4S01-X1	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C4-S01-P11	C4	1	12	1756-IB32	Spare_DI_0	C4S1:12/C4S01-X1:12
JB-606	Spray Dryer 6th Floor	C4S01-X1	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C4-S01-P12	C4	1	13	1756-IB32	Spare_DI_0	C4S1:13/C4S01-X1:13
JB-606	Spray Dryer 6th Floor	C4S01-X1	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C4-S01-P13	C4	1	14	1756-IB32	Spare_DI_0	C4S1:14/C4S01-X1:14
JB-606	Spray Dryer 6th Floor	C4S01-X1	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C4-S01-P14	C4	1	15	1756-IB32	Spare_DI_0	C4S1:15/C4S01-X1:15
JB-606	Spray Dryer 6th Floor	C4S01-X1	-	Spare	Spare Channel	-	DI	24VDC Dry Contact	SPARE	C4-S01-P15	C4	1	16	1756-IB32	Spare_DI_0	C4S1:16/C4S01-X1:16
JB-606	Spray Dryer 6th Floor	C4S04-X1	-	SV-60220		3-25-01-602-PD-04	DO	24VDC Sourcing	ACTIVE	C4-S04-P00	C4	4	1	1756-OB32	SV-60220_DO_1	C4S4:1/C4S04-X1:1

Destination Specification (Field JB / MCC / Terminal Pin / Field Device)							Signal Spec			Source Specification (PLC Rack / Slot / Card Pin / EPLAN Wire Tag)						
Dest ID	Location	Terminal Block	Pin	Instrument Tag	Instrument Description	P&ID Drawing	Type	Signal Spec	Status	Point Ref ID	Rack	Slot	Ch	Module	PLC Tag Name	ePlan Wire Tag
JB-606	Spray Dryer 6th Floor	C4S04-X1	-	Spare	Spare Channel	-	DO	24VDC Sourcing	SPARE	C4-S04-P01	C4	4	2	1756-OB32	Spare_D0_0	C4S4:2/C4S04-X1:2
JB-606	Spray Dryer 6th Floor	C4S04-X1	-	Spare	Spare Channel	-	DO	24VDC Sourcing	SPARE	C4-S04-P02	C4	4	3	1756-OB32	Spare_D0_0	C4S4:3/C4S04-X1:3
JB-606	Spray Dryer 6th Floor	C4S04-X1	-	Spare	Spare Channel	-	DO	24VDC Sourcing	SPARE	C4-S04-P03	C4	4	4	1756-OB32	Spare_D0_0	C4S4:4/C4S04-X1:4
JB-606	Spray Dryer 6th Floor	C4S04-X1	-	Spare	Spare Channel	-	DO	24VDC Sourcing	SPARE	C4-S04-P04	C4	4	5	1756-OB32	Spare_D0_0	C4S4:5/C4S04-X1:5
JB-606	Spray Dryer 6th Floor	C4S04-X1	-	Spare	Spare Channel	-	DO	24VDC Sourcing	SPARE	C4-S04-P05	C4	4	6	1756-OB32	Spare_D0_0	C4S4:6/C4S04-X1:6
JB-606	Spray Dryer 6th Floor	C4S04-X1	-	Spare	Spare Channel	-	DO	24VDC Sourcing	SPARE	C4-S04-P06	C4	4	7	1756-OB32	Spare_D0_0	C4S4:7/C4S04-X1:7
JB-606	Spray Dryer 6th Floor	C4S04-X1	-	Spare	Spare Channel	-	DO	24VDC Sourcing	SPARE	C4-S04-P07	C4	4	8	1756-OB32	Spare_D0_0	C4S4:8/C4S04-X1:8
JB-606	Spray Dryer 6th Floor	C4S05-X1	-	DPT-60201	Differential Pressure Transmitter	3-25-01-602-PD-09	AI	4-20mA HART	ACTIVE	C4-S05-P00	C4	5	1	1756-IF16	DPT-60201_AI_1	C4S5:1/C4S05-X1:1
JB-606	Spray Dryer 6th Floor	C4S05-X1	-	FT-60203		3-25-01-602-PD-09	AI	4-20mA HART	ACTIVE	C4-S05-P01	C4	5	2	1756-IF16	FT-60203_AI_1	C4S5:2/C4S05-X1:2

DESTINATION: JB-608 — SPRAY DRYER 8TH FLOOR TEMPERATURE JB Total: 6 Pts Active: 1 Spare: 5 (83.3%) AI:6																
Location: Spray Dryer 8F (Top Plenum) Size: 300 x 200 x 150 mm Spec: Standard Industrial (IP66 / SS304)																
DESTINATION SPECIFICATION (FIELD JB / MCC / TERMINAL PIN / FIELD DEVICE)							SIGNAL SPEC			SOURCE SPECIFICATION (PLC RACK / SLOT / CARD PIN / EPLAN WIRE TAG)						
Dest ID	Location	Terminal Block	Pin	Instrument Tag	Instrument Description	P&ID Drawing	Type	Signal Spec	Status	Point Ref ID	Rack	Slot	Ch	Module	PLC Tag Name	ePlan Wire Tag
JB-608	Spray Dryer 8th Floor	C4S05-X1	–	TT-60245		3-25-01-602-PD-05	AI	4-20mA HART	ACTIVE	C4-S05-P02	C4	5	3	1756-IF16	TT-60245_AI_1	C4S5:3/C4S05-X1:3
JB-608	Spray Dryer 8th Floor	C4S05-X1	–	Spare	Spare Channel	–	AI	4-20mA HART	SPARE	C4-S05-P03	C4	5	4	1756-IF16	Spare_AI_0	C4S5:4/C4S05-X1:4
JB-608	Spray Dryer 8th Floor	C4S05-X1	–	Spare	Spare Channel	–	AI	4-20mA HART	SPARE	C4-S05-P04	C4	5	5	1756-IF16	Spare_AI_0	C4S5:5/C4S05-X1:5
JB-608	Spray Dryer 8th Floor	C4S05-X1	–	Spare	Spare Channel	–	AI	4-20mA HART	SPARE	C4-S05-P05	C4	5	6	1756-IF16	Spare_AI_0	C4S5:6/C4S05-X1:6
JB-608	Spray Dryer 8th Floor	C4S05-X1	–	Spare	Spare Channel	–	AI	4-20mA HART	SPARE	C4-S05-P06	C4	5	7	1756-IF16	Spare_AI_0	C4S5:7/C4S05-X1:7
JB-608	Spray Dryer 8th Floor	C4S05-X1	–	Spare	Spare Channel	–	AI	4-20mA HART	SPARE	C4-S05-P07	C4	5	8	1756-IF16	Spare_AI_0	C4S5:8/C4S05-X1:8