


Lecture 3 Outline

Matter & Minerals

Merry Wilson
Scottsdale Community College

Essentials of Geology

Thirteenth Edition



Learning Objectives

- **LO 3.1** List the main characteristics that an Earth material must possess to be considered a mineral and describe each characteristic.
- **LO 3.2** Compare and contrast the three primary particles contained in atoms.
- **LO 3.3** Distinguish among ionic bonds, covalent bonds, and metallic bonds.
- **LO 3.4** List and describe the properties used in mineral identification.
- **LO 3.5** Explain how minerals are classified and name the most abundant mineral group in Earth's crust.

Learning Objectives (cont.)

- **LO 3.6** Sketch the silicon–oxygen tetrahedron and explain how this fundamental building block joins together to form various silicate structures.
- **LO 3.7** Compare and contrast the light (nonferromagnesian) silicates with the dark (ferromagnesian) silicates and list three common minerals in each group.
- **LO 3.8** List the common nonsilicate minerals and explain why each is important.
- **LO 3.9** Discuss Earth's mineral resources in terms of renewability. Differentiate between mineral resources and ore deposits.


3.1 Minerals: Building Blocks of Rocks

- Definition of a mineral
 - Naturally occurring
 - Inorganic
 - Solid
 - Ordered internal molecular structure
 - Definite chemical composition
- Definition of a rock
 - A solid aggregate or mass of minerals

3.2 Atoms: Building Blocks of Minerals

- Atomic structure
 - Central region called the nucleus
 - Consists of protons (positive charges) and neutrons (neutral charges)
 - Electrons
 - Negatively charged particles that surround the nucleus
 - Located in discrete energy levels called shells

Idealized Structure of an Atom




3.3 Why Atoms Bond


- Chemical bonding
 - Formation of a compound by combining two or more elements by transferring or sharing electrons
- Ionic bonding
 - Atoms gain or lose outermost (valence) electrons to form ions
 - Ionic compounds consist of an orderly arrangement of oppositely charged ions

Halite (NaCl): An Example of Ionic Bonding

A. The transfer of an electron from a sodium (Na) atom to a chlorine (Cl) atom leads to the formation of a Na^+ ion and a Cl^- ion.




B. The arrangement of Na^+ and Cl^- in the solid ionic compound sodium chloride (NaCl), table salt.



3.3 Why Atoms Bond

- Covalent bonding
 - Atoms share electrons to achieve electrical neutrality.
 - Covalent compounds are generally stronger than ionic bonds.
 - Both ionic and covalent bonds typically occur in the same compound (bonds are seldom 100 percent ionic or covalent in character).

Covalent Bonding: Sharing of Valence Electrons




Two hydrogen atoms combine to form a hydrogen molecule, held together by the attraction of oppositely charged particles—positively charged protons in each nucleus and negatively charged electrons that surround these nuclei.

Composition of Minerals

- Metallic bonding
 - Valence electrons are free to migrate among atoms
 - Weaker and less common than ionic or covalent bonds

Metallic Bonding

The central core of each metallic atom, which has an overall positive charge, consists of the nucleus and inner electrons.



A “sea” of negatively charged outer electrons, that are free to move throughout the structure, surrounds the metallic atoms.

3.4 Properties of Minerals

- Optical Properties
 - Luster
 - Appearance of a mineral in reflected light
 - Two basic categories
 - Metallic
 - Nonmetallic
 - Other terms are used to further describe luster such as vitreous, silky, or earthy.

A. This freshly broken sample of galena displays a metallic luster.



B. This sample of galena is tarnished and has a submetallic luster.



3.4 Properties of Minerals (cont.)

- Optical Properties

- Color

- Generally an unreliable diagnostic property to use for mineral identification
 - Often highly variable for a given mineral because of slight changes in mineral chemistry
 - Exotic colorations of some minerals produce gemstones


[Tutorial](#)



3.4 Properties of Minerals (cont.)

- Optical Properties
 - Streak
 - Color of a mineral in its powdered form
 - Helpful in distinguishing different forms of the same mineral



[Video](#)



Although the color of a mineral is not always helpful in identification, the streak, which is the color of the powdered mineral, can be very useful.

3.4 Properties of Minerals (cont.)

- Mineral Strength
 - Hardness
 - Resistance of a mineral to abrasion or scratching
 - All minerals are compared to a standard scale called the Mohs scale of hardness



3.4 Properties of Minerals (cont.)


- Mineral Strength
 - Cleavage
 - Tendency to break along planes of weak bonding
 - Produces flat, shiny surfaces
 - Described by resulting geometric shapes
 - Number of planes
 - Angles between adjacent planes

Common Cleavage Directions


Tutorial



A. Cleavage in one direction.
Example: Muscovite




B. Cleavage in two directions at 90° angles.
Example: Feldspar



C. Cleavage in two directions not at 90° angles. Example: Hornblende



D. Cleavage in three directions at 90° angles. Example: Halite



E. Cleavage in three directions not at 90° angles. Example: Calcite



F. Cleavage in four directions.
Example: Fluorite

3.4 Properties of Minerals

- Specific gravity
 - Ratio of the weight of a mineral to the weight of an equal volume of water
 - Average value is approximately 2.7

3.4 Properties of Minerals (cont.)

- Other properties
 - Magnetism
 - Reaction to hydrochloric acid
 - Malleability
 - Double refraction
 - Taste
 - Smell
 - Elasticity


[Video](#)



3.5 Mineral Groups

- Nearly 4000 minerals have been identified on Earth
- Rock-forming minerals
 - Common minerals that make up most of the rocks of Earth's crust
 - Only a few dozen members
 - Composed mainly of the eight elements that make up more than 98 percent of the continental crust


Elemental Abundances in Continental Crust




3.6 The Silicates

- Silicates
 - Most important mineral group
 - Comprise most of the rock-forming minerals
 - Very abundant as a result of large amounts of silicon and oxygen in Earth's crust
 - Basic building block is the silicon–oxygen tetrahedron molecule
 - Four oxygen ions surrounding a much smaller silicon ion

Two Illustrations of the Si–O Tetrahedron



A. Silicon–oxygen tetrahedron



B. Expanded view of silicon–oxygen tetrahedron


3.6 The Silicates

- Silicate structures
 - Single tetrahedra are linked together to form various structures including
 - Isolated tetrahedra
 - Ring structures
 - Single- and double-chain structures
 - Sheet or layered structures
 - Complex three-dimensional structures


Five Basic Silicate Structures

[Tutorial](#)


A. Independent tetrahedrons




B. Single chain




C. Double chain



D. Sheet structure



E. Three-dimensional framework



3.6 The Silicates

- Joining silicate structures
 - Most silicate minerals have a net negative charge (except for quartz)
 - Metal ions are required to balance the charge
 - These positive ions bond with unshared oxygen ions in the tetrahedra
 - Most common ions are Fe^{2+} , Mg^{2+} , K^+ , Na^+ , Al^{3+} , Ca^{2+}








3.6 The Silicates (cont.)

- Joining silicate structures
 - Covalent silicon–oxygen bonds are typically stronger than the ionic bonds of the silicate structure.
 - Controls the cleavage and hardness of minerals
 - Examples:
 - Quartz has a three-dimensional framework, is very hard, and lacks cleavage.
 - Talc has a sheet structure framework bonded with Mg ions and is a very soft mineral.

3.7 Common Silicate Minerals

- The Light Silicates
 - Generally light in color
 - Specific gravity of approximately 2.7
 - Lack iron and magnesium
 - Contain varying amounts of aluminum, potassium, calcium, and sodium
- The Dark Silicates
 - Generally dark in color
 - Specific gravity between 3.2 and 3.6
 - Contain iron and/or magnesium

Common Silicate Minerals

Common Silicate Minerals and Mineral Groups			
Mineral/Formula	Cleavage	Silicate Structure	Example
Olivine group (Mg,Fe) ₂ SiO ₄	None	Single tetrahedrons 	 Olivine
Pyroxene group (Augite) (Mg,Fe,Ca,Na)AlSiO ₃	Two planes at 90°	Single chains 	 Augite
Amphibole group (Hornblende) Ca ₂ (Fe,Mg) ₅ Si ₈ O ₂₂ (OH) ₂	Two planes at 60° and 120°	Double chains 	 Hornblende
Micas	One plane	Sheets 	Biotite $K(Mg,Fe)_3AlSi_3O_{10}(OH)_2$ 
			Muscovite $KAl_2(AlSi_3O_{10})(OH)_2$  Muscovite
Feldspars	Two planes at 90°	Three-dimensional networks 	Potassium feldspar (Orthoclase) KAlSi ₃ O ₈  Potassium feldspar
			Plagioclase (Ca,Na)AlSi ₃ O ₈  Quartz
Quartz SiO ₂	None		

3.7 Common Silicate Minerals

- The light silicates
 - Feldspar Group
 - The most common silicate group and makes up more than 50% of Earth's crust
 - Forms under a wide range of temperatures and pressures
 - Exhibits two directions of perfect cleavage at 90 degrees
 - Two most common members:
 - Orthoclase (potassium feldspar)
 - Plagioclase (sodium and calcium feldspar)

Feldspar Minerals

Potassium Feldspar



A. Potassium feldspar crystal (orthoclase)



B. Potassium feldspar showing cleavage (orthoclase)

Plagioclase Feldspar



C. Sodium-rich plagioclase feldspar (albite)



D. Plagioclase feldspar showing striations (labradorite)

3.7 Common Silicate Minerals

- The light silicates
 - Quartz
 - The second-most abundant mineral in the continental crust
 - Only common mineral made completely of silicon and oxygen
 - Hard and resistant to weathering
 - Conchoidal fracture
 - Often forms hexagonal crystals
 - Colored by impurities (various ions)

Quartz



A. Smoky quartz



B. Rose quartz



C. Milky quartz



D. Amethyst

3.7 Common Silicate Minerals

- The light silicates
 - Muscovite
 - Common member of the mica family
 - Excellent cleavage in one direction
 - Thin sheets are clear
 - Used as glass during the Middle Ages
 - Produces the “glimmering” brilliance often seen in beach sand


3.7 Common Silicate Minerals (cont.)

- The light silicates
 - Clay minerals
 - “Clay” is a general term used to describe a variety of complex minerals that have sheet structure
 - Clay makes up a large percentage of soil
 - Most originate as products of chemical weathering
 - Kaolinite is common clay mineral used to manufacture fine china

3.7 Common Silicate Minerals (cont.)

- The dark silicates
 - Olivine group
 - High-temperature silicates
 - Black to green in color
 - Glassy luster and conchoidal fracture
 - Forms small, rounded crystals

**Olivine-rich peridotite
(variety dunite)**



3.7 Common Silicate Minerals (cont.)

- The dark silicates
 - Pyroxene group
 - Important components of dark-colored igneous rocks
 - Augite is the most common mineral in the pyroxene group
 - Black in color
 - Two distinctive cleavages at nearly 90 degrees
 - Dominant mineral in basalt

3.7 Common Silicate Minerals (cont.)

- The dark silicates
 - Amphibole group
 - Hornblende is the most common mineral in this group
 - Two perfect cleavages exhibiting angles of 120 and 60 degrees

Augite and Hornblende



A. Augite



B. Hornblende

3.7 Common Silicate Minerals

- The dark silicates
 - Biotite
 - Iron-rich member of the mica family
 - Excellent cleavage in one direction
 - Garnet
 - Composed of individual tetrahedra linked by metallic ions (similar to olivine)
 - Glassy luster and conchoidal fracture


3.8 Important Nonsilicate Minerals

- Divided into groups based on the negatively charged ion or complex ion that the members have in common
- Make up approximately 8% of Earth's crust

3.8 Important Nonsilicate Minerals (cont.)

- Important nonsilicate minerals
 - Several major groups exist including:
 - Oxides
 - Sulfides
 - Sulfates
 - Native elements
 - Carbonates
 - Halides
 - Phosphates

Common Nonsilicate Mineral Groups

Common Nonsilicate Mineral Groups				
Mineral Group (key ion(s) or element(s))	Mineral Name	Chemical Formula	Economic Use	Examples
Carbonates (CO_3^{2-})	Calcite	CaCO_3	Portland cement, lime Portland cement, lime	 A. Calcite
	Dolomite	$\text{CaMg}(\text{CO}_3)_2$		 B. Dolomite
Halides (Cl^- , F^- , Br^-)	Halite	NaCl	Common salt Used in steelmaking Used as fertilizer	 C. Halite
	Fluorite Sylvite	CaF_2 KCl		 D. Fluorite
Oxides (O^{2-})	Hematite	Fe_2O_3	Ore of iron, pigment Ore of iron Gemstone, abrasive Solid form of water	 E. Hematite
	Magnetite Corundum Ice	Fe_3O_4 Al_2O_3 H_2O		 F. Magnetite
Sulfides (S^{2-})	Galena	PbS	Ore of lead Ore of zinc Sulfuric acid production Ore of copper Ore of mercury	 G. Galena
	Sphalerite Pyrite Chalcopyrite Cinnabar	ZnS FeS_2 CuFeS_2 HgS		 H. Chalcopyrite
Sulfates (SO_4^{2-})	Gypsum	$\text{CaSO}_4 \cdot 2\text{H}_2\text{O}$	Plaster Plaster Drilling mud	 I. Gypsum
	Anhydrite Barite	CaSO_4 BaSO_4		 J. Anhydrite
Native elements (single elements)	Gold	Au	Trade, jewelry Electrical conductor Gemstone, abrasive Pencil lead Sulfadrgugs, chemicals Jewelry, photography	 K. Copper
	Copper Diamond Graphite Sulfur Silver	Cu C C S Ag		 L. Sulfur

3.9 Minerals: A Nonrenewable Resource

- Renewable: Can be replenished over short time period
- Mineral resources:
 - Already identified deposits that are *currently* recoverable
 - Identified deposits that are not yet economically or technologically recoverable
- Ore
 - A useful metallic mineral that can be mined at a profit
 - Must be concentrated above its average crustal abundance
 - Profitability may change because of economic changes

Bingham Canyon Copper Mine, Utah

