Score: 75 / 80

ID: 21816618
PTS: 1

What is Software?

- Software that is not commissioned by a specific customer to meet their own needs.
- Software that is commissioned by a specific customer to meet their own needs.
- systems that are marketed and sold to any customer who wishes to buy them.
- **The product that software professionals build and then support over the long term.**

ID: 21816619
PTS: 1

It focus on a limited marketplace to address mass consumer market. (word processing, graphics, database management)

- Embedded software
- System software
- Application software
- **Product-line software**

ID: 21816621
PTS: 1

Software should not make wasteful use of system resources such as memory and processor cycles.

- Maintainability
- No answer text provided.
- **Efficiency**
- Acceptability

ID: 21816622
PTS: 1

Acceptability software must be acceptable to the type of users for which it is designed.

- **True**
- False

ID: 21816623
PTS: 1

Acceptability software must be acceptable to the type of users for which it is not-designed.

- **False**
- True

ID: 21816625
PTS: 1

Tools provide automated or semi-automated support for the process and methods.

- **True**
- False

ID: 21816626
PTS: 1

Technical reviews: assesses will not work products to uncover and remove errors before going to the next activity.

- True
- **False**

ID: 21816628
PTS: 0

Requirements are hazy or nonexistent. stakeholders are unsure of what they want.

- Problem
- **Problem Context**
- Initial Context
- Solution

ID: 21816629
PTS: 1

A generic standard that applies to any organization that wants to improve the overall quality of the products, systems, or services that it provides.

- SPICE—The SPICE (ISO/IEC15504)
- CMM-Based Appraisal for Internal Process Improvement (CBA IPI)
- No answer text provided.
- **ISO 9001:2000 for Software**

ID: 21816630
PTS: 1

A standard defines a set of requirements for software process assessment.

- CMM-Based Appraisal for Internal Process Improvement (CBA IPI)
- ISO 9001:2000 for Software
- **SPICE—The SPICE (ISO/IEC15504)**

ID: 21816631
PTS: 1

What is Concurrent Model?

- controllable as it demands

considerable risk assessment expertise

- Good to develop large-scale system as software evolves as the process progresses and risk should be understood and properly reacted to
- **applicable to all types of software development and provides an accurate picture of the current state of a project.**

ID: 21816632
PTS: 0

External specifications for each component to be constructed are developed and a component design is created.

- Planning
- Low-Level Design
- High-Level Design
- **Development**

ID: 21816634
PTS: 1

The component level design is refined and reviewed. Code is generated, reviewed, compiled, and tested

- **True**
- False

ID: 21816636
PTS: 1

Software is embodied knowledge that is initially disappeared, tacit and complete.

- **False**
- True

ID: 21816637
PTS: 1

Parallel process flow executes one or more activities in parallel with other activities.

- False
- **True**

ID: 21919356
PTS: 1

A stand-alone programs for specific needs.

- **Application software**
- Mobile Software
- System software
- Engineering/scientific software

ID: 21919357
PTS: 1

The establishment and use of sound engineering principles in order to obtain economically software that is reliable and works efficiently on real machines.

- System Programming
- **Software engineering**
- System Engineering
- Software Programming

ID: 21919358
PTS: 1

Software Process is a collection of the unfamiliar activities, actions and tasks that are not performed when some work product is to be created.

- **False**
- True

ID: 21919359
PTS: 1

Communication: communicate with customer to understand objectives and gather requirements.

- **True**
- False

ID: 21919361
PTS: 1

Deployment: Delivered to the customer who evaluates the products and provides feedback based on the evaluation.

- False
- **True**

ID: 21919362
PTS: 1

Deployment: Delivered to the customer who not evaluates the products and will not provide feedback based on the evaluation.

- True
- **False**

ID: 21919363
PTS: 1

The costs of software on a PC are often greater than the hardware cost.

- **Software costs**
- No answer text provided.
- System costs
- Software engineering

ID: 21919365
PTS: 0

A description of the prototyping process would be presented here.

- Problem
- **Initial Context**
- No answer text provided.
- Solution

ID: 21919366
PTS: 1

What is Generic Process Model?

- **process framework for software engineering defines five framework activities- communication, planning, modeling, construction, and deployment.**
- No answer text provided.
- . A framework for the activities, actions, and tasks that are required to build high-quality software.
- It is not set of umbrella activities-

project tracking and control, risk management, quality assurance, configuration management, technical reviews, and others are applied throughout the process.

ID: 21919367
PTS: 1

Measures and metrics should provide guidance for modifying the process to improve its effectiveness.

- **True**
- False

ID: 21919368
PTS: 1

Software is embodied knowledge that is initially dispersed, tacit and incomplete.

- False
- **True**

ID: 21919369
PTS: 1

A road map that helps you create a timely, high-quality results.

- False

- **True**

ID: 21919370
PTS: 1

Stage patterns defines a problem associated with a framework activity for the process.

- **True**
- False

ID: 21921963
PTS: 1

It resides within a product or system. (key pad control of a microwave oven, digital function of dashboard displays in a car)

- System software
- **Embedded software**
- Application Software
- Engineering/scientific software

ID: 21921964
PTS: 1

Network centric software. As web 2.0 emerges, more sophisticated computing environments is supported integrated with remote database and business applications.

- Product-line software
- Embedded software
- **WebApps**
- Application software

ID: 21921965
PTS: 1

Communication: will not communicate with customer to understand objectives and gather requirements.

- **False**
- True

ID: 21921968
PTS: 1

Why Software is Important?

- More and more systems are software not controlled (transportation, medical, telecommunications, military, industrial, entertainment,)
- Software engineering is concerned without theories, methods and tools for professional software development.
- **The economies of ALL developed nations are dependent on software.**
- No answer text provided.

ID: 21921969
PTS: 1

It concerned with cost-effective software development.

- Software System
- **Software engineering**
- System Costs
- Software Costs

ID: 21921970
PTS: 1

Planning this activity carry the requirements and create both size and resource are not estimates. In addition, a defect estimate (the number of defects projected for the work) is made.

- True
- **False**

ID: 21921971
PTS: 1

High-level design is an internal requirement specification for each component to be constructed are developed and a component design is not created.

- True
- **False**

ID: 21921972
PTS: 1

Software development is essentially an iterative social learning process, and the outcome is “software capital”.

- **False**
- True

ID: 21921973
PTS: 1

SP defines the approach that is not taken as software is engineered system.

- **False**

- True

ID: 21921974
PTS: 1

Stage patterns defines a problem associated without a framework activity for the process.

- True
- **False**

ID: 21922031
PTS: 1

Define Open source?

- pervasive, ubiquitous, distributed computing due to wireless networking. How to allow mobile devices, personal computer, enterprise system to communicate across vast network.
- **." free" source code opens to the computing community (a blessing, but also a potential curse!)**
- the Web as a computing engine. How to architect simple and sophisticated applications to target end-users worldwide.

ID: 21922033
PTS: 1

Method cannot provides technical how-to's for building software.

- **False**
- True

ID: 21922034
PTS: 1

What is data structures?

- No answer text provided.
- executed provide desired features, function, and performance
- **enable the programs to adequately store and manipulate information**
- describes the operation and use of the programs.

ID: 21922035
PTS: 1

It is a mode of communication between stakeholders and the software team has been established

- problem
- **Initial context**
- Solution

- No answer text provided.

ID: 21922036
PTS: 1

Flow executes each of the five activities in sequence.

- iterative process
- **linear process**
- No answer text provided.
- evolutionary process

ID: 21922037
PTS: 1

A number of software process re-assessment mechanisms that enable us to determine the immaturity of the software process.

- True
- **False**

ID: 21922038
PTS: 1

SP defines the approach that is taken as software is engineered.

- False
- **True**

ID: 21922041
PTS: 1

Defines the sequence of framework activities that occur with the process, even when the overall flow of activities is iterative in nature.

- Stage Patterns
- Task patterns
- No answer text provided.
- **Phase patterns**

ID: 21922042
PTS: 1

Systems that are marketed and sold to any customer who wishes to buy them.

- Data consolidation
- Data structures
- Customized products
- **Generic products**

ID: 21922043
PTS: 1

Maintainability Software should be not-

written in such a way so that it can evolve to meet the unchanging needs of customers

- **False**
- True

ID: 21922045
PTS: 1

Measures and centimeter should not provide guidance for modifying the process to improve its effectiveness.

- **False**
- True

ID: 21922047
PTS: 1

Defines a problem associated with a framework activity for the process. It includes multiple task patterns as well.

- **Stage Patterns**
- No answer text provided.
- Task patterns
- Phase patterns

ID: 21922048
PTS: 1

What is AI?

- stand-alone programs for specific needs
- focus on a limited marketplace to address mass consumer market.
- **software uses non-numerical algorithm to solve complex problem.**

ID: 21922049
PTS: 1

Process layer as the foundation defines a framework with activities for effective delivery of software engineering technology.

- False
- **True**

ID: 21922050
PTS: 1

Planning: creates a “Sketch” defines the work by describing the tasks, risks and resources, work products and work schedule.

- True
- **False**

ID: 21922051
PTS: 1

What is a Definition of Software Process?

- a set of umbrella activities- project tracking and control, risk management, quality assurance, configuration management, technical reviews, and others are applied throughout the process
- process framework for software engineering defines five framework activities-communication, planning, modeling, construction, and deployment.
- **A framework for the activities, actions, and tasks that are required to build high-quality software.**

ID: 21922053

PTS: 1

Characterized by “number crunching “algorithms such as automotive stress analysis, molecular biology, orbital dynamics etc.

- Application Software
- Mobile Software
- System Software
- **Engineering / Scientific Software**

ID: 21922055
PTS: 1

Planning this activity isolates requirements and develops both size and resource estimates. In addition, a defect estimate (the number of defects projected for the work) is made.

- False
- **True**

ID: 21922056
PTS: 1

Flow executes the activities in a circular manner.

- **evolutionary process**
- linear process
- No answer text provided.

- iterative process

ID: 21922057
PTS: 1

Iterative process flow repeats one or more of the activities before proceeding to the next.

- **True**
- False

ID: 21922058
PTS: 1

Evolutionary process flow executes the activities in a non-circular manner.

- True
- **False**

ID: 21922103
PTS: 1

What is Open world computing?

- **pervasive, ubiquitous, distributed computing due to wireless networking. How to allow mobile devices, personal computer,**

enterprise system to communicate across vast network.

- the Web as a computing engine. How to architect simple and sophisticated applications to target end-users worldwide.
- .” free” source code opens to the computing community (a blessing, but also a potential curse!)

ID: 21922104
PTS: 1

Software quality assurance: defines and conduct activities to ensure quality.

- False
- **True**

ID: 21922105
PTS: 1

Technical reviews: assesses work products to uncover and remove errors before going to the next activity.

- False
- **True**

ID: 21922106
PTS: 1

Tools cannot provide automated or semi-automated not support for the process and methods.

- **False**
- True

ID: 21922107
PTS: 1

Planning: creates a “map” defines the work by describing the tasks, risks and resources, work products and work schedule.

- **True**
- False

ID: 21922108
PTS: 1

Software project tracking and control: assess progress against the plan and take actions to maintain the schedule.

- **True**
- False

ID: 21922109
PTS: 1

Measurement: define and collects process,

project, and product measures to ensure stakeholder's needs are met.

- **True**
- False

ID: 21922110
PTS: 0

A software prototype that identifies basic requirements. (modes of interaction, computational features, processing functions) is approved by stakeholders.

- **Problem Context**
- Resulting context
- Solution Context
- Related Patterns

ID: 21922111
PTS: 1

Parallel process flow is not executes one or more activities in parallel without other activities.

- True
- **False**

ID: 21922113
PTS: 0

This activity isolates requirements and develops both size and resource estimates. In addition, a defect estimate (the number of defects projected for the work) is made.

- **High-Level Design**
- Low-Level Design
- Development
- Planning

ID: 21922114
PTS: 1

Software development is essentially an iterative social learning process, and the outcome is “software design”.

- **False**
- True

ID: 21922115
PTS: 1

Formal verification methods are applied to uncover errors in the design.

- False
- **True**

ID: 21922167
PTS: 1

Iterative process flow cannot repeat one or more of the activities after proceeding to the next.

- True
- **False**

ID: 21922172
PTS: 1

Defines a problem associated with a software engineering action or work task and relevant to successful software engineering practice

- **Task patterns**
- Process Patterns
- Stage Patterns
- Phase patterns

ID: 21922173
PTS: 1

Software Process a process is a collection of activities, actions and tasks that are performed when some work product is to be created.

- **True**
- False

ID: 21922174
PTS: 1

A number of software process assessment mechanisms that enable us to determine the maturity of the software process.

- False
- **True**

ID: 21922175
PTS: 1

Linear process flow executes each of the four activities in sequence

- True
- **False**

ID: 21922176
PTS: 1

Risk management: assesses risks that may not affect the outcome and quality.

- True
- **False**

ID: 21922177
PTS: 1

It provides a diagnostic technique for

assessing the relative maturity of a software organization; uses the SEI CMM as the basis for the assessment [Dun01]

- SPICE—The SPICE (ISO/IEC15504)
- **CMM-Based Appraisal for Internal Process Improvement (CBA IPI)**
- ISO 9001:2000 for Software

ID: 21922249
PTS: 1

A road map that helps you create a timely, low-quality results.

- True
- **False**

ID: 21922250
PTS: 1

Risk management: assesses risks that may affect the outcome and quality.

- **True**
- False