Score: 81 / 90

ID: 21922124
PTS: 1

_____ occurs both before and after coding as refactoring is encouraged

- **XP Design**
- XP Testing
- XP Program
- XP Coding

ID: 21922125
PTS: 1

Speculation project is initiated and adaptive cycle planning is conducted.

- False
- **True**

ID: 21922126
PTS: 1

Testing and documentation are on-going as the product is not constructed.

- True
- **False**

ID: 21922127
PTS: 1

Organizing a team so that it is in control of the work performed.

- False
- **True**

ID: 21922129
PTS: 1

The development guidelines stress delivery over analysis and design although these activates are discouraged, and active and has no continuous communication between developers and customers

- **False**
- True

ID: 21922130
PTS: 1

The modern business environment is fast-paced and ever-changing.

- False
- **True**

ID: 21922131
PTS: 1

The modern business environment is slow-paced and ever-changing.

- True
- **False**

ID: 21922132
PTS: 1

The most efficient and effective method of conveying information to and within a development team.

- No answer text provided.
- **Face-to-face**
- Motivated Individual
- satisfy customer

ID: 21922133
PTS: 0

This is the art of maximizing the amount of work not done – is essential.

- Working software
- Self–organizing
- Simplicity
- **Efficiency and Effectiveness**

ID: 21922135
PTS: 1

Design of data is as important as design of processing functions.

- False
- **True**

ID: 21922136
PTS: 1

Design of data is as important as design of processing non-functions.

- **False**
- True

ID: 21922137
PTS: 1

User interface design should be not tuned to the needs of the end-user. However, in every case, it should distress ease of use.

- **False**

- True

ID: 21922138
PTS: 1

Components should be loosely coupled to one another and to the external environment.

- **True**
- False

ID: 21922139
PTS: 0

Design representations (models) should not be hardly understandable.

- **True**
- False

ID: 21922140
PTS: 1

The construction activity encompasses a set of coding and testing tasks that lead to operational software that is ready for delivery to the customer or end-user.

- False
- **True**

ID: 21922142
PTS: 1

Lots of things can go wrong as software is being developed.

- **Assess Risk**
- Build an effective team
- Manage Change
- No answer text provided.

ID: 21922143
PTS: 1

Stated in a more technical manner, analysis and design should always emphasize *separation of concerns* (SoC).

- No answer text provided.
- Strive for consistency
- Understand the use of abstraction
- **Divide and conquer**

ID: 21922199
PTS: 1

The best architectures, requirements, and designs emerge from _____ teams.

- Simplicity
- working software
- **self–organizing**
- No answer text provided.

ID: 21922200
PTS: 1

For difficult design problems, suggests the creation of _____ a design prototype for that portion is implemented and evaluated.

- self-motivating
- **spike solution**
- self–organizing
- refactoring

ID: 21922201
PTS: 1

Encourages _____ an iterative refinement of the internal program design.

- No answer text provided.
- spike solution
- **refactoring**
- self–organizing

ID: 21922202
PTS: 1

All unit tests are executed daily and ideally should be automated.

- **XP Testing**
- XP Coding
- XP Design
- No answer text provided.

ID: 21922203
PTS: 0

A software development method Originally proposed by Schwaber and Beedle (an activity occurs during a rugby match) in early 1992.

- **True**
- False

ID: 21922204

PTS: 1

Testing and documentation are on-going as the product is constructed.

- False
- **True**

ID: 21922205
PTS: 1

Deliver working software frequently, from a couple of weeks to a couple of months, with a preference to the shorter timescale.

- **True**
- False

ID: 21922206
PTS: 1

Separation of concerns (Principle #1) establishes a philosophy for software.

- Look for patterns.
- **Build software that exhibits effective modularity**
- Take notes and report
- Focus on the transfer of information

ID: 21922207
PTS: 0

Spend the time to understand the problem before you meet with others.

- Listen
- **Prepare for customer needs**
- Prepare you communicate
- Someone should facilitate the activity

ID: 21922209
PTS: 1

The functions that the software performs must be defined.

- False
- **True**

ID: 21922210
PTS: 1

The functions that the software performs must be not defined.

- True
- **False**

ID: 21922211
PTS: 1

Design should not be traceabled to the requirements model

- **False**
- True

ID: 21922212
PTS: 1

Component-level design should be functionally independent.

- False
- **True**

ID: 21922213
PTS: 1

Process is not a religious experience and dogma has no place in it.

- Focus on quality at every step
- **be ready to adapt**
- No answer text provided.
- Be Agile

ID: 21922214
PTS: 1

Testing principles and concepts lead to the design of tests that systematically cover different classes of not free for errors and to do so with a minimum amount of time and effort.

- True
- **False**

ID: 21922215
PTS: 1

What is “Agility”?

- the cost of change increases nonlinearly as a project progresses.
- the art of maximizing the amount of work not done – is essential.
- **The development guidelines stress delivery over analysis and design although these activates are not discouraged, and active and continuous communication between developers and customers.**

ID: 21922216
PTS: 1

_____ customer is an active member of XP team, changes to requirements are requested informally and frequently.

- **Requirements volatility**
- Conflicting customer needs
- Lack of formal design
- Lack of program design

ID: 21922217
PTS: 1

"demos" are delivered to the customer with the time-box allocated. May not contain all functionalities.

- False
- **True**

ID: 21922218
PTS: 1

"demos" are **not delivered** to the customer with the time-box allocated. May not contain all functionalities.

- True
- **False**

ID: 21922219
PTS: 1

It is our highest priority through early and continuous delivery of valuable software.

- deliver working software frequently
- **satisfies the customer**
- No answer text provided.
- Welcome changing

ID: 21922220
PTS: 1

Effective commitment in structure and attitudes among all team members, technological and business people, software engineers and managers.

- **False**
- True

ID: 21922222
PTS: 1

Agile processes harness change for the customer's competitive advantage.

- satisfies the employer
- satisfies the customer
- **Welcome changing**
- eliver working software frequently

ID: 21922223
PTS: 1

Every communication meeting should have

a leader (a facilitator) to keep the conversation moving in a productive direction.

- Prepare for customer needs
- Listen
- **Someone should facilitate the activity**
- Prepare you communicate

ID: 21922224
PTS: 1

The more people involved in any communication, the more likely that discussion will bounce from one topic to the next.

- Strive for collaboration
- Take notes and report
- **Stay focused, modularize your discussion**
- Take notes and document decisions

ID: 21922225
PTS: 1

Design models represent characteristics of the software that help practitioners to construct it effectively.

- **True**
- False

ID: 21922226
PTS: 1

Design representations (models) should be easily understandable.

- **True**
- False

ID: 21922227
PTS: 1

The exit condition for every process activity, action, and task should focus on the quality of the work product that has been produced.

- be ready to adapt
- **Focus on quality at every step**
- No answer text provided.
- Be Agile

ID: 21922228
PTS: 1

The construction activity encompasses a set of coding and testing tasks that is not

lead to operational software that is ready for delivery to the customer or end-user.

- True
- **False**

ID: 21922229
PTS: 1

This is different customers' needs need to be assimilated. Different vision or beyond their authority.

- **Conflicting customer needs**
- Lack of formal design
- Lack of program design
- Requirements volatility

ID: 21922230
PTS: 1

_____ are used to multiply their talent and creative output beyond absolute number (1+1>2).

- **Collaboration**
- Speculation
- Efficiency
- Learning

ID: 21922231

PTS: 0

The only really important work product is an operational “software increment” that is delivered.

- **False**
- True

ID: 21922232
PTS: 1

It is from a couple of weeks to a couple of months, with a preference to the shorter timescale.

- satisfies the customer
- Welcome changing
- satisfies the employer
- **deliver working software frequently**

ID: 21922233
PTS: 1

Conventional wisdom is that the cost of change increases nonlinearly as a project progresses.

- **True**
- False

ID: 21922234
PTS: 1

The most efficient and effective method of conveying information to and within a development team is face–to–face conversation

- False
- **True**

ID: 21922235
PTS: 1

This is the primary measure of progress.

- Simplicity
- Efficiency and Effectiveness
- Self–organizing
- **working software**

ID: 21922236
PTS: 1

The information domain of a problem must be represented and understood.

- **True**
- False

ID: 21922237
PTS: 1

The models that no information, non-function, and behavior must be partitioned in a manner that uncovers detail in a layered (or hierarchical) fashion.

- True
- **False**

ID: 21922238
PTS: 1

The analysis task should move from essential information toward implementation detail.

- **True**
- False

ID: 21922239
PTS: 1

The process model you choose is prescriptive or agile, the basic tenets of agile development should govern your approach.

- **Be Agile**
- be ready to adapt
- No answer text provided.
- Focus on quality at every step

ID: 21922241
PTS: 1

The design should be developed iteratively. With each iteration, the designer should strive for greater simplicity.

- False
- **True**

ID: 21922251
PTS: 1

Effective communication in structure and attitudes among all team members, technological and business people, software engineers and managers.

- False
- **True**

ID: 21922252
PTS: 1

Our highest priority is to satisfy the customer through early and continuous delivery of non-valuable software.

- True
- **False**

ID: 21922253
PTS: 1

Design models represent characteristics of the software that will not help practitioners to construct it effectively.

- **False**
- True

ID: 21922254
PTS: 1

The analysis task should not move from essential information toward implementation detail

- True
- **False**

ID: 21922255
PTS: 1

Component-level design should be non-functionally independent.

- True
- **False**

ID: 21922256
PTS: 1

The design should be developed iteratively. With each iteration, the designer should not strive for greater simplicity.

- True
- **False**

ID: 21922257
PTS: 1

Testing principles and concepts lead to the design of tests that systematically uncover different classes of errors and to do so with a minimum amount of time and effort.

- **True**
- False

ID: 21922271
PTS: 1

Speculation project is not initiated and adaptive cycle planning is not conducted.

- True
- **False**

ID: 21922273
PTS: 1

Delivers multiple ‘software increments’, deliver an operational prototype or portion

of an OS to collect customer feedback for adaption.

- **True**
- False

ID: 21922274
PTS: 1

Our highest priority is to satisfy the customer through early and continuous delivery of valuable software.

- False
- **True**

ID: 21922275
PTS: 1

The most efficient and ineffective method of conveying information too and within a development team is face–to–
ear conversation.

- True
- **False**

ID: 21922277
PTS: 1

Design should be traceable to the requirements model.

- False
- **True**

ID: 21922278
PTS: 1

Components should be loosely coupled to other components and to the internal environment.

- **False**
- True

ID: 21922279
PTS: 1

Software engineering process and practice are important, but the bottom line is people.

- Assess Risk
- No answer text provided.
- Manage Change
- **Build an effective team**

ID: 21922281
PTS: 1

A software development method Originally proposed by Schwaber and Beedle (an activity occurs during a rugby match) in early 1990.

- False
- **True**

ID: 21922282
PTS: 1

_____ provides everyone with a road map for getting to a successful destination.

- Software Application
- Software Practice
- **Software Process**
- Software Engineer

ID: 21922283
PTS: 1

The information domain of a problem must be not represented and understood.

- **False**
- True

ID: 21922807
PTS: 0

Define Conventional wisdom.

- No answer text provided.
- the cost of change increases nonlinearly as a project progresses.
- the art of maximizing the amount of

work not done – is essential.

- **The development guidelines stress delivery over analysis and design although these activates are not discouraged, and active and continuous communication between developers and customers.**

ID: 21922808
PTS: 1

Emphasize an incremental delivery strategy as opposed to intermediate products that did not get working software to the customer as rapidly as feasible.

- **False**
- True

ID: 21922809
PTS: 1

Conventional wisdom is that the cost of change decrease linear as a project progresses.

- True
- **False**

ID: 21922810
PTS: 1

Deliver working software frequently, from a couple of days to a couple of months, with no preference to the shorter timescale.

- True
- **False**

ID: 21922811
PTS: 1

Give them the environment and support they need, and trust them to get the job done.

- **Motivated Individual**
- Satisfy customer
- Face-to-face
- Satisfy employer

ID: 21943338
PTS: 1

The only really important work product is an operational “software decrement” that is not delivered.

- True
- **False**

ID: 21943339
PTS: 1

Try to focus on the speaker's words, rather than formulating your response to those words.

- Prepare you communicate
- Prepare for customer needs
- Someone should facilitate the activity
- **Listen**

ID: 21943340
PTS: 1

The models that depict information, function, and behavior must be partitioned in a manner that uncovers detail in a layered (or hierarchical) fashion.

- **True**
- False

ID: 21943341
PTS: 1

The construction activity encompasses a set of coding and testing tasks that is not lead to operational software that is not readyfor delivery to the customer or end-user.

- **False**
- True

ID: 21943963
PTS: 0

Recommends the construction of a unit test for a story *before* coding commences.

- XP Design
- XP Coding
- **XP Program**
- XP Testing

ID: 21943964
PTS: 1

The approach may be either formal or informal, but mechanisms must be established to manage the way changes are requested, assessed, approved and implemented.

- Build an effective team
- No answer text provided.

- **Manage Change**
- Assess Risk

ID: 21943984
PTS: 1

Emphasize an incremental delivery strategy as opposed to intermediate products that gets working software to the customer as rapidly as feasible.

- **True**
- False

ID: 21943986
PTS: 1

The process molds to the _____ and team, not the other way around.

- self–organizing
- working software
- **needs of people**

ID: 21943987
PTS: 0

_____ is a broad array of principles, concepts, methods and tools that you must consider as software is planned and developed.

- Software Practice
- **Software Process**
- Software Application
- Software Engineer

ID: 21943988
PTS: 0

A familiar context makes software easier to use.

- **Understand the customer**
- Understand the use of abstraction
- Divide and conquer
- Strive for consistency

ID: 21944003
PTS: 1

User interface design should be tuned to the needs of the end-user. However, in every case, it should stress ease of use.

- False
- **True**