Score: 72 / 84

ID: 22034422
PTS: 1

Functional Requirements is a statements of services the system should provide, what the system should not react to particular inputs and what the system should not behave in particular situations.

- True
- **False**

ID: 22034423
PTS: 1

Requirements engineering is the process of establishing the customer service but not requiring from the system and constraints.

- **False**
- True

ID: 22034424
PTS: 0

In practice, requirements and design are inseparable.

- **True**
- False

ID: 22034425
PTS: 1

The requirements themselves are the descriptions of the system services and constraints that are non-generated during the requirements engineering process.

- False
- **True**

ID: 22034426
PTS: 1

Requirements which are a consequence of organisational policies and procedures e.g. process standards used, implementation requirements, etc.

- Product requirements
- **Organisational requirements**
- External requirements

ID: 22034427
PTS: 0

Several different requirements may be expressed together.

- **Requirements confusion**
- Lack of clarity
- Requirements amalgamation

ID: 22034428
PTS: 1

External Requirements which arise from factors which are external to the system and its development process e.g. interoperability requirements, legislative requirements, et.

- False
- **True**

ID: 22034429
PTS: 1

Requirements Confusion Functional and non-functional requirements tend to be mixed-up.

- **True**
- False

ID: 22034430
PTS: 1

This is inevitable as requirements may serve a dual function.

- **True**
- False

ID: 22034431
PTS: 0

Tabular specification used to supplement unnatural language.

- False
- **True**

ID: 22034432
PTS: 1

Requirements discovery the process of gathering information about the required and existing systems and distilling the user and system requirements from this information.

- False
- **True**

ID: 22034433
PTS: 1

Formal or informal interviews with stakeholders are part of most RE processes.

- **True**

- False

ID: 22034434
PTS: 1

Scenarios are real-life examples of how a system can be used.

- False
- **True**

ID: 22034435
PTS: 1

Requirements management is the process of managing changing requirements during the requirements engineering process and system development.

- **True**
- False

ID: 22034436
PTS: 1

These interviews are based on pre-determined list of questions

- Open interviews
- Effective interview
- **Closed interviews**

ID: 22034437
PTS: 1

The requirements be implemented given available budget and technology.

- Completeness
- Validity
- **Realism**

ID: 22034439
PTS: 1

The requirements document and, where necessary, the system design and implementation, are modified.

- **Change implementation**
- Change analysis and costing
- Problem analysis and change specification

ID: 22034440
PTS: 1

Problems of requirements analysis stakeholders know what they really want.

- True
- **False**

ID: 22079176
PTS: 1

Functional Requirements may state what the system should do in overall systematic view.

- True
- **False**

ID: 22079177
PTS: 1

Requirements which specify that the delivered product must behave in a particular way e.g. execution speed, reliability, etc.

- External requirements
- **Product requirements**
- Organisational requirements

ID: 22079178
PTS: 1

Precision is difficult without making the document difficult to read.

- Requirements amalgamation
- **Lack of clarity**
- Requirements confusion

ID: 22079179
PTS: 0

Functional and non-functional requirements tend to be mixed-up.

- **Requirements amalgamation**
- Requirements confusion
- Lack of clarity

ID: 22079180
PTS: 1

This might include graphical system models showing the relationships between the system components and the system and its environment.

- System Index
- System evolution
- **System models**

ID: 22079181
PTS: 1

System Requirements Specification should describe the functional and nonfunctional requirements in more detail.

- False
- **True**

ID: 22079182
PTS: 1

Requirement is a range from a high-level abstract statement of a service or of a system constraint to a detailed mathematical functional specification.

- True
- **False**

ID: 22079183
PTS: 1

Organisational and political factors may not influence the system requirements.

- True
- **False**

ID: 22079184
PTS: 1

Systems normally have a range of stakeholders.

- False
- **True**

ID: 22079185
PTS: 1

Requirements management planning establishes the level of requirements management detail that is not required.

- True
- **False**

ID: 22079187
PTS: 1

Using an executable model of the system to check requirements.

- Requirements review
- **Prototyping**
- Test-case generation

ID: 22079188
PTS: 1

During this stage, the problem or the change proposal is analyzed to check that it is valid.

- **Problem analysis and change specification**
- Change analysis and costing
- Change implementation

ID: 22079189
PTS: 1

Effective Interview Be open-minded, avoid pre-conceived ideas about the requirements and not willing to listen to stakeholders.

- **False**
- True

ID: 22079190
PTS: 1

Different stakeholders may have conflicting requirements.

- False
- **True**

ID: 22101164
PTS: 1

Requirements engineering is the process of establishing the services that the customer requires from a system and the

constraints under which it operates and is developed.

- **True**
- False

ID: 22101166
PTS: 1

What is Functional Requirements?

- Often apply to the system as a whole rather than individual features or services.
- Defines what should be implemented so may be part of a contract between client and contractor.
- **Describe functionality or system services.**

ID: 22101167
PTS: 1

What is Software Requirements document?

- **Is the official statement of what is required of the system developers**
- Applies to the system as a whole rather than individual features or services.

- Defines what should be implemented so may be part of a contract between client and contractor.

ID: 22101168
PTS: 1

The requirements themselves are the descriptions of the system services and constraints that are generated during the requirements engineering process.

- **False**
- True

ID: 22101170
PTS: 1

Organisational and political factors may influence the system requirements.

- False
- **True**

ID: 22101172
PTS: 1

Groups related requirements and organises them into coherent clusters.

- Requirements discovery

- Prioritisation and negotiation
- **Requirements classification and organisation**

ID: 22101175
PTS: 1

Requirements elicitation and analysis sometimes called requirements elicitation or requirements discovery.

- False
- **True**

ID: 22101215
PTS: 1

Non-Functional Requirements often apply to the system as a whole rather than individual features or services.

- False
- **True**

ID: 22101217
PTS: 1

Structured specifications this works well for some types of requirements e.g. requirements for embedded control system but is sometimes too rigid for writing business system requirements.

- **True**
- False

ID: 22101218
PTS: 1

Requirements reviews systematic manual analysis of the requirements.

- **True**
- False

ID: 22101219
PTS: 1

Requirements management planning establishes the level of requirements management detail that is required.

- **True**
- False

ID: 22101220
PTS: 1

The system provides the functions which best support the customer's needs.

- **Validity**
- Consistency
- Completeness

ID: 22101223
PTS: 1

The requirements can be checked.

- Validity
- **Verifiability**
- Realism

ID: 22101235
PTS: 0

Non-Functional Requirements often apply to the system as one rather than dual features or services.

- False
- **True**

ID: 22101236
PTS: 0

Natural Language is a requirements written using numbered sentences and each sentence should express two requirements.

- True
- **False**

ID: 22101237
PTS: 1

These define system properties and constraints e.g. reliability, response time and storage requirements. Constraints are I/O device capability, system representations, etc.

- System Requirements
- **Non-Functional Requirements**
- Functional Requirements

ID: 22101239
PTS: 1

Requirement is a range from a low-level abstract statement of a service or of a system constraint to a detailed mathematical functional specification.

- False

- **True**

ID: 22101240
PTS: 1

These interviews where various issues are explored with stakeholders.

- **Open interviews**
- Closed interviews
- Effective interview

ID: 22101241
PTS: 1

Be open-minded, avoid pre-conceived ideas about the requirements and are willing to listen to stakeholders.

- **Effective interview**
- Open interviews
- Closed interviews

ID: 22101242
PTS: 1

Requirements are documented and input into the next round of the spiral.

- **Requirements Specification**
- Requirements Elicitation
- Requirements Discovery

ID: 22101255
PTS: 1

Domain Requirements is constraints on the system from the domain of operation.

- **True**
- False

ID: 22101256
PTS: 1

A statement using some measure that can be objectively tested.

- Non-Functional Requirement
- Functional Requirement
- **Verifiable non-functional requirement**

ID: 22101257
PTS: 1

User Requirement is a statements in natural language plus diagrams of the services the system provides and its operational constraints.

- **True**
- False

ID: 22101258
PTS: 0

Systems normally have a range of customers.

- **True**
- False

ID: 22101259
PTS: 1

Requirements reviews is a non-systematic manual analysis of the requirements.

- **False**
- True

ID: 22101260
PTS: 1

What is Scope of Ethnography?

- **Requirements that are derived from the way that people actually work rather than the way I which process**

definitions suggest that they ought to work.

- The problem with ethnography is that it studies existing practices which may have some historical basis which is no longer relevant.
- Social and organisational factors of importance may be observed

ID: 22101261
PTS: 0

Requirements elicitation and analytics sometimes called requirements elicitation or requirements discovery.

- **True**
- False

ID: 22101284
PTS: 1

Natural Language is a requirements written using numbered sentences and each sentence should express one requirements.

- **False**
- True

ID: 22101285
PTS: 1

Requirements which arise from factors which are external to the system and its development process e.g. interoperability requirements, legislative requirements, etc

- Organisational requirements
- **External requirements**
- Product requirements

ID: 22101286
PTS: 1

Requirements are expressed in the language of the application domain

- **Understandability**
- Implicitness
- Product requirements

ID: 22101288
PTS: 1

Formal or informal interviews with stakeholders are not part of most RE processes.

- **False**
- True

ID: 22101289
PTS: 1

Developing tests for requirements to check testability.

- **Test-case generation**
- Prototyping
- Requirements review

ID: 22154172
PTS: 1

The process of gathering information about the required and existing systems and distilling the user and system requirements from this information.

- Requirements Elicitation
- Requirements Specification
- **Requirements discovery**

ID: 22154173
PTS: 1

The effect of the proposed change is assessed using traceability information and general knowledge of the system requirements.

- **Change analysis and costing**
- Change implementation
- Problem analysis and change specification

ID: 22154175
PTS: 1

Functional Requirements is a statements of services the system should provide, how the system should react to particular inputs and how the system should behave in particular situations.

- **True**
- False

ID: 22154176
PTS: 1

Structured specifications is not works well for some types of requirements e.g. requirements for embedded control system but is sometimes too rigid for writing business system requirements.

- **False**
- True

ID: 22154178
PTS: 1

Problems of requirements analysis stakeholders doesn't know what they really want.

- False
- **True**

ID: 22154252
PTS: 1

System Requirement is a not structured document setting out detailed descriptions of the system's functions, services and operational constraints

- True
- **False**

ID: 22154253
PTS: 1

Functional Requirements may state what the system should not do.

- False
- **True**

ID: 22154254
PTS: 1

Natural language specification requirements are written as natural language sentences supplemented by diagrams and tables.

- False
- **True**

ID: 22154255
PTS: 0

Different stakeholders and customers may have conflicting requirements

- **True**
- False

ID: 22154270
PTS: 1

This should describe the functional and nonfunctional requirements in more detail.

- User requirements definition
- **System requirements specification**
- Introduction

ID: 22154271
PTS: 0

Requirements management is the process of managing changing views and plans during the requirements engineering process and system development.

- False
- **True**

ID: 22154272
PTS: 0

In practice, requirements and design are separable.

- **False**
- True

ID: 22154273
PTS: 1

Ambiguous requirements may be interpreted in different ways by developers and users.

- Requirements engineering
- **Requirements imprecision**
- System Requirement

ID: 22154274
PTS: 1

What is Scenarios?

- Prompt the interviewee to get discussions going using a springboard question, a

requirements proposal, or by working together on a prototype system.

- **are real-life examples of how a system can be used.**
- Interaction is with system stakeholders from managers to external regulators.

ID: 22154277
PTS: 1

External Requirements which not arise from factors which are external to the system and its development process e.g. interoperability requirements, legislative requirements, et.

- True
- **False**

ID: 22154278
PTS: 0

Scene in the system are real-life examples of how a system can be used.

- False
- **True**

ID: 22154279
PTS: 1

System Requirements Specification should not describe the functional and nonfunctional requirements in more detail.

- **False**
- True

ID: 22154280
PTS: 1

What is Ethnography?

- Sequence diagrams may be used to add detail to use-cases by showing the sequence of event processing in the system.
- **A social scientist spends a considerable time observing and analysing how people actually work.**
- A set of use cases should describe all possible interactions with the system

ID: 22154281
PTS: 1

Requirements discovery the process of gathering information from customer and existing systems.

- **False**
- True

ID: 22158209
PTS: 1

System Requirement is structured document setting out detailed descriptions of the system's functions, services and operational constraints.

- **True**
- False