Score: 87 / 88

ID: 22154140
PTS: 1

It show how the system reacts to internal and external events

- **State diagrams**
- Class Diagrams
- Activity diagrams

ID: 22154141
PTS: 1

These reveal how the system being developed is used in broader business processes.

- **Process models**
- UML activity diagrams
- Context Models

ID: 22154142
PTS: 1

This software display the organization of a system in terms of the components that make up that system and their relationships

- **Structural models**

- System Structure
- Sequence diagrams

ID: 22154143
PTS: 1

Sequence diagrams which show interactions between actors and the system and between system components.

- **True**
- False

ID: 22154144
PTS: 1

A model the interactions between a system and its environment, or between the components of a system.

- external perspective
- structural perspective
- **interaction perspective**

ID: 22154145
PTS: 1

Context Models they show what lies inside the system boundaries.

- True
- **False**

ID: 22154146
PTS: 1

System boundaries are not established to define what is inside and what is outside the system.

- **False**
- True

ID: 22154147
PTS: 1

UML activity diagrams it may be used to define business process models.

- **True**
- False

ID: 22154148
PTS: 1

UML activity diagrams it may not use to define business process models.

- True
- **False**

ID: 22154150
PTS: 1

Localise safety-critical features in a small number of sub-systems.

- Security
- **Safety**
- Performance

ID: 22154151
PTS: 1

What is Layered architecture?

- **Organises the system into a set of layers (or abstract machines) each of which provide a set of services.**
- Distributed system model which shows how data and processing is distributed across a range of components.
- is a stylized description of good

design practice, which has been tried and tested in different environments.

ID: 22154152
PTS: 1

What is Software Architecture?

- is concerned with the way that an individual program is decomposed into components.
- **The output of design process**
- The design process for identifying the sub-systems making up a system and the framework for sub-system control and communication

ID: 22154153
PTS: 1

These are transaction-based systems as interaction with these systems generally involves database transactions.

- **True**
- False

ID: 22154155
PTS: 1

The database server moves information to and from the database and handles

transaction management.

- False
- **True**

ID: 22154156
PTS: 1

The database server doesn't move information to and from the database and handles transaction management.

- True
- **False**

ID: 22154158
PTS: 1

A syntax tree, which is an internal structure representing the program being compiled.

- False
- **True**

ID: 22154159
PTS: 1

A code generator that 'walks' the syntax tree and generates abstract machine code.

- **True**
- False

ID: 22154283
PTS: 1

It helps the analyst to understand the functionality of the system and models are used to communicate with customers.

- System perspectives
- **System modeling**
- Graphical models

ID: 22154284
PTS: 1

External perspective where you model the context or environment of the system.

- **True**
- False

ID: 22154285
PTS: 1

Interaction perspective where you model the context or environment of the system.

- True
- **False**

ID: 22154286
PTS: 1

Activity diagrams shows the activities involved in a process or in data processing.

- False
- **True**

ID: 22154287
PTS: 1

Context Models simply show the other systems in the environment, not how the system being developed is used in that environment.

- False
- **True**

ID: 22154288
PTS: 1

Process models these reveal how not the system being developed is used in broader business processes.

- True
- **False**

ID: 22154290
PTS: 1

Data-centred applications that process user requests and update information in a system database.

- Data processing applications
- Event processing systems
- **Transaction processing applications**

ID: 22154292
PTS: 1

A lexical analyzer, which takes input language tokens and converts them to an internal form.

- **True**
- False

ID: 22154293
PTS: 1

A lexical analyzer, which takes output language tokens and converts them to an internal form.

- True
- **False**

ID: 22154294
PTS: 1

A symbol table, which holds information about the names of entities (variables, class names, object names, etc.) used in the text that is being translated.

- **True**
- False

ID: 22154296
PTS: 1

Semantic analyzer that uses information from the syntax tree and the symbol table to check the semantic correctness of the output language text.

- True
- **False**

ID: 22154297
PTS: 1

Process view which shows how, at run-time, the system is composed of interacting processes.

- False
- **True**

ID: 22154301
PTS: 1

What is Context Models?

- **they show what lies outside the system boundaries.**
- Models should be an accurate representation of the system but need not be complete.
- Models have to be both correct and complete.

ID: 22154302
PTS: 1

This is important as it helps to identify user requirements.

- **Modeling user interaction**
- Modeling component interaction

- Modeling system-to-system interaction

ID: 22154303
PTS: 1

System modeling is the process of developing abstract models of a system, with each model presenting a different view or perspective of that system.

- **True**
- False

ID: 22154304
PTS: 1

State diagrams it shows how the system not reacts to internal and external events.

- **False**
- True

ID: 22154305
PTS: 1

Information systems have a generic architecture that can be organised as a layered architecture.

- False
- **True**

ID: 22154306
PTS: 1

A syntax analyzer, which checks the syntax of the language being translated.

- False
- **True**

ID: 22154308
PTS: 1

Architecture may be used as a focus of discussion by system stakeholders.

- **Stakeholder communication**
- Large-scale reuse
- System analysis

ID: 22154317
PTS: 1

It may be used to define business process models.

- Context Models
- **UML activity diagrams**
- Process models

ID: 22154318
PTS: 1

External perspective where you model the interactions between a system and its environment, or between the components of a system.

- True
- **False**

ID: 22154319
PTS: 1

Context Models they show what lies outside the system boundaries.

- False
- **True**

ID: 22154320
PTS: 1

System boundaries are established to define what is inside and what is outside the system.

- False
- **True**

ID: 22154321
PTS: 1

Context Models simply not show the other systems in the environment, not how the system being developed is used in that environment.

- **False**
- True

ID: 22154322
PTS: 1

Modeling user interaction this is important as it helps to identify user requirements.

- False
- **True**

ID: 22154323
PTS: 1

This show the activities involved in a process or in data processing.

- Case diagrams
- **Activity diagrams**

- Sequence diagrams

ID: 22154324
PTS: 1

It show the object classes in the system and the associations between these classes.

- **Class Diagrams**
- Activity diagrams
- State diagrams

ID: 22154325
PTS: 1

At this level, we are concerned with the way that an individual program is decomposed into components

- **Architecture in the small**
- Architecture in the large
- Architecture in the medium

ID: 22154326
PTS: 1

The web server is irresponsible for all user communications, with the user interface implemented using a web browser.

- True

- **False**

ID: 22154327
PTS: 1

The architecture may be reusable across a range of systems.

- System analysis
- Stakeholder communication
- **Large-scale reuse**

ID: 22154328
PTS: 1

Localize critical operations and minimize communications. Use large rather than fine-grain components.

- Safety
- Security
- **Performance**

ID: 22154329
PTS: 1

It helps us understand if a proposed system structure is likely to deliver the required system performance and dependability

- Modeling user interaction

- **Modeling component interaction**
- Modeling system-to-system interaction

ID: 22154330
PTS: 1

What is Sequence diagrams?

- Use cases were developed originally to support requirements elicitation and now incorporated into the UML.
- **is part of the UML and are used to model the interactions between the actors and the objects within a system.**
- use case may be people or other systems.

ID: 22154331
PTS: 1

Activity diagrams shows the activities are not involved in a process or in data processing.

- **False**
- True

ID: 22154332
PTS: 1

Sequence diagrams which not show interactions between actors and the system and between system components.

- True
- **False**

ID: 22154333
PTS: 1

Class Diagrams it show the object classes in the system and the associations between system component.

- True
- **False**

ID: 22154334
PTS: 1

Modeling user interaction this is not important as it helps to identify user requirements.

- True
- **False**

ID: 22154335
PTS: 1

It show the interactions between a system and its environment.

- **Case diagrams**
- Activity diagrams
- Sequence diagrams

ID: 22154336
PTS: 1

It shows how the software is decomposed for development.

- **development view**
- logical view
- physical view

ID: 22154337
PTS: 1

What is Architectural Patterns?

- Used to model the interfacing of sub-systems.
- Distributed system model which shows how data and processing is distributed across a range of components.
- **is a stylized description of good design practice, which has been tried and tested in different environments.**

ID: 22154338
PTS: 1

Information systems have a generic architecture that cannot be organised as a layered architecture.

- **False**
- True

ID: 22154339
PTS: 1

Process view which shows how, at walk-time, the system is composed of interacting processes.

- True

- **False**

ID: 22154340
PTS: 1

Means that analysis of whether the system can meet its non-functional requirements is possible.

- Stakeholder communication
- Large-scale reuse
- **System analysis**

ID: 22154375
PTS: 1

Process models these reveal how the system being developed is used in broader business processes.

- **True**
- False

ID: 22154376
PTS: 1

These are transaction-based systems as interaction with these systems generally not involves database transactions.

- **False**
- True

ID: 22154377
PTS: 1

A syntax analyzer, which checks the syntax of the language not translated.

- True
- **False**

ID: 22154379
PTS: 1

It shows the system hardware and how software components are distributed across the processors in the system.

- logical view
- process view
- **physical view**

ID: 22154380
PTS: 1

Language processing systems applications where system actions depend on interpreting events from the system's environment.

- False

- **True**

ID: 22154381
PTS: 1

Information and resource management systems are now usually web-based systems where the user interfaces are implemented using a web browser.

- **True**
- False

ID: 22154382
PTS: 1

A syntax tree, which is an external structure representing the program being compiled.

- True
- **False**

ID: 22154383
PTS: 1

A code generator that ‘runs’ the syntax tree and generates abstract machine code.

- True
- **False**

ID: 22154384
PTS: 1

Large-scale reuse the architecture may be reusable across a range of systems.

- **True**
- False

ID: 22154385
PTS: 1

A model the context or environment of the system.

- interaction perspective
- structural perspective
- **external perspective**

ID: 22154386
PTS: 1

Case diagrams which not shows the interactions between a system and its environment.

- **False**
- True

ID: 22154387
PTS: 1

What is Architectural Design?

- **The design process for identifying the sub-systems making up a system and the framework for sub-system control and communication**
- An early stage of the system design process.
- is concerned with the way that an individual program is decomposed into components.

ID: 22154389
PTS: 1

That process data in batches without explicit user intervention during the processing.

- **Data processing applications**
- Transaction processing applications
- Event processing systems

ID: 22154391
PTS: 1

Event processing systems applications where system actions depend on interpreting events from the system's environment.

- **True**
- False

ID: 22154392
PTS: 1

Use a layered architecture with critical assets in the inner layers.

- Safety
- Performance
- **Security**

ID: 22154394
PTS: 1

Case diagrams which shows the interactions between a system and its environment.

- False
- **True**

ID: 22154395
PTS: 1

Use fine-grain, replaceable components.

- Availability
- Safety
- **Maintainability**

ID: 22154396
PTS: 1

Structural perspective where you model the organization of a system or the structure of the data that is not processed by the system.

- **False**
- True

ID: 22154397
PTS: 1

Include redundant components and mechanisms for fault tolerance.

- **Availability**
- Safety
- Maintainability

ID: 22159232
PTS: 1

State diagrams it shows how the system reacts to internal and external events.

- False
- **True**

ID: 22159241
PTS: 1

Small-scale reuse the architecture may be reusable across a range of systems.

- **False**
- True

ID: 22159244
PTS: 1

These are established to define what is inside and what is outside the system.

- Process perspective
- **System boundaries**
- Interaction models

ID: 22159245
PTS: 1

It shows how, at run-time, the system is composed of interacting processes.

- logical view
- physical view
- **process view**

ID: 22159247
PTS: 1

Structural perspective where you model the organization of a system or the structure of the data that is processed by the system.

- False
- **True**

ID: 22159254
PTS: 1

Interaction perspective model where you model the interactions between a system and its environment, or between the components of a system.

- False
- **True**

ID: 22159302
PTS: 1

Class Diagrams it show the object classes in the system and the associations between these classes.

- False
- **True**

ID: 22159303
PTS: 0

The web server is responsible for all user communications, with the user interface implemented using a web browser.

- True
- **False**

ID: 22159324
PTS: 1

System modeling is *not the process* of developing abstract models of a system, with each model presenting a different view or perspective of that system.

- **False**
- True