Score: 84 / 87

ID: 22210145
PTS: 1

Weather stations are usually asked to report once per hour but this frequency may differ from one station to another and may be modified in the future.

- **True**
- False

ID: 22210146
PTS: 1

Software design and implementation activities are invariably outerwear-leaved.

- **False**
- True

ID: 22210148
PTS: 1

The weather substation sends a summary of the system data that has **been not collected** from the instruments in the collection period to the weather information system.

- **False**

- True

ID: 22210149
PTS: 1

Object identification is an iterative process. You are unlikely to get it right first time.

- False
- **True**

ID: 22210150
PTS: 1

This is the basic interface of the weather station to its environment.

- Subsystem Station
- System Station
- **Weather Station**
- Forecast Station

ID: 22210151
PTS: 1

One of the observer patterns is used when multiple displays of state are needed.

- Consequences
- Name
- Solution Description
- **Problem Description**

ID: 22210152
PTS: 1

It Provides a standard way of accessing the elements in a collection, irrespective of how that collection is implemented (Iterator pattern).

- Object Problems
- System Problems
- **Design Problems**
- Class Problems

ID: 22210154
PTS: 1

Concerned with exercising and observing product behaviour (dynamic verification)

- Software Inspections
- **Software Testing**
- User expectations

ID: 22210155
PTS: 1

It is where users or potential users of a system test the system in their own environment.

- Release Testing
- **User Testing**
- Development testing

ID: 22210157
PTS: 1

Each of these classes is an equivalence partition or domain where the program behaves in an equivalent way for each class member.

- **True**
- False

ID: 22210159
PTS: 1

Test software with sequences which have two value.

- **False**
- True

ID: 22210160
PTS: 1

The test expect the system to perform

correctly using a given set of test cases that reflect the system's expected use.

- Defect testing
- Custom testing
- **Validating Testing**

ID: 22210161
PTS: 1

Test-driven development (TDD) is an un-approach to program development in which you inter-leave testing and code development.

- True
- **False**

ID: 22210162
PTS: 1

Regression test suite is developed incrementally as a program is developed.

- **True**
- False

ID: 22210163
PTS: 1

Getting a product to market early may be more important than finding defects in the program.

- **Marketing environment**
- User expectations
- Software purpose

ID: 22348944
PTS: 1

An interaction model is a dynamic model that shows how the system interacts with its environment as it is used.

- False
- **True**

ID: 22348946
PTS: 1

Use a scenario based approach and identify objects based on what participates in what behaviour.

- **False**
- True

ID: 22348947
PTS: 1

Implementation is not the process of

realizing the design as a program.

- **False**
- True

ID: 22348949
PTS: 1

At this level, you directly reuse objects from a library rather than writing the code yourself.

- The component level
- The abstraction level
- The system level
- **The object level**

ID: 22348950
PTS: 1

At this level, you reuse entire application systems.

- The abstraction level
- The object level
- **The system level**
- The component level

ID: 22348951
PTS: 1

They require a lot of effort for development

and maintenance of these models and, for small systems, this may not be cost-effective.

- **True**
- False

ID: 22348952
PTS: 1

It is where you compare the result of the call with the expected result.

- **Assertion Part**
- Setup Part
- Call Part

ID: 22348954
PTS: 1

Guideline-based testing, where you cannot use testing guidelines to choose test cases.

- True
- **False**

ID: 22348955
PTS: 1

Force invalid outputs to be generated

- **True**
- False

ID: 22348956
PTS: 1

TDD was not introduced as part of agile methods such as Extreme Programming.

- **False**
- True

ID: 22348957
PTS: 1

System configure model is a not structural model that demonstrates the other subsystems in the environment of the system being developed.

- True
- **False**

ID: 22348958
PTS: 1

The weather forecast system is not establishing a satellite communication link with the weather station and requests transmission of the data.

- True
- **False**

ID: 22348959
PTS: 1

Object identification is an looping process. You are unlikely to get it right second time.

- True
- **False**

ID: 22348960
PTS: 0

_____ show the objects and object classes and relationships between these entities.

- Sample Model
- Design Model
- Grand Model
- **Class Model**

ID: 22348961
PTS: 1

It is show the sequence of object interactions that take place

- System Model

- Dynamic Model
- Subsystem Model
- **Sequence Model**

ID: 22348962
PTS: 1

System design and implementation is the stage in the software engineering process at which an executable software system is not developed.

- True
- **False**

ID: 22348963
PTS: 1

What is Program Testing?

- defect testing can be deliberately obscure and need not reflect how the system is normally used.
- the system to perform correctly using a given set of test cases that reflect the system's expected use.
- **intended to show that a program does what it is intended to do and to discover program defects before it is put into use.**

ID: 22348965
PTS: 1

Input data and output results often fall into similar classes where all members of a class are related.

- True
- **False**

ID: 22348966
PTS: 1

Parameter interfaces Data passed from one method or procedure to another.

- False
- **True**

ID: 22348967
PTS: 1

Every code segment that you write has at least two associated test so all code written has at least one test.

- **False**
- True

ID: 22348968
PTS: 1

The weather information system establishes a satellite communication link with the weather station and requests transmission of the data.

- False
- **True**

ID: 22348969
PTS: 1

Response is the maximised the data is not sent to the weather information system.

- True
- **False**

ID: 22348970
PTS: 1

The weather station is composed of independent subsystems that communicate by broadcasting messages on a common infrastructure

- **True**
- False

ID: 22348971
PTS: 1

It shows how the design is organized into

logically related groups of objects.

- Design Model
- **Subsystem Model**
- Dynamic Model
- System Model

ID: 22348972
PTS: 1

At this level, you don't reuse software directly but use knowledge of successful abstractions in the design of your software.

- The object level
- **The abstraction level**
- The component level
- The system level

ID: 22348973
PTS: 1

Structured object-oriented design processes involve developing a number of different system models.

- False
- **True**

ID: 22348974
PTS: 1

It is where some or all of the components in a system are integrated and the system is tested as a whole.

- Unit testing
- **System Testing**
- Component Testing

ID: 22348975
PTS: 1

Force computation results to be too large or too small.

- False
- **True**

ID: 22348976
PTS: 1

Force computation will not result to be too large or too small.

- True
- **False**

ID: 22348977
PTS: 1

System testing during development involves integrating components to create a version of the system and then testing the

integrated system.

- **True**
- False

ID: 22348978
PTS: 1

User testing is essential, even when comprehensive system and not release testing have been carried out.

- **False**
- True

ID: 22348979
PTS: 1

Concerned with analysis of the static system representation to discover problems (static verification)

- Software Testing
- User expectations
- **Software Inspections**

ID: 22348980
PTS: 1

A _____ is a way of reusing abstract knowledge about a problem and its solution.

- Class Pattern
- System Pattern
- **Design Pattern**
- Object Pattern

ID: 22348981
PTS: 1

Software design and implementation is the stage in the software engineering process at which an executable software system is developed.

- **True**
- False

ID: 22348982
PTS: 1

It is where several individual units are integrated to create composite components.

- System Testing
- **Component Testing**
- Unit testing

ID: 22348983
PTS: 0

This means that there should be at least

one test for every requirement in the requirements document.

- Test Software
- **Program Testing**
- Custom software

ID: 22348984
PTS: 1

The sequence diagrams associated with the use case documents the components and interactions that are being tested.

- **True**
- False

ID: 22348985
PTS: 1

Test-driven development (TDD) is an approach to program development in which you inter-leave testing and code development.

- **True**
- False

ID: 22348986
PTS: 1

The weather station sends a summary of

the weather data that has been collected from the instruments in the collection period to the weather information system

- **True**
- False

ID: 22348987
PTS: 1

Once interactions between the system and it is local source **have been not understood**, you use this information for designing the system architecture.

- **False**
- True

ID: 22348988
PTS: 1

Implementation is the process of realizing the design as a program

- **True**
- False

ID: 22348989
PTS: 1

At this level the collections of objects and object classes that you reuse in application

systems.

- The object level
- The system level
- **The component level**
- The abstraction level

ID: 22348990
PTS: 1

Force invalid inputs to be generated

- **False**
- True

ID: 22348991
PTS: 1

Software components are often composite components that are made up of one interacting objects.

- True
- **False**

ID: 22348992
PTS: 0

Parameter interfaces Data passed from two method or procedure to another.

- False
- **True**

ID: 22348994
PTS: 1

User testing is essential, even when comprehensive system and release testing have been carried out.

- False
- **True**

ID: 22348995
PTS: 1

It concern with rooting out undesirable system behavior such as system crashes, unwanted interactions with other systems, incorrect computations and data corruption.

- Custom software
- **Defect testing**
- Test software

ID: 22348996
PTS: 1

TDD was introduced as part of agile methods such as Extreme Programming.

- **True**
- False

ID: 22348997
PTS: 1

The test cases in defect testing can be deliberately obscure and need not reflect how the system is normally used.

- Validating Testing
- **Defect Testing**
- Custom Testing

ID: 22348998
PTS: 1

Users may have low expectations of certain kinds of software.

- Software purpose
- **User expectations**
- Marketing environment

ID: 22348999
PTS: 1

System context model is a structural model that demonstrates the other systems in the environment of the system being developed.

- False
- **True**

ID: 22349000
PTS: 1

Response is the summarized data is sent to the weather information system.

- **True**
- False

ID: 22349002
PTS: 1

Software components are often composite components that are made up of several interacting objects.

- **True**
- False

ID: 22349003
PTS: 1

System testing during development involves integrating components not to create a version of the system and then testing the integrated system.

- **False**
- True

ID: 22349004
PTS: 1

The sequence diagrams associated with the use case documents the components and interactions that are not being tested.

- **False**
- True

ID: 22349007
PTS: 1

Use a behavioural approach and identify objects based on what participates in what behaviour.

- False
- **True**

ID: 22349008
PTS: 1

A _____ is a package of software controlled instruments which collects data, performs some data processing and transmits this data for further processing.

- Object Station
- **Weather Station**
- Class Station
- Forecast Station

ID: 22349009
PTS: 1

Application domain objects that are '_____' objects related to the instruments in the system.

- Software
- System
- Object
- **Hardware**

ID: 22349010
PTS: 1

It is where the system is tested during development to discover bugs and defects.

- User Testing
- **Development testing**
- Release Testing

ID: 22349011
PTS: 1

It is where individual program units or

object classes are tested.

- System Testing
- **Unit testing**
- Component Testing

ID: 22349012
PTS: 1

It is where you identify groups of inputs that have common characteristics and should be processed in the same way.

- Unit testing
- System Testing
- **Partition Testing**

ID: 22349013
PTS: 1

The level of confidence depends on how critical the software is to an organisation.

- User expectations
- **Software purpose**
- Marketing environment

ID: 22349034

PTS: 1

_____ is the most modern software is constructed by reusing existing components or systems.

- Management Development
- **Reuse**
- Configuration Management
- Host-Target Development

ID: 22349035
PTS: 1

Structured object programming design processes not involve developing a number of different system models.

- True
- **False**

ID: 22349134
PTS: 1

_____ are used to show how objects respond to different service requests and the state transitions triggered by these requests.

- System Diagram
- File Diagram
- Subsystem Diagram
- **State Diagram**

ID: 22349135
PTS: 1

_____ is the name given to the general process of managing a changing software system.

- Host-Target Development
- Management Development
- **Configuration Management**
- Reuse

ID: 22349147
PTS: 1

Every code segment that you write has at least one associated test so all code written has at least one test.

- **True**

- False

ID: 22349148
PTS: 1

They require a lot of effort for testing and maintenance of these models and, for small systems, this may not be cost-effective.

- **False**
- True

ID: 22349149
PTS: 1

_____ describe the dynamic interactions between objects.

- System Model
- **Dynamic Model**
- Design Model
- Class Model

ID: 22349185
PTS: 1

Encapsulates the summarized data from the instruments.

- Application Data
- Forecast Data

- **Weather Data**
- System Data

ID: 22349186
PTS: 1

Test software with sequences which have only a single value.

- False
- **True**

ID: 22349189
PTS: 1

It is where a separate testing team test a complete version of the system before it is released to users.

- User Testing
- **Release Testing**
- Development testing