Score: 242 / 257

ID: 22830753
PTS: 1

A company that purchased an HVAC system for the datacenter is MOST concerned with which of the following?

- Integrity
- **Availability**
- Confidentiality
- Fire suppression

ID: 22830754
PTS: 1

A security administrator wants to ensure that the message the administrator sends out to their Chief Financial Officer (CFO) does not get changed in route. Which of the following is the administrator MOST concerned with?

- Business continuity
- **Data integrity**
- High availability
- Data confidentiality

ID: 22830756
PTS: 1

Franz is working on her university applications online, when the admissions website crashes. She is unable to turn in her application on time.

- Confidentiality
- Integrity
- **Availability**
- None of the above

ID: 22830757
PTS: 1

It is a possible danger that might exploit a vulnerability to breach security and therefore cause possible harm.

- Intrusion
- **Threat**
- Prevention
- Vulnerability

ID: 22830758
PTS: 1

It is assurance of accessible data or data assets.

- Information Integrity
- **Information Security**
- Information Privacy
- Information Confidentiality

ID: 22830759
PTS: 0

It is important to staff who use email messaging to provide PII to others on a regular basis to have confidence that their messages are not intercepted or altered during transmission. They are concerned about which of the following types of security control?

- Safety
- Availability
- Integrity
- **Confidentiality**

ID: 22830760
PTS: 1

JP gets his phone bill within the mail. The charge was assumed to be for $80, but the mail individual spilled water on the charge, spreading the ink. The charge presently

inquires for $8.

- Availability
- None of the above
- **Integrity**
- Confidentiality

ID: 22830761
PTS: 1

Sara, a security administrator, manually hashes all network device configuration files daily and compares them to the previous days' hashes. Which of the following security concept is Sara using?

- Availability
- Compliance
- Confidentiality
- **Integrity**

ID: 22830765
PTS: 1

It is an authentication method that identifies and recognizes individuals based on voice recognition or physical characteristics such as a fingerprint, face acknowledgment, iris recognition, and retina check

- **Biometrics**
- Keystroke dynamics
- Token

- Kerberos

ID: 22830766
PTS: 1

It is an encryption and decryption key that is randomly generated to ensure the security of a communications session between a user and another computer or between two computers.

- Cipher Suites
- **Session Keys**
- Key exchange
- Digital Signature

ID: 22830767
PTS: 0

It is one way to enable security during the process of message transmission when the message is intended for a recipient only.

- Asymmetric encryption
- Hashing
- **Symmetric encryption**
- encryption key

ID: 22830768
PTS: 1

It is the practice of converting a password

to a longer and more random key for cryptographic purposes such as encryption.

- Key exchange
- **Key Stretching**
- Cipher Suites
- Session Keys

ID: 22830769
PTS: 1

It provides two-way authentication

- Mutual authentication
- Biometrics
- **Multifactor authentication**
- Single factor authentication

ID: 22830770
PTS: 1

Which of the following security concepts can prevent a user from logging on from home during the weekends?

- Implicit deny
- Common access card
- Multifactor authentication
- **Time of day restrictions**

ID: 22830771
PTS: 1

Which of the following should be used when a business needs a block cipher with minimal key size for internal encryption?

- AES
- **Blowfish**
- RC5
- 3DES

ID: 22830772
PTS: 1

Which of the following security concepts can avoid a client from logging on from home amid the ends of the week?

- Implicit deny
- Multifactor authentication
- Common access card
- **Time of day restrictions**

ID: 22830773
PTS: 1

Confidential records such as research data, student folders, personnel records, and financial records that have account numbers listed

- Recycle

- **Shred**
- Transfer
- Delete

ID: 22830774
PTS: 1

It could be a level of quality or fulfillment

- Guidelines
- **Standards**
- Policy statement
- Security policy

ID: 22830775
PTS: 1

It gives centralized administration and setup of operating systems, applications, and users' settings in an Active Directory environment.

- Wireless standards policy
- **Group Policy**
- System Architecture
- Social media policy

ID: 22830777
PTS: 1

It may be isolated from the arrangement as a entirety and included in a comprehensive Business Continuity Plan Format for your

organization

- Intrusion Detection
- Anti-Virus
- **Back-up and Recovery**
- Internet

ID: 22830778
PTS: 1

It ought to incorporate a well-defined security vision for the organization.

- Procedures
- **Security policies**
- User Access to Computer Resources
- Enforcement

ID: 22830780
PTS: 1

It requires understanding how people experience change and what they need to change successfully.

- Change management
- **Individual change management**
- Enterprise change management
- Organizational change management

ID: 22830781
PTS: 1

Records that are not confidential and do not contain personal/financial identifying information.

- Shred
- Transfer
- Delete
- **Recycle**

ID: 22830782
PTS: 1

These are typically stored in folders, which are kept in filing cabinets.

- **Paper documents**
- Retention Schedules

- Classification
- Official information

ID: 22830783
PTS: 1

It is a cyber-attack that uses disguised email as a weapon.

- Vishing
- Hoax
- **Phishing**
- Spoofing

ID: 22830784
PTS: 0

It is a method used by cybercriminals to masquerade as a senior player at an organization and directly target senior or other important individuals at an organization

- URL hijacking
- Spam
- Spim
- **whaling**

ID: 22830786
PTS: 1

It is the act of taking data put away on computers, servers, or other gadgets from

an unconscious casualty with the expectation to compromise protection or get secret data

- **Data theft**
- Script kiddie
- Malicious insiders
- Hacktivists

ID: 22830787
PTS: 1

It is the process by which a URL is wrongly removed from the search engine index and replaced by another URL.

- URL hijacking
- Spim
- **whaling**
- Spam

ID: 22830789
PTS: 1

It may be a strategy utilized by cyber offenders to disguise as a senior player at an organization and straightforwardly target senior or other vital people at an organization

- Spim
- Spam
- URL hijacking

- **whaling**

ID: 22830790
PTS: 1

It may be an amusing or pernicious misdirection.

- **Hoax**
- Phishing
- Vishing
- Spoofing

ID: 22830791
PTS: 1

Mike, a user, states that he is receiving several unwanted emails about home loans. Which of the following is this an example of?

- Spoofing
- Hoaxes
- **Spam**
- Spear phishing

ID: 22830792
PTS: 1

This technique typically relies on the trusting nature of the person being attacked.

- Computer Engineering
- **Social Engineering**
- Reverse Engineering
- Cyber Engineering

ID: 22830793
PTS: 1

Account lockout is a mitigation strategy used by Jane, the administrator, to combat which of the following attacks?

- Man-in-the-middle
- Spoofing
- **Brute force**
- Privilege escalation

ID: 22830794
PTS: 1

An attacker attempted to compromise a web form by inserting the following input into the username field: admin)(|(password=*))
Which of the following types of attacks was attempted?

- Cross-site scripting
- Command injection
- SQL injection
- **LDAP injection**

ID: 22830795
PTS: 1

Ann, a software developer, has installed some code to reactivate her account one week after her account has been disabled. Which of the following is this an example of?

- Botnet
- **Backdoor**
- Rootkit
- Spyware

ID: 22830796
PTS: 1

During a server audit, a security administrator does not notice abnormal activity. However, a network security analyst notices connection to unauthorized ports from outside the corporate network. Using specialized tools, the network security analyst also notices hidden processes running. Which of the following has MOST likely been installed on the server?

- Logic bomb
- **Rootkit**
- Backdoor
- SPIM

ID: 22830798
PTS: 1

It does this by monitoring a user's input and keeping a log of all keys that are pressed.

- Trojan Horse
- **keylogger**
- Rootkits
- Backdoor Attacks

ID: 22830800
PTS: 1

It is a type of malware from cryptology that threatens to publish the victim's data or perpetually block access to it unless a ransom is paid

- **Ransomware**
- Botnets
- Logic Bombs
- Polymorphic Malware

ID: 22830801
PTS: 1

It is several Internet-connected devices, each of which is running one or more bots.

- Polymorphic Malware
- **Botnets**
- Logic Bombs

- Ransomware

ID: 22830804
PTS: 0

It can be difficult to detect because the network transmissions will appear to be operating normally.

- **Man-in-the-Middle Attacks**
- Eavesdropping Attacks
- Evil twin attack
- Replay Attacks

ID: 22830805
PTS: 0

It can be troublesome to distinguish since the network transmissions will show up to be working regularly.

- **Man-in-the-Middle Attacks**
- Replay Attacks
- Evil twin attack
- Eavesdropping Attacks

ID: 22830807
PTS: 1

It is a hacking method that allows an individual to send anonymous messages to Bluetooth-enabled devices within a certain radius.

- Jamming
- Evil Twins
- Bluesnarfing
- **Bluejacking**

ID: 22830808
PTS: 1

It is also known as bluehacking.

- Bluesnarfing
- **Bluejacking**
- Jamming
- Evil Twins

ID: 22830809
PTS: 1

It is an assault that traps a client into clicking a webpage component which is undetectable or masked as another component.

- **Clickjacking**
- Password stealer
- Account phishing
- Spamming

ID: 22830810
PTS: 1

It is an attack on the protocol used to determine a device's hardware address (MAC address) on the network when the IP address is known.

- Denial-of-service attack
- **ARP poisoning**
- Distributed denial of service
- Session hijacking

ID: 22830811
PTS: 1

It is the prevention of unauthorized users from accessing your wireless network and stealing the data using your Wi-Fi network.

- Transitive access
- **Wireless security**
- Evil Twins
- Rogue Access Points

ID: 22830812
PTS: 0

It takes advantage of the specific capacity limits that apply to any network resources – such as the infrastructure that enables a company's website.

- Distributed denial of service
- ARP poisoning
- **Denial-of-service attack**

- Session hijacking

ID: 22876633
PTS: 1

Are intended to limit the extent of any damage caused by the incident by recovering the organization to normal working status as efficiently as possible

- **Corrective controls**
- Preventive controls
- Active controls
- Detective controls

ID: 22876634
PTS: 1

Are the countermeasures that you need to put in place to avoid, mitigate, or counteract security risks due to threats or attacks.

- **Control**
- Attack
- CIA Triad
- Integrity

ID: 22876636
PTS: 1

It is protection of available information or information resources.

- Information Confidentiality
- Information Privacy
- **Information Security**
- Information Integrity

ID: 22876638
PTS: 1

Matt, a security administrator, wants to ensure that the message he is sending does not get intercepted or modified in transit. This concern relates to which of the following concepts?

- Availability
- Confidentiality
- **Integrity**
- Accounting

ID: 22876639
PTS: 1

The process of putting a decision or plan into effect also known as execution.

- Running
- Monitoring
- Identification
- **Implementation**

ID: 22876640
PTS: 1

What isn't objective of security?

- **Intrusion**
- Threats
- Risk
- Vulnerability

ID: 22876642
PTS: 1

A security analyst discovered data such as images and word documents hidden within different types of files. Which of the following cryptographic concepts describes what was discovered?

- Symmetric encryption
- Non-repudiation
- **Steganography**
- Hashing

ID: 22876643
PTS: 1

During a routine audit a web server is flagged for allowing the use of weak ciphers. Which of the following should be disabled to mitigate this risk? (Select TWO).

- **SSL 1.0**
- AES
- RC4
- SSL 3.0

ID: 22876644
PTS: 1

It is defined as the act of determining who someone or what something is.

- Authentication
- Authorization
- **Identification**
- Non-repudiation

ID: 22876645
PTS: 1

It limits when users can access specific systems based on the time of day or week.

- Security token
- **Time of day restrictions**
- Mandatory vacations
- Biometrics

ID: 22876646
PTS: 1

It only denies a permission until the user or

group can perform the permission

- Separation of duties
- Access control
- **Implicit deny**
- Job rotation

ID: 22876647
PTS: 1

To ensure compatibility with their flagship product, the security engineer is tasked to recommend an encryption cipher that will be compatible with the majority of third-party software and hardware vendors. Which of the following should be recommended?

- Blowfish
- SHA
- MD5
- **AES**

ID: 22876648
PTS: 1

It addresses any data that's secured against ridiculous divulgence.

- Passwords
- E-Mail
- Security Profiles
- **Sensitive data**

ID: 22876649
PTS: 1

It could be a set of rules connected by the proprietor, maker or director of a network, site, or service

- Remote Access
- **Acceptable User Policy**
- Information Security Auditing
- Information Security Training

ID: 22876650
PTS: 1

It could be a set of rules outlined to upgrade computer security by empowering clients to utilize solid passwords and utilize them appropriately.

- Privacy policy
- Extranet policy
- Audit policy
- **Password policy**

ID: 22876652
PTS: 1

It distinguishes the recurrence of overhauling the record definitions as well as how detachable media, mail connections and other records are filtered.

- Intrusion Detection
- Internet
- **Anti-Virus**
- Back-up and Recovery

ID: 22876653
PTS: 1

It incorporates how to handle connections, through sifting, individual utilize of the mail framework, dialect confinements, and authentic necessities

- Security Profiles
- Passwords
- Sensitive data
- **E-Mail**

ID: 22876654
PTS: 1

It is the discipline that guides how we prepare, equip and support individuals to successfully adopt change in order to drive organizational success and outcomes.

- Organizational change management
- Enterprise change management
- **Change management**
- Individual change management

ID: 22876655
PTS: 1

It is the teach that guides how we plan, prepare and back people to effectively embrace alter in arrange to drive organizational victory and results.

- **Change management**
- Individual change management
- Enterprise change management
- Organizational change management

ID: 22876656
PTS: 1

It can lead to a tremendous drop in guests of websites.

- Spam
- **URL hijacking**
- whaling
- Spim

ID: 22876657
PTS: 1

It is a technique used to retrieve information that could be used to carry out an attack on a computer network.

- Tailgating
- **Dumpster diving**
- Spam
- Shoulder surfing

ID: 22876658
PTS: 1

It is a type of social engineering technique used to obtain information such as personal identification numbers (PINs), passwords and other confidential data by looking over the victim's shoulder

- Dumpster diving
- Tailgating
- **Shoulder surfing**
- Spam

ID: 22876659
PTS: 1

It is additionally known as piggybacking.

- Spam
- **Tailgating**
- Dumpster diving
- Shoulder surfing

ID: 22876660
PTS: 1

It is also sometimes considered an act of Internet terrorism where terrorist activities.

- Script kiddie
- Electronic vandalism
- **Cyberterrorism**
- Data theft

ID: 22876661
PTS: 1

It is the false hone of sending emails implying to be from legitimate companies in arrange to actuate people to uncover individual data, such as passwords and credit card numbers.

- Vishing
- **Phishing**
- Spoofing

- Hoax

ID: 22876662
PTS: 1

It is unsolicited usually commercial messages sent to a large number of recipients or posted in a large number of places

- whaling
- URL hijacking
- **Spam**
- Spim

ID: 22876663
PTS: 1

It particularly targets senior administration that hold control in companies, such as the CEO, CFO, or other administrators

- Spim
- Spam
- **whaling**
- URL hijacking

ID: 22876664
PTS: 1

A security administrator is concerned about the strength of user's passwords. The company does not want to implement a

password complexity policy. Which of the following can the security Administrator implement to mitigate the risk of an online password attack against users with weak passwords?

- Increase the password history
- **Shorten the password expiration period**
- Increase the password length requirements
- Decrease the account lockout time

ID: 22876665
PTS: 1

A server administrator notes that a legacy application often stops running due to a memory error. When reviewing the debugging logs, they notice code being run calling an internal process to exploit the machine. Which of the following attacks does this describe?

- Malicious add-on
- Zero-day
- Cross site scripting
- **Buffer overflow**

ID: 22876666
PTS: 1

A user casually browsing the Internet is redirected to a warez site where a number

of pop-ups appear. After clicking on a pop-up to complete a survey, a drive-by download occurs. Which of the following is MOST likely to be contained in the download?

- Smurf
- **Spyware**
- Backdoor
- Logic bomb
- DDoS

ID: 22876667
PTS: 1

It is a program that records the keystrokes on a computer.

- Backdoor Attacks
- Trojan Horse
- Rootkits
- **keylogger**

ID: 22876668
PTS: 1

It is a software program designed to provide a user with administrator access to a computer without being detected.

- Trojan Horse
- **Rootkits**
- Backdoor Attacks

- keylogger

ID: 22876669
PTS: 1

It is an executable program that appears as a desirable or useful program.

- Backdoor Attacks
- keylogger
- **Trojan Horse**
- Rootkits

ID: 22876670
PTS: 1

It may be a program that can duplicate itself and infect a computer without the user's consent or information. Early viruses were usually a few forms of executable code that was hidden within the boot sector of a disk or as an executable file.

- **Viruses**
- Adware
- Worms
- Spyware

ID: 22876671
PTS: 1

These are a critical segment of a pentest in which preparation can make a major

impact on the success of a pentest.

- Software attacks
- Backdoor Attacks
- Spyware Attacks
- **Password attacks**

ID: 22876672
PTS: 1

These attacks start with commonly used, weak passwords like Password123 and move on from there.

- Man In the Middle
- Dictionary attack
- **Brute force**
- Rainbow Table Attack

ID: 22876673
PTS: 1

A user commuting to work via public transport received an offensive image on their smart phone from another commuter. Which of the following attacks MOST likely took place?

- War chalking
- Bluesnarfing
- **Bluejacking**
- War driving

ID: 22876674
PTS: 1

All the following are Environmental Threats except

- **Assessment**
- Flood
- Extreme humidity
- Extreme temperature

ID: 22876676
PTS: 1

It is also known as black hole DNS

- War Chalking
- Wireless Replay Attacks
- **Sinkhole Attacks**

- War driving

ID: 22876677
PTS: 1

It may be a Trojan that's planned to accumulate data from a system.

- Clickjacking
- Spamming
- **Password stealer**
- Account phishing

ID: 22884294
PTS: 1

A shortcoming which can be misused by a risk actor, such as an aggressor, to perform unauthorized activities inside a computer system.

- Intrusion
- **Vulnerability**
- Threat
- Prevention

ID: 22884295
PTS: 1

It is the state of being whole and undivided.

- Confidentiality

- Availability
- **Integrity**
- Attack

ID: 22884296
PTS: 1

It is to set upon in a powerful, rough, antagonistic, or forceful way, with or without a weapon

- **Attack**
- Integrity
- Control
- CIA Triad

ID: 22884297
PTS: 1

PJ is buying books from an online retail location, and she finds that she can alter the cost of a book from $19.99 to $1.99. Which portion of the CIA set of three has been broken?

- Availability
- None of the above
- **Integrity**
- Confidentiality

ID: 22884298
PTS: 1

What does integrity of information allude to

- The level of assurance which can be given as to how strong data is
- The level of assurance which can be given as to how structured data is
- **The level of assurance which can be given as to how accurate and trustworthy data is**
- The level of assurance which can be given as to how relevant the data is

ID: 22884299
PTS: 1

What is not goal of security?

- Threats
- Risk
- **Intrusion**
- Vulnerability

ID: 22884300
PTS: 1

A security technique that regulates who or what can view or use resources in a computing environment

- Separation of duties
- Implicit deny
- Job rotation

- **Access control**

ID: 22884301
PTS: 1

An administrator notices that former temporary employees' accounts are still active on a domain. Which of the following can be implemented to increase security and prevent this from happening?

- **Run a last logon script to look for inactive accounts.**
- Implement a password expiration policy.
- Implement time of day restrictions for all temporary employees.
- Implement an account expiration date for permanent employees.

ID: 22884302
PTS: 1

It can limit access to sensitive environments to normal business hours when. oversight and monitoring can be performed to prevent fraud, abuse, or intrusion.

- **Time of day restrictions**
- Mandatory vacations
- Biometrics
- Security token

ID: 22884303
PTS: 1

It is a method in cryptography by which cryptographic keys are exchanged between two parties, allowing use of a cryptographic algorithm.

- **Key exchange**
- Cipher Suites
- Digital Signature
- Session Keys

ID: 22884304
PTS: 1

It is a principle that prevents any single person or entity from being able to have full access or complete all the functions of a critical or sensitive process.

- Job rotation
- Access control
- Implicit deny
- **Separation of duties**

ID: 22884305
PTS: 1

It uses a single key to encrypt and decrypt data.

- Hashing
- encryption key
- Asymmetric encryption
- **Symmetric encryption**

ID: 22884307
PTS: 1

Which of the following BEST describes using a smart card and typing in a PIN to gain access to a system?

- Single factor authentication
- Biometrics
- **Multifactor authentication**
- PKI

ID: 22884308
PTS: 1

Which of the following concepts describes the use of a one-way transformation in order to validate the integrity of a program?

- **Hashing**
- Non-repudiation
- Steganography

- Key escrow

ID: 22884309
PTS: 1

Which of the following must a user implement if they want to send a secret message to a coworker by embedding it within an image?

- **Steganography**
- Transport encryption
- Hashing
- Digital signature

ID: 22884310
PTS: 1

Electronic records that are not archival. Click here for tips on identifying and deleting electronic records that have met retention.

- Transfer
- Recycle
- **Delete**
- Shred

ID: 22884311
PTS: 1

It is a built up or official way of doing something.

- **Procedures**
- User Access to Computer Resources
- Enforcement
- Security policies

ID: 22884313
PTS: 1

It is the continued possession, use, or control of documentation

- disposal
- destruction
- **retention**
- Storage

ID: 22884314
PTS: 1

It may be a common rule, guideline, or piece of counsel.

- Policy statement
- Security policy
- **Guidelines**
- Standards

ID: 22884315
PTS: 1

It ought to recognize the parts and duties of clients getting to assets on the organization's network

- Enforcement
- Security policies
- **User Access to Computer Resources**
- Procedures

ID: 22884316
PTS: 1

It portrays the approach beneath which third-party organizations connect to your systems for the reason of executing commerce related to your company

- Password policy
- **Extranet policy**
- Privacy policy
- Audit policy

ID: 22884318
PTS: 1

A human resources employee receives an email from a family member stating there is a new virus going around. In order to remove the virus, a user must delete the Boot.ini file from the system immediately. This is an example of which of the following?

- **Hoax**
- Whaling
- Spam
- Phishing

ID: 22884319
PTS: 0

It could be a developing issue for person computer clients as well as huge organizations and organizations.

- Malicious insiders
- Data theft
- **Script kiddie**
- Hacktivists

ID: 22884320
PTS: 1

It could be an individual who picks up unauthorized get to to computer records or systems in arrange to encourage social or political closes.

- **Hacktivists**
- Malicious insiders
- Data theft
- Script kiddie

ID: 22884321
PTS: 1

It is a growing problem for individual computer users as well as large corporations and organizations.

- Script kiddie
- Malicious insiders
- Hacktivists
- **Data theft**

ID: 22884322
PTS: 1

It is the act of stealing information stored on computers, servers, or other devices from an unknowing victim with the intent to compromise privacy or obtain confidential information.

- **Data theft**
- Hacktivists
- Script kiddie
- Malicious insiders

ID: 22884323
PTS: 0

It does not corrupt or modify files on a target computer.

- **Adware**
- Worms
- Spyware
- Viruses

ID: 22884324
PTS: 1

It gathers your personal information and relays it to advertisers, data firms, or external users.

- Adware
- **Spyware**
- Viruses
- Worms

ID: 22884325
PTS: 1

It is a piece of code intentionally inserted into a software system that will set off a malicious function when specified conditions are met.

- **Logic Bombs**
- Ransomware
- Polymorphic Malware
- Botnets

ID: 22884326
PTS: 1

It is a software or hardware device designed to gain administrator-level control over a computer system without being detected. Rootkits can target the BIOS, hypervisor, boot loader, kernel or, less commonly, libraries or applications.

- **Rootkits**
- keylogger
- Backdoor Attacks
- Trojan Horse

ID: 22884327
PTS: 1

It is a software that automatically displays or downloads advertising material (often unwanted) when a user is online.

- Worms
- Viruses
- **Adware**
- Spyware

ID: 22884329
PTS: 0

Sara, a hacker, is completing a website form to request a free coupon. The site has a field that limits the request to 3 or fewer coupons. While submitting the form, Sara

runs an application on her machine to intercept the HTTP POST command and change the field from 3 coupons to 30. Which of the following was used to perform this attack?

- XML injection
- Packet sniffer
- Proxy
- **SQL injection**

ID: 22884330
PTS: 1

These are considered one of the most serious types of malware since they may be used to gain unauthorized access to remote systems and perform malicious operations.

- Backdoor Attacks
- Trojan Horse
- **Rootkits**
- keylogger

ID: 22884331
PTS: 1

Two programmers write a new secure application for the human resources department to store personal identifiable information. The programmers make the application available to themselves using an uncommon port along with an ID and

password only they know. This is an example of which of the following?

- Spyware
- **Backdoor**
- Root Kit
- Logic Bomb

ID: 22884332
PTS: 1

It is an attack that tricks a user into clicking a webpage element which is invisible or disguised as another element.

- Spamming
- Password stealer
- **Clickjacking**
- Account phishing

ID: 22884333
PTS: 1

It is an attack where the attacker secretly relays and possibly alters the communications between two parties who believe that they are directly communicating with each other.

- **Man-in-the-Middle Attacks**
- Replay Attacks
- Evil twin attack
- Eavesdropping Attacks

ID: 22884334
PTS: 1

It is the action of sending promotions by e-mail to individuals who don't need to get them

- **Spamming**
- Clickjacking
- Password stealer
- Account phishing

ID: 22884335
PTS: 1

It is the use of messaging systems to send an unsolicited message (spam), especially advertising, as well as sending messages repeatedly on the same website.

- Password stealer
- Account phishing
- **Spamming**
- Clickjacking

ID: 22884336
PTS: 1

It is the utilize of informing frameworks to send a spontaneous message (spam), particularly promoting, as well as sending messages over and over on the same site

- Clickjacking
- **Spamming**
- Account phishing
- Password stealer

ID: 22884337
PTS: 1

Joe, a user, in a coffee shop is checking his email over a wireless network. An attacker records the temporary credentials being passed to Joe's browser. The attacker later uses the credentials to impersonate Joe and creates SPAM messages. Which of the following attacks allows for this impersonation?

- XML injection
- Header manipulation
- **Session hijacking**
- Directory traversal

ID: 22884417
PTS: 1

It is the state of being whole and unified.

- Availability
- Confidentiality
- **Integrity**
- Attack

ID: 22884418
PTS: 1

What does confidentiality of data refer to?

- Rules which prevent data from being changed
- **Rules which restrict access only to those who need to know**
- Rules which allow access only to all parties
- Rules which hide data

ID: 22884419
PTS: 1

A company with a US-based sales force has requested that the VPN system be configured to authenticate the sales team based on their username, password and a client-side certificate. Additionally, the security administrator has restricted the VPN to only allow authentication from the US territory. How many authentication factors are in use by the VPN system?

- 2
- 4
- 1
- **3**

ID: 22884420
PTS: 1

It helps to reduce fraud and discover malicious activities by employees.

- Security token
- Time of day restrictions
- Biometrics
- **Mandatory vacations**

ID: 22884421
PTS: 1

It is the process of verifying the identity of a person or device.

- **Authentication**
- Identification
- Authorization
- Non-repudiation

ID: 22884422
PTS: 0

It characterizes account limits for a set of

clients of one or more assets.

- Privacy policy
- Audit policy
- **Password policy**
- Extranet policy

ID: 22884423
PTS: 1

It gives rules with respect to remote access points and the administration by ITS of 802.11X and related remote guidelines get to

- System Architecture
- Group Policy
- Social media policy
- **Wireless standards policy**

ID: 22884424
PTS: 1

It involves first identifying the groups and people who will need to change as the result of the project, and in what ways they will need to change.

- **Organizational change management**
- Individual change management
- Change management
- Enterprise change management

ID: 22884425
PTS: 1

It is how are all the security programs looked into and how as often as possible

- Information Security Training
- Acceptable User Policy
- **Information Security Auditing**
- Remote Access

ID: 22884426
PTS: 1

It ought to report what sort of mindfulness program is in put and how is it communicated on a normal premise.

- Information Security Auditing
- **Information Security Training**
- Remote Access
- Acceptable User Policy

ID: 22884427

PTS: 1

It copies (something) whereas overstating its characteristic highlights for comedian impact

- Phishing
- Vishing
- Hoax
- **Spoofing**

ID: 22884428
PTS: 1

It is perpetuated by bots that harvest IM screen names off of the Internet and simulate a human user by sending spam to the screen names via an instant message.

- Spam
- **Spim**
- whaling
- URL hijacking

ID: 22884429
PTS: 1

It is the false hone of making phone calls or clearing out voice messages implying to be from legitimate companies in arrange to initiate people to uncover individual data, such as bank subtle elements and credit card numbers.

- **Vishing**

- Hoax
- Spoofing
- Phishing

ID: 22884430
PTS: 1

Which of the following attacks targets high level executives to gain company information?

- Spoofing
- Vishing
- **Whaling**
- Phishing

ID: 22884431
PTS: 1

Which of the following might a security administrator actualize to relieve the hazard of tailgating for a huge organization?

- Train employees on correct data disposal techniques and enforce policies.
- **Train employees on risks associated with social engineering attacks and enforce policies.**
- Only allow employees to enter or leave through one door at specified

times of the day.
- Only allow employees to go on break one at a time and post security guards 24/7 at each entrance.

ID: 22884432
PTS: 1

A security administrator wants to deploy security controls to mitigate the threat of company employees' personal information being captured online. Which of the following would BEST serve this purpose?

- Antivirus
- Web content filter
- Host-based firewall
- **Anti-spyware**

ID: 22884434
PTS: 1

Highly sensitive data is stored in a database and is accessed by an application on a DMZ server. The disk drives on all servers are fully encrypted. Communication between the application server and end-users is also encrypted. Network ACLs prevent any connections to the database server except from the application server. Which of the following can still result in exposure of the sensitive data in the database server?

- **SQL Injection**
- Cookies
- Theft of the physical database server
- Cross-site scripting

ID: 22884435
PTS: 1

It can happen there the hacker uses some website applications to transfer some bad malicious code.

- **Cross-site scripting**
- SQL injection
- LDAP injection
- XML injection

ID: 22884436
PTS: 1

It is a self-replicating program that copies itself to other computers over the network without the need for any user intervention.

- Viruses
- Spyware
- **Worms**
- Adware

ID: 22884437
PTS: 1

It may also protect itself from antivirus programs, making it more difficult to trace.

- Botnets
- Polymorphic Malware
- Ransomware
- **armored virus**

ID: 22884438
PTS: 1

These are attacks against an opening left in a functional piece of software that allows access into a system or software application without the owner's knowledge.

- Trojan Horse
- **Backdoor Attacks**
- keylogger
- Rootkits

ID: 22884439
PTS: 1

It happens when a cybercriminal listens stealthily on a secure network communication, intervention it, and after that falsely delays or resends it to mislead the collector into doing what the programmer needs

- Eavesdropping Attacks
- Evil twin attack

- Man-in-the-Middle Attacks
- **Replay Attacks**

ID: 22884440
PTS: 1

It is also called access point mapping

- War Chalking
- Wireless Replay Attacks
- **War driving**
- Sinkhole Attacks

ID: 22884442
PTS: 1

It is an invasion where somebody tries to take data that computers, smartphones, or other gadgets transmit over a organize.

- Man-in-the-Middle Attacks
- **Eavesdropping Attacks**
- Evil twin attack
- Replay Attacks

ID: 22884472
PTS: 1

It is necessary for a responsible individual or organization to secure confidential information.

- Information Confidentiality
- Information Integrity
- Information Privacy
- **Information Security**

ID: 22884474
PTS: 1

The characteristic of a resource—ensuring access is restricted to only permitted users, applications, or computer systems.

- Availability
- Attack
- Integrity
- **Confidentiality**

ID: 22884475
PTS: 1

These are attacks designed to compromise network security by either eavesdropping on or intercepting and manipulating network traffic.

- Software-Based Attacks
- Social Engineering Attacks
- **Network-Based Attacks**
- Physical Security Attacks

ID: 22884476
PTS: 1

It is a security mechanism to determine access levels or user/client privileges related to system resources including files, services, computer programs, data and application features.

- Authentication
- Non-repudiation
- Identification
- **Authorization**

ID: 22884477
PTS: 1

It is an authentication method that identifies and recognizes people based on voice recognition or physical traits such as a fingerprint, face recognition, iris recognition, and retina scan.

- Mandatory vacations
- Security token
- **Biometrics**
- Time of day restrictions

ID: 22884478
PTS: 1

Which of the following can hide confidential or malicious data in the whitespace of other files (e.g. JPEGs)?

- Hashing
- Digital signatures
- Transport encryption
- **Steganography**

ID: 22884479
PTS: 1

Expired credit cards, visas, passports, and IDs.

- Recycle
- Transfer
- **Shred**
- Delete

ID: 22884481
PTS: 1

It may be an explanation that uncovers a few or all of the ways a party assembles, employments, discloses, and oversees a client or client's information

- Audit policy
- Password policy
- Extranet policy
- **Privacy policy**

ID: 22884482
PTS: 1

An investigator recently discovered that an attacker placed a remotely accessible CCTV camera in a public area overlooking several Automatic Teller Machines (ATMs). It is also believed that user accounts belonging to ATM operators may have been compromised. Which of the following attacks has MOST likely taken place?

- **Shoulder surfing**
- Vishing attack
- Whaling attack
- Dumpster diving

ID: 22884483
PTS: 1

It happens both exterior and interior companies and decreasing the hazard of insider information burglary at the corporate level is anything but simple

- Script kiddie
- Hacktivists
- Malicious insiders
- **Data theft**

ID: 22884484
PTS: 1

It is the utilize of informing systems to send a spontaneous message

- **Spam**
- URL hijacking
- Spim
- whaling

ID: 22884485
PTS: 1

This strategy ordinarily depends on the trusting nature of the individual being assaulted.

- Computer Engineering
- **Social Engineering**
- Reverse Engineering
- Cyber Engineering

ID: 22884486
PTS: 1

A trojan was recently discovered on a server. There are now concerns that there has been a security breach that allows unauthorized people to access data. The administrator should be looking for the presence of a/an:

- Adware application.
- **Backdoor.**
- Rootkit.
- Logic bomb.

ID: 22884487
PTS: 0

It can also install additional software, which can redirect your web browser to other sites or change your home page.

- Spyware
- **Adware**
- Viruses
- Worms

ID: 22884489
PTS: 1

It is any software package that automatically plays, displays, or downloads advertisements to a computer after the software is installed on it or while the

application is being used.

- Spyware
- Viruses
- **Adware**
- Worms

ID: 22884491
PTS: 1

These were usually some form of executable code that was hidden in the boot sector of a disk or as an executable file

- Adware
- Worms
- **Viruses**
- Spyware

ID: 22884493
PTS: 1

It may be a sort of assault where the aggressor breaks into the communication between the endpoints of a arrange association.

- Evil twin attack
- **Man-in-the-Middle Attacks**
- Eavesdropping Attacks
- Replay Attacks

ID: 22884494
PTS: 1

It usually does not conform to wireless LAN (WLAN) security policies, and additionally can allow anyone with a Wi-Fi device to connect to your network.

- **Rogue Access Points**
- Transitive access
- Evil Twins
- Wireless security

ID: 22884495
PTS: 1

Which of the following attacks allows access to contact lists on cellular phones?

- War chalking
- Packet sniffing

- **Bluesnarfing**
- Blue jacking

ID: 22902289
PTS: 1

JP gets his phone bill in the mail. The bill was supposed to be for $80, but the mail person spilled water on the bill, smearing the ink. The bill now asks for $8.

- None of the above
- Confidentiality
- Availability
- **Integrity**

ID: 22902290
PTS: 1

The action or process of identifying someone or something or the fact of being identified.

- **Identification**
- Running
- Implementation
- Monitoring

ID: 22902291
PTS: 0

What does availability of data refer to?

- The level of assurance that data will be available to people who need it, when they need it
- The level of assurance that data exists
- The level of assurance that data will be accurate and trustworthy
- **The level of assurance that data will be restricted to people who need it, when they need it**

ID: 22902292
PTS: 1

What does integrity of data refer to?

- The level of assurance which can be given as to how strong data is
- **The level of assurance which can be given as to how accurate and trustworthy data is**
- The level of assurance which can be given as to how structured data is
- The level of assurance which can be given as to how relevant the data is

ID: 22902294
PTS: 1

A user ID and password together provide which of the following?

- Identification

- Auditing
- Authorization
- **Authentication**

ID: 22902295
PTS: 1

It is a random string of bits created explicitly for scrambling and unscrambling data.

- Asymmetric encryption
- Hashing
- **encryption key**
- Symmetric encryption

ID: 22902296
PTS: 1

It is a concept that has employees rotate through different jobs to learn the procedures and processes in each.

- Access control
- **Job rotation**
- Separation of duties
- Implicit deny

ID: 22902297
PTS: 1

Which of the following is best practice to

put at the end of an ACL?

- Implicit allow
- **Implicit deny**
- Time of day restrictions
- SNMP string

ID: 22902298
PTS: 1

It is a living document that provides guidelines for your organization's social media use.

- Password policy
- **Social media policy**
- Wireless standards policy
- Extranet policy

ID: 22902299
PTS: 1

It is the act or method of storing something for future use.

- destruction
- disposal
- Storage
- **retention**

ID: 22902300

PTS: 1

It provides guidelines regarding wireless access points and the management by ITS of 802.11X and related wireless standards access.

- Social media policy
- Password policy
- Extranet policy
- **Wireless standards policy**

ID: 22902301
PTS: 1

It is spontaneous as a rule commercial messages sent to a huge number of beneficiaries or posted in an expansive number of places

- Spim
- whaling
- URL hijacking
- **Spam**

ID: 22902303
PTS: 1

It consumes bandwidth and ties up processor and memory resources, slowing the system down, and causing the system to become unusable.

- Viruses
- Adware

- **Worms**
- Spyware

ID: 22902304
PTS: 1

It will continue to spread and infect devices even if its signature changes to avoid detection

- Logic Bombs
- **Polymorphic Malware**
- Ransomware
- Botnets

ID: 22902305
PTS: 1

Which of the following types of application attacks would be used to identify malware causing security breaches that have NOT yet been identified by any trusted sources?

- LDAP injection
- XML injection
- Directory traversal
- **Zero-day**

ID: 22902306
PTS: 1

It is a device hack performed when a wireless, Bluetooth-enabled device is in

discoverable mode.

- Jamming
- **Bluesnarfing**
- Evil Twins
- Bluejacking

ID: 22902307
PTS: 1

It is a program that collects chunks of data that are likely to be account names and their associated passwords so that an attacker can use those credentials to pose as the person they were stolen from.

- Clickjacking
- Spamming
- **Password stealer**
- Account phishing

ID: 22902308
PTS: 1

It is relatively straightforward using an open source tool called Reaver

- WEP
- WPA
- **WPS attack**
- AES

ID: 22902309
PTS: 1

It will send multiple requests to the attacked web resource – with the aim of exceeding the website's capacity to handle multiple requests and prevent the website from functioning correctly.

- Denial-of-service attack
- **Distributed denial of service**
- Session hijacking
- ARP poisoning

ID: 22902310
PTS: 1

Which of the following describes how an attacker can send unwanted advertisements to a mobile device?

- Bluesnarfing

- **Bluejacking**
- Man-in-the-middle
- Packet sniffing

ID: 22902319
PTS: 1

Alice is buying books from an online retail site, and she finds that she can change the price of a book from £19.99 to £1.99. Which part of the CIA triad has been broken?

- Availability
- Confidentiality
- None of the above
- **Integrity**

ID: 22902321
PTS: 1

A technician is reviewing the logical access control method an organization uses. One of the senior managers requests that the technician prevent staff members from logging on during nonworking days. Which of the following should the technician implement to meet managements request?

- Access control lists
- Enforce Kerberos
- Deploy smart cards
- **Time of day restrictions**

ID: 22902322
PTS: 1

It is a physical device that an authorized user of computer services is given to ease authentication.

- Time of day restrictions
- Mandatory vacations
- **Security token**
- Biometrics

ID: 22902324
PTS: 1

It ought to clearly recognize how the arrangement will be implemented and how security breaches and/or wrongdoing will be dealt with.

- Security policies
- Procedures
- **Enforcement**
- User Access to Computer Resources

ID: 22902325
PTS: 1

All executive officers have changed their monitor location so it cannot be easily viewed when passing by their offices. Which of the following attacks does this action remediate?

- Dumpster Diving
- **Shoulder Surfing**
- Impersonation
- Whaling

ID: 22902326
PTS: 1

He uses the same tools and techniques as a hacker but does so in order to disrupt services and bring attention to a political or social cause.

- **Hacktivists**
- Malicious insiders
- Data theft
- Script kiddie

ID: 22902327
PTS: 1

It can be defined as defacing the digital assets of a company or individual to cause nuisance or permanent damage.

- Script kiddie
- Data theft
- Cyberterrorism
- **Electronic vandalism**

ID: 22902328
PTS: 1

It is the act of disguising a communication from an unknown source as being from a known, trusted source.

- Hoax
- **Spoofing**
- Vishing
- Phishing

ID: 22902329
PTS: 1

It is the use of the Internet to conduct violent acts that result in, or threaten, loss of life or significant bodily harm, in order to achieve political or ideological gains through threat or intimidation.

- Electronic vandalism
- Script kiddie
- Data theft
- **Cyberterrorism**

ID: 22902330
PTS: 1

It may be a cyber-attack that employments camouflaged mail as a weapon.

- Vishing
- **Phishing**
- Spoofing
- Hoax

ID: 22902331
PTS: 1

It can be used to perform Distributed Denial-of-Service (DDoS) attacks, steal data, send spam, and allows the attacker to access the device and its connection.

- Polymorphic Malware
- **Botnets**
- Ransomware
- Logic Bombs

ID: 22902332
PTS: 1

It allows hackers to remotely access Bluetooth device data, such as a user's calendar, contact list, emails and text messages.

- **Bluesnarfing**

- Evil Twins
- Bluejacking
- Jamming

ID: 22902333
PTS: 1

It could be a cyber-attack in which the culprit looks for to create a machine or arrange asset inaccessible to its planning clients by incidentally or inconclusively disturbing administrations of a have associated to the Web.

- Session hijacking
- ARP poisoning
- **Denial-of-service attack**
- Distributed denial of service

ID: 22902334
PTS: 1

It is the unauthorized access of information from a wireless device through a Bluetooth connection, often between phones, desktops, laptops, and PDAs

- **Bluesnarfing**
- Bluejacking
- Evil Twins
- Jamming

ID: 22902335
PTS: 1

The delay or repeat of the data transmission is carried out by the sender or by the malicious entity, who intercepts the data and retransmits it.

- War driving
- War Chalking
- **Wireless Replay Attacks**
- Sinkhole Attacks

ID: 22902400
PTS: 1

Facts and statistics collected together for reference or analysis.

- Detection
- **Data**
- IT Resources
- Prevention

ID: 22902401
PTS: 1

What does confidentiality of data imply to

- Rules which hide data
- Rules which allow access only to all parties
- Rules which prevent data from being

changed
- **Rules which restrict access only to those who need to know**

ID: 22902402
PTS: 1

What does confidentiality of information allude to?

- **Rules which restrict access only to those who need to know**
- Rules which allow access only to all parties
- Rules which hide data
- Rules which prevent data from being changed

ID: 22902403
PTS: 1

It also known as public key cryptography

- Hashing
- encryption key
- **Asymmetric encryption**
- Symmetric encryption

ID: 22902404

PTS: 1

Sara, a security engineer, is testing encryption ciphers for performance. Which of the following ciphers offers strong encryption with the FASTEST speed?

- Serpent
- 3DES
- AES256
- **Blowfish**

ID: 22902405
PTS: 1

Every paper or electronic record has a specific amount of time that it needs to be kept.

- disposal
- Storage
- **retention**
- destruction

ID: 22902406
PTS: 1

It is sort of phishing assaults that attempt to bait casualties by means of voice calls

- **Vishing**
- Hoax
- Spoofing
- Phishing

ID: 22902408
PTS: 1

It ensures protection to a Wi-Fi network from unauthorized access.

- Rogue Access Points
- **Wireless security**
- Evil Twins
- Transitive access

ID: 22902409
PTS: 1

It is any Wi-Fi access point that is installed on a network but is not authorized for operation on that network and is not under the management of the network administrator.

- **Rogue Access Points**
- Wireless security
- Transitive access
- Evil Twins

ID: 22902470
PTS: 1

A return to a normal state of health, mind, or strength.

- **Recovery**
- Detection
- Prevention
- IT Resources

ID: 22902471
PTS: 1

It is an illegal act of entering, seizing, or taking possession of another's property.

- Threats
- Vulnerability
- **Intrusion**
- Risk

ID: 22902472
PTS: 1

It is the affirmation that somebody cannot deny the legitimacy of something.

- Authentication
- Authorization
- **Non-repudiation**
- Identification

ID: 22902473
PTS: 1

It is the assurance that someone cannot deny the validity of something.

- Identification
- Authorization
- Authentication
- **Non-repudiation**

ID: 22902475
PTS: 1

It is the action or process of classifying something according to shared qualities or characteristics.

- **Classification**
- Retention Schedules
- Paper documents
- Official information

ID: 22902476
PTS: 1

It is frequently a chain message telling beneficiaries to forward the mail to all their contacts.

- Phishing
- Vishing
- Spoofing
- **Hoax**

ID: 22902477
PTS: 1

It is generally assumed that most of them are juveniles who lack the ability to write sophisticated programs or exploits on their own and that their objective is to try to impress their friends or gain credit in computer-enthusiast communities.

- Data theft
- Hacktivists
- **Script kiddie**
- Malicious insiders

ID: 22902478
PTS: 1

A user commuting to work via public transport received an offensive image on their smart phone from another commuter. Which of the following attacks MOST likely took place?

- Bluesnarfing
- **Bluejacking**
- War chalking
- War driving

ID: 22902479
PTS: 1

What is not needed to be protected?

- Data
- System
- **Intruder**
- Infrastructure

ID: 22902481
PTS: 1

Users require access to a certain server depending on their job function. Which of the following would be the MOST appropriate strategy for securing the server?

- **Role based access control**
- Discretionary access control
- Common access card
- Mandatory access control

ID: 22902482
PTS: 1

Anything that has personal information like your name, address, phone number, social security number, or bank account information.

- **Shred**
- Transfer
- Recycle
- Delete

ID: 22902483
PTS: 1

It talks about what in the event that any Network Security Intrusion Detection or Prevention Framework is utilized and how it is executed.

- **Intrusion Detection**
- Internet
- Back-up and Recovery
- Anti-Virus

ID: 22902484
PTS: 1

Paper and electronic records to the University Archives if they have permanent legal, fiscal, administrative, or historical value.

- **Transfer**
- Shred
- Delete
- Recycle

ID: 22902485
PTS: 1

It is often a chain message telling recipients to forward the mail to all their contacts.

- Vishing
- **Hoax**
- Phishing
- Spoofing

ID: 22902487
PTS: 1

It could be a false Wi-Fi access point that shows up to be genuine but is set up to spy on remote communications

- Man-in-the-Middle Attacks
- Replay Attacks
- **Evil twin attack**
- Eavesdropping Attacks

ID: 22902488
PTS: 1

These are carried out by either hacking a node in the network or introducing a fabricated node in the network.

- Wireless Replay Attacks
- **Sinkhole Attacks**
- War Chalking
- War driving

ID: 22902504
PTS: 0

It includes to begin with recognizing the bunches and individuals who will have to be compelled to alter as the result of the project, and in what ways they will ought to change.

- **Change management**
- Individual change management
- Enterprise change management
- Organizational change management

ID: 22902505
PTS: 1

Isn't restricted to looking through the junk for self-evident treasures like get to codes or passwords composed down on sticky notes.

- Shoulder surfing
- Spam

- Tailgating
- **Dumpster diving**

ID: 22902506
PTS: 1

It attacks are often facilitated by social engineering attacks which lure the user to a fake site.

- **Man In the Middle**
- Rainbow Table Attack
- Brute force
- Dictionary attack

ID: 22902507
PTS: 1

It is a program that can copy itself and infect a computer without the user's consent or knowledge. Early viruses were usually some form of executable code that was hidden in the boot sector of a disk or as an executable file

- **Viruses**
- Adware
- Worms
- Spyware

ID: 22902509
PTS: 0

It is the quality or state of being uncovered to the plausibility of being assaulted or hurt, either physically or candidly.

- Risk
- Intrusion
- Threats
- **Vulnerability**

ID: 22909143
PTS: 1

It is the third core security principle, and it is defined as a characteristic of a resource being accessible to a user, application, or computer system when required.

- Integrity
- Attack
- Confidentiality
- **Availability**

ID: 22909144
PTS: 1

Observe and check the progress or quality of (something) over a period

- Identification
- Running
- **Monitoring**
- Implementation

ID: 22909145
PTS: 1

A policy requires employees to take time away from their job.

- Security token
- **Mandatory vacations**
- Biometrics
- Time of day restrictions

ID: 22909146
PTS: 1

It establishes secure connections between hosts.

- Digital Signature
- Cipher Suites
- Key exchange
- **Session Keys**

ID: 22909196
PTS: 1

Ann, a newly hired human resource employee, sent out confidential emails with digital signatures, to an unintended group. Which of the following would prevent her from denying accountability?

- Email Encryption
- Steganography
- Access Control
- **Non-Repudiation**

ID: 22909197
PTS: 1

It can be current or previous representatives, temporary workers or trade accomplices that picks up get to an organization arrange, system or information and discharge this data without authorization by the organization.

- Script kiddie
- **Malicious insiders**
- Hacktivists
- Data theft

ID: 22909198
PTS: 1

It is somebody without the right verification takes after a confirmed worker into a limited zone.

- Spam
- Shoulder surfing
- **Tailgating**
- Dumpster diving

ID: 22909199
PTS: 1

It is type of phishing attacks that try to lure victims via voice calls.

- Hoax
- Phishing
- **Vishing**
- Spoofing

ID: 22909200
PTS: 1

A type of virus that has been designed to thwart attempts by analysts from examining its code by using various methods to make tracing, disassembling and reverse engineering more difficult

- **armored virus**
- Polymorphic Malware
- Ransomware
- Botnets

ID: 22909201
PTS: 0

It is an assault where the assailant subtly transfers and conceivably modifies the communications between two parties who accept that they are specifically communicating with each other.

- Eavesdropping Attacks
- **Man-in-the-Middle Attacks**
- Evil twin attack
- Replay Attacks

ID: 22909217
PTS: 1

It is the conceptual show that characterizes the structure, behavior, and more sees of a system

- **System Architecture**

- Group Policy
- Social media policy
- Wireless standards policy

ID: 22909218
PTS: 1

It ought to incorporate data that recognizes how security profiles will be connected consistently over common gadgets

- **Security Profiles**
- Sensitive data
- E-Mail
- Passwords

ID: 22909219
PTS: 1

It provides centralized management and configuration of operating systems, applications, and users' settings in an Active Directory environment.

- Log
- **Group Policy**
- Change documentation
- System architecture

ID: 22909220
PTS: 1

Its marks were conceived by a group of

friends in June 2002 and publicized by Matt Jones who designed the set of icons and produced a downloadable document containing them.

- **War Chalking**
- Wireless Replay Attacks
- Sinkhole Attacks
- War driving

ID: 22950608
PTS: 1

It is the term used for a broad range of malicious activities accomplished through human interactions.

- Physical Security Attacks
- **Social Engineering Attacks**
- Network-Based Attacks
- Software-Based Attacks

ID: 22966260
PTS: 1

It gives the IT department a method to review the changes before they are implemented.

- **Change management**
- Organizational change management
- Enterprise change management
- Individual change management

ID: 22966261
PTS: 1

The security administrator is observing unusual network behavior from a workstation. The workstation is communicating with a known malicious destination over an encrypted tunnel. A full antivirus scan, with an updated antivirus definition file, does not show any signs of infection. Which of the following has happened on the workstation?

- Session hijacking
- **Zero-day attack**
- Cookie stealing
- Known malware infection

ID: 22989617
PTS: 1

It could be a program that collects chunks of information that are likely to be account names and their related passwords so that an aggressor can utilize those qualifications to posture as the individual they were stolen from.

- Clickjacking
- **Password stealer**
- Spamming
- Account phishing

ID: 22991984
PTS: 1

It is a wireless access point that has been installed on a secure network without explicit authorization from a local network administrator

- **Rogue Access Points**
- Evil Twins
- Transitive access
- Wireless security

ID: 22992258
PTS: 1

While rarely enforced, mandatory vacation policies are effective at uncovering:

- Collusion between two employees who perform the same business function.
- Acts of incompetence by a systems engineer designing complex architectures as a member of a team.
- Help desk technicians with oversight by multiple supervisors and detailed

quality control systems.

- **Acts of gross negligence on the part of system administrators with unfettered access to system and no oversight.**

ID: 22992796
PTS: 1

Which of the following describes how an attacker can send unwanted advertisements to a mobile device?

- Man-in-the-middle
- **Bluejacking**
- Packet sniffing
- Bluesnarfing

ID: 22995910
PTS: 1

At the outside break area, an employee, Ann, asked another employee to let her into the building because her badge is missing. Which of the following does this describe?

- Whaling
- **Tailgating**
- Shoulder surfing
- Impersonation