



1. Chequeo Máquina virtual

Primero entramos con el usuario root usando la contraseña lepanto.



Abrimos la terminal y chequeamos por los usuarios creados, asegurándonos de que este creado el usuario hadoop.

```
root@nodol:~  
Archivo Editar Ver Buscar Terminal Ayuda  
[root@nodol ~]# compgen -u  
root  
bin  
daemon  
adm  
lp  
sync  
shutdown  
halt  
mail  
uucp  
operator  
games  
gopher  
ftp  
nobody  
dbus  
rpc  
usbmuxd  
vcsa  
rtkit  
avahi-autoipd  
abrt  
saslauth  
postfix  
rpcuser  
nfsnobody  
haldaemon  
gdm  
ntp  
apache  
pulse  
sshd  
tcpdump  
vboxadd  
hadoop  
[root@nodol ~]#
```


Revisamos que esté creado el directorio home/hadoop para el usuario hadoop

```
[root@nodol ~]# cd ..  
[root@nodol /]# cd home  
[root@nodol home]# ls -l  
total 20  
drwx-----. 27 hadoop hadoop 4096 may 15 18:57 hadoop  
drwx-----. 2 root root 16384 abr 6 2016 lost+found  
[root@nodol home]#
```

Nos dirigimos hacia el directorio opt/hadoop y comprobamos que el usuario hadoop sea el owner de ese directorio.

```
[root@nodol ~]# cd ..  
[root@nodol /]# cd opt  
[root@nodol opt]# ls -l  
total 12  
drwxr-xr-x. 11 hadoop hadoop 4096 abr 29 00:47 hadoop  
drwxr-xr-x. 2 root root 4096 mar 26 2015 rh  
drwxr-xr-x. 9 root root 4096 abr 6 2016 VBoxGuestAdditions-5.0.10
```

Iniciamos sesión con el usuario hadoop usando la contraseña lepanto.



Comprobamos la arquitectura del procesador

```
[hadoop@nodo1 ~]$ uname -m  
x86_64
```

Comprobamos la versión de la librería de C


```
[hadoop@nodo1 ~]$ ldd --version  
ldd (GNU libc) 2.12  
Copyright (C) 2010 Free Software Foundation, Inc.  
Esto es software libre; vea el código fuente para las condiciones de copia.  
No hay NINGUNA garantía; ni siquiera de COMERCIABILIDAD o IDONEIDAD PARA UN  
FIN DETERMINADO.  
Written by Roland McGrath and Ulrich Drepper.
```

Comprobamos la versión del kernel.

```
[hadoop@nodo1 ~]$ uname -r  
2.6.32-573.el6.x86_64
```

Revisamos el archivo .bashrc para comprobar que las variables de entorno estén bien definidas.

```
[hadoop@nodo1 ~]$ gedit .bashrc
```



```
# .bashrc

# Source global definitions
if [ -f /etc/bashrc ]; then
    . /etc/bashrc
fi

# User specific environment
if ! [[ "$PATH" =~ "$HOME/.local/bin:$HOME/bin:" ]]
then
    PATH="$HOME/.local/bin:$HOME/bin:$PATH"
fi
export PATH

## HADOOP
export HADOOP_HOME=/opt/hadoop
export JAVA_HOME=/opt/hadoop/jdk

# Nota: Ponemos Java al principio para que tenga prioridad sobre el sistema
export PATH=$JAVA_HOME/bin:$HADOOP_HOME/bin:$HADOOP_HOME/sbin:$PATH

# User specific aliases and functions|
```

Comprobamos la versión de java.

```
[hadoop@nodol ~]$ java -version
openjdk version "1.8.0_492"
OpenJDK Runtime Environment (Zulu 8.94.0.17-CA-linux64) (build 1.8.0_492-b09)
OpenJDK 64-Bit Server VM (Zulu 8.94.0.17-CA-linux64) (build 25.492-b09, mixed mode)
```

Comprobamos la versión de hadoop.

```
[hadoop@nodol ~]$ hadoop version
Hadoop 3.3.6
Source code repository https://github.com/apache/hadoop.git -r 1be78238728da9266a4f88195058f08fd012bf9c
Compiled by ubuntu on 2023-06-18T08:22Z
Compiled on platform linux-x86_64
Compiled with protoc 3.7.1
From source with checksum 5652179ad55f76cb287d9c633bb53bbd
This command was run using /opt/hadoop/share/hadoop/common/hadoop-common-3.3.6.jar
```

Comprobamos en el directorio `opt/hadoop` que las carpetas y archivos del software estén instalados.

```
[hadoop@nodol1 home]$ cd ..
[hadoop@nodol1 /]$ cd opt
[hadoop@nodol1 opt]$ cd hadoop
[hadoop@nodol1 hadoop]$ ls -l
total 116
drwxr-xr-x. 2 hadoop hadoop 4096 jun 18 2023 bin
drwxr-xr-x. 3 hadoop hadoop 4096 jun 18 2023 etc
drwxr-xr-x. 2 hadoop hadoop 4096 jun 18 2023 include
drwxr-xr-x. 9 hadoop hadoop 4096 abr 17 09:45 jdk
drwxr-xr-x. 3 hadoop hadoop 4096 jun 18 2023 lib
drwxr-xr-x. 4 hadoop hadoop 4096 jun 18 2023 libexec
-rw-rw-r--. 1 hadoop hadoop 24276 jun 14 2023 LICENSE-binary
drwxr-xr-x. 2 hadoop hadoop 4096 jun 18 2023 licenses-binary
-rw-rw-r--. 1 hadoop hadoop 15217 jun 10 2023 LICENSE.txt
-rw-rw-r--. 1 hadoop hadoop 29473 jun 10 2023 NOTICE-binary
-rw-rw-r--. 1 hadoop hadoop 1541 jun 10 2023 NOTICE.txt
-rw-rw-r--. 1 hadoop hadoop 175 jun 10 2023 README.txt
drwxr-xr-x. 3 hadoop hadoop 4096 jun 18 2023 sbin
drwxr-xr-x. 4 hadoop hadoop 4096 jun 18 2023 share
-rw-rw-r--. 1 hadoop hadoop 0 abr 28 18:18 test_file
[hadoop@nodol1 hadoop]$
```

Comprobamos los archivos ejecutables.

```
[hadoop@nodol1 hadoop]$ ls -l bin
total 1736
-rwxr-xr-x. 1 hadoop hadoop 802984 jun 18 2023 container-executor
-rwxr-xr-x. 1 hadoop hadoop 9036 jun 18 2023 hadoop
-rwxr-xr-x. 1 hadoop hadoop 11265 jun 18 2023 hadoop.cmd
-rwxr-xr-x. 1 hadoop hadoop 11274 jun 18 2023 hdfs
-rwxr-xr-x. 1 hadoop hadoop 8081 jun 18 2023 hdfs.cmd
-rwxr-xr-x. 1 hadoop hadoop 6349 jun 18 2023 mapred
-rwxr-xr-x. 1 hadoop hadoop 6311 jun 18 2023 mapred.cmd
-rwxr-xr-x. 1 hadoop hadoop 33448 jun 18 2023 oom-listener
-rwxr-xr-x. 1 hadoop hadoop 837112 jun 18 2023 test-container-executor
-rwxr-xr-x. 1 hadoop hadoop 12439 jun 18 2023 yarn
-rwxr-xr-x. 1 hadoop hadoop 12840 jun 18 2023 yarn.cmd
[hadoop@nodol1 hadoop]$
```

Comprobamos los archivos de configuración.

```

[hadoop@nodo1 hadoop]$ cd etc/hadoop
[hadoop@nodo1 hadoop]$ ls -l
total 180
-rw-r--r--. 1 hadoop hadoop 9213 jun 18 2023 capacity-scheduler.xml
-rw-r--r--. 1 hadoop hadoop 1335 jun 18 2023 configuration.xml
-rw-r--r--. 1 hadoop hadoop 2567 jun 18 2023 container-executor.cfg
-rw-r--r--. 1 hadoop hadoop 774 jun 18 2023 core-site.xml
-rw-r--r--. 1 hadoop hadoop 3999 jun 18 2023 hadoop-env.cmd
-rw-r--r--. 1 hadoop hadoop 16637 jun 18 2023 hadoop-env.sh
-rw-r--r--. 1 hadoop hadoop 3321 jun 18 2023 hadoop-metrics2.properties
-rw-r--r--. 1 hadoop hadoop 11765 jun 18 2023 hadoop-policy.xml
-rw-r--r--. 1 hadoop hadoop 3414 jun 18 2023 hadoop-user-functions.sh.example
-rw-r--r--. 1 hadoop hadoop 683 jun 18 2023 hdfs-rbf-site.xml
-rw-r--r--. 1 hadoop hadoop 775 jun 18 2023 hdfs-site.xml
-rw-r--r--. 1 hadoop hadoop 1484 jun 18 2023 httpfs-env.sh
-rw-r--r--. 1 hadoop hadoop 1657 jun 18 2023 httpfs-log4j.properties
-rw-r--r--. 1 hadoop hadoop 620 jun 18 2023 httpfs-site.xml
-rw-r--r--. 1 hadoop hadoop 3518 jun 18 2023 kms-acls.xml
-rw-r--r--. 1 hadoop hadoop 1351 jun 18 2023 kms-env.sh
-rw-r--r--. 1 hadoop hadoop 1860 jun 18 2023 kms-log4j.properties
-rw-r--r--. 1 hadoop hadoop 682 jun 18 2023 kms-site.xml
-rw-r--r--. 1 hadoop hadoop 13700 jun 18 2023 log4j.properties
-rw-r--r--. 1 hadoop hadoop 951 jun 18 2023 mapred-env.cmd
-rw-r--r--. 1 hadoop hadoop 1764 jun 18 2023 mapred-env.sh
-rw-r--r--. 1 hadoop hadoop 4113 jun 18 2023 mapred-queues.xml.template
-rw-r--r--. 1 hadoop hadoop 758 jun 18 2023 mapred-site.xml
drwxr-xr-x. 2 hadoop hadoop 4096 jun 18 2023 shellprofile.d
-rw-r--r--. 1 hadoop hadoop 2316 jun 18 2023 ssl-client.xml.example
-rw-r--r--. 1 hadoop hadoop 2697 jun 18 2023 ssl-server.xml.example
-rw-r--r--. 1 hadoop hadoop 2681 jun 18 2023 user_ec_policies.xml.template
-rw-r--r--. 1 hadoop hadoop 10 jun 18 2023 workers
-rw-r--r--. 1 hadoop hadoop 2250 jun 18 2023 yarn-env.cmd
-rw-r--r--. 1 hadoop hadoop 6329 jun 18 2023 yarn-env.sh
-rw-r--r--. 1 hadoop hadoop 2591 jun 18 2023 yarnservice-log4j.properties
-rw-r--r--. 1 hadoop hadoop 690 jun 18 2023 yarn-site.xml
[hadoop@nodo1 hadoop]$ █

```

Comprobamos los archivos sbin de administración del sistema

```
[hadoop@nod01 home]$ cd ..
[hadoop@nod01 /]$ cd opt/hadoop
[hadoop@nod01 hadoop]$ ls -l sbin
total 112
-rwxr-xr-x. 1 hadoop hadoop 2756 jun 18 2023 distribute-exclude.sh
drwxr-xr-x. 4 hadoop hadoop 4096 jun 18 2023 FederationStateStore
-rwxr-xr-x. 1 hadoop hadoop 1983 jun 18 2023 hadoop-daemon.sh
-rwxr-xr-x. 1 hadoop hadoop 2523 jun 18 2023 hadoop-daemons.sh
-rwxr-xr-x. 1 hadoop hadoop 1542 jun 18 2023 httpfs.sh
-rwxr-xr-x. 1 hadoop hadoop 1500 jun 18 2023 kms.sh
-rwxr-xr-x. 1 hadoop hadoop 1841 jun 18 2023 mr-jobhistory-daemon.sh
-rwxr-xr-x. 1 hadoop hadoop 2086 jun 18 2023 refresh-namenodes.sh
-rwxr-xr-x. 1 hadoop hadoop 1779 jun 18 2023 start-all.cmd
-rwxr-xr-x. 1 hadoop hadoop 2221 jun 18 2023 start-all.sh
-rwxr-xr-x. 1 hadoop hadoop 1880 jun 18 2023 start-balancer.sh
-rwxr-xr-x. 1 hadoop hadoop 1401 jun 18 2023 start-dfs.cmd
-rwxr-xr-x. 1 hadoop hadoop 5170 jun 18 2023 start-dfs.sh
-rwxr-xr-x. 1 hadoop hadoop 1793 jun 18 2023 start-secure-dns.sh
-rwxr-xr-x. 1 hadoop hadoop 1571 jun 18 2023 start-yarn.cmd
-rwxr-xr-x. 1 hadoop hadoop 3342 jun 18 2023 start-yarn.sh
-rwxr-xr-x. 1 hadoop hadoop 1770 jun 18 2023 stop-all.cmd
-rwxr-xr-x. 1 hadoop hadoop 2166 jun 18 2023 stop-all.sh
-rwxr-xr-x. 1 hadoop hadoop 1783 jun 18 2023 stop-balancer.sh
-rwxr-xr-x. 1 hadoop hadoop 1455 jun 18 2023 stop-dfs.cmd
-rwxr-xr-x. 1 hadoop hadoop 3898 jun 18 2023 stop-dfs.sh
-rwxr-xr-x. 1 hadoop hadoop 1756 jun 18 2023 stop-secure-dns.sh
-rwxr-xr-x. 1 hadoop hadoop 1642 jun 18 2023 stop-yarn.cmd
-rwxr-xr-x. 1 hadoop hadoop 3083 jun 18 2023 stop-yarn.sh
-rwxr-xr-x. 1 hadoop hadoop 1982 jun 18 2023 workers.sh
-rwxr-xr-x. 1 hadoop hadoop 1814 jun 18 2023 yarn-daemon.sh
-rwxr-xr-x. 1 hadoop hadoop 2328 jun 18 2023 yarn-daemons.sh
[hadoop@nod01 hadoop]$
```

Revisamos la carpeta share, esta es la más pesada al contener los archivos JAR

```
[hadoop@nod01 hadoop]$ cd share
[hadoop@nod01 share]$ ls -l
total 8
drwxr-xr-x. 3 hadoop hadoop 4096 jun 18 2023 doc
drwxr-xr-x. 8 hadoop hadoop 4096 jun 18 2023 hadoop
```

Nos metemos a la carpeta hadoop y revisamos su contenido.

```
[hadoop@nod01 share]$ cd hadoop
[hadoop@nod01 hadoop]$ ls -l
total 24
drwxr-xr-x. 2 hadoop hadoop 4096 jun 18 2023 client
drwxr-xr-x. 6 hadoop hadoop 4096 jun 18 2023 common
drwxr-xr-x. 6 hadoop hadoop 4096 jun 18 2023 hdfs
drwxr-xr-x. 5 hadoop hadoop 4096 may 8 01:57 mapreduce
drwxr-xr-x. 7 hadoop hadoop 4096 jun 18 2023 tools
drwxr-xr-x. 9 hadoop hadoop 4096 jun 18 2023 yarn
```

Revisamos la carpeta yarn y vemos todas las librerías .jar del gestor distribuido de todo el cluster (yarn)

```
[hadoop@nodo1 hadoop]$ ls -l yarn
total 88788
drwxr-xr-x. 3 hadoop hadoop      4096 jun 18  2023 csi
-rw-r--r--. 1 hadoop hadoop 3650460 jun 18  2023 hadoop-yarn-api-3.3.6.jar
-rw-r--r--. 1 hadoop hadoop 76823160 jun 18  2023 hadoop-yarn-applications-catal
og-webapp-3.3.6.war
-rw-r--r--. 1 hadoop hadoop      81085 jun 18  2023 hadoop-yarn-applications-distr
ibutedshell-3.3.6.jar
-rw-r--r--. 1 hadoop hadoop      31741 jun 18  2023 hadoop-yarn-applications-mawo-
core-3.3.6.jar
-rw-r--r--. 1 hadoop hadoop      20018 jun 18  2023 hadoop-yarn-applications-unman
aged-am-launcher-3.3.6.jar
-rw-r--r--. 1 hadoop hadoop      287303 jun 18  2023 hadoop-yarn-client-3.3.6.jar
-rw-r--r--. 1 hadoop hadoop 2965511 jun 18  2023 hadoop-yarn-common-3.3.6.jar
-rw-r--r--. 1 hadoop hadoop       7820 jun 18  2023 hadoop-yarn-registry-3.3.6.jar
-rw-r--r--. 1 hadoop hadoop      258533 jun 18  2023 hadoop-yarn-server-application
historyservice-3.3.6.jar
-rw-r--r--. 1 hadoop hadoop 1440080 jun 18  2023 hadoop-yarn-server-common-3.3.
6.jar
-rw-r--r--. 1 hadoop hadoop 1779694 jun 18  2023 hadoop-yarn-server-nodemanager
-3.3.6.jar
-rw-r--r--. 1 hadoop hadoop 2493426 jun 18  2023 hadoop-yarn-server-resourcemanager-3.3.6.jar
-rw-r--r--. 1 hadoop hadoop 125259 jun 18  2023 hadoop-yarn-server-router-3.3.
6.jar
-rw-r--r--. 1 hadoop hadoop 58835 jun 18  2023 hadoop-yarn-server-sharedcache
manager-3.3.6.jar
-rw-r--r--. 1 hadoop hadoop 8482 jun 18  2023 hadoop-yarn-server-tests-3.3.6
.jar
-rw-r--r--. 1 hadoop hadoop 58476 jun 18  2023 hadoop-yarn-server-timeline-pl
uginstorage-3.3.6.jar
-rw-r--r--. 1 hadoop hadoop 56789 jun 18  2023 hadoop-yarn-server-web-proxy-3
.3.6.jar
-rw-r--r--. 1 hadoop hadoop 72045 jun 18  2023 hadoop-yarn-services-api-3.3.6
.jar
-rw-r--r--. 1 hadoop hadoop 632932 jun 18  2023 hadoop-yarn-services-core-3.3.
6.jar
drwxr-xr-x. 2 hadoop hadoop      4096 jun 18  2023 lib
drwxr-xr-x. 2 hadoop hadoop      4096 jun 18  2023 sources
drwxr-xr-x. 2 hadoop hadoop      4096 jun 18  2023 test
drwxr-xr-x. 4 hadoop hadoop      4096 jun 18  2023 timelineservice
drwxr-xr-x. 3 hadoop hadoop      4096 jun 18  2023 webapps
drwxr-xr-x. 6 hadoop hadoop      4096 jun 18  2023 yarn-service-examples
[hadoop@nodo1 hadoop]$
```

revisamos los ejemplos de la carpeta mapreduce.

```
[hadoop@nodo1 hadoop]$ ls mapreduce
hadoop-mapreduce-client-app-3.3.6.jar
hadoop-mapreduce-client-common-3.3.6.jar
hadoop-mapreduce-client-core-3.3.6.jar
hadoop-mapreduce-client-hs-3.3.6.jar
hadoop-mapreduce-client-hs-plugins-3.3.6.jar
hadoop-mapreduce-client-jobclient-3.3.6.jar
hadoop-mapreduce-client-jobclient-3.3.6-tests.jar
hadoop-mapreduce-client-nativetask-3.3.6.jar
hadoop-mapreduce-client-shuffle-3.3.6.jar
hadoop-mapreduce-client-uploader-3.3.6.jar
hadoop-mapreduce-examples-3.3.6.jar
jdifff
lib-examples
sources
[hadoop@nodo1 hadoop]$
```

Nos colocamos en la carpeta mapreduce y comprobamos si ha habido alguna ejecución del programa Grep de ejemplo hadoop-mapreduce-examples-3.3.6.jar

```
[hadoop@nodo1 hadoop]$ cd mapreduce
[hadoop@nodo1 mapreduce]$ ls -l /tmp/salida
total 4
-rw-r--r--. 1 hadoop hadoop 7 may  8 01:57 part-r-00000
-rw-r--r--. 1 hadoop hadoop 0 may  8 01:57 _SUCCESS
[hadoop@nodo1 mapreduce]$ cat /tmp/salida/part-r-00000
1560      a
[hadoop@nodo1 mapreduce]$
```

Eliminamos la carpeta /tmp/salida para poder ejecutar el programa denuevo

```
[hadoop@nodo1 mapreduce]$ rm -rf /tmp/salida
[hadoop@nodo1 mapreduce]$ ls -l /tmp/salida
```

Ahora ejecutamos nosotros el programa grep buscando otra cadena de texto

```
[hadoop@nodo1 mapreduce]$ hadoop jar hadoop-mapreduce-examples-3.3.6.jar grep /tmp/entra
da /tmp/salida 'dfs[a-z.]+'

```

```

2026-05-15 20:11:08,564 INFO mapreduce.Job: Counters: 30
  File System Counters
    FILE: Number of bytes read=1202224
    FILE: Number of bytes written=3683166
    FILE: Number of read operations=0
    FILE: Number of large read operations=0
    FILE: Number of write operations=0
  Map-Reduce Framework
    Map input records=1
    Map output records=1
    Map output bytes=17
    Map output materialized bytes=25
    Input split bytes=137
    Combine input records=0
    Combine output records=0
    Reduce input groups=1
    Reduce shuffle bytes=25
    Reduce input records=1
    Reduce output records=1
    Spilled Records=2
    Shuffled Maps =1
    Failed Shuffles=0
    Merged Map outputs=1
    GC time elapsed (ms)=0
    Total committed heap usage (bytes)=749731840
  Shuffle Errors
    BAD_ID=0
    CONNECTION=0
    IO_ERROR=0
    WRONG_LENGTH=0
    WRONG_MAP=0
    WRONG_REDUCE=0
  File Input Format Counters
    Bytes Read=123
  File Output Format Counters
    Bytes Written=23

```

Comprobamos el resultado de la operación.

```

[hadoop@nodo1 mapreduce]$ ls -l /tmp/salida
total 4
-rw-r--r--. 1 hadoop hadoop 11 may 15 20:11 part-r-00000
-rw-r--r--. 1 hadoop hadoop 0 may 15 20:11 _SUCCESS
[hadoop@nodo1 mapreduce]$ cat /tmp/salida/part-r-00000
1      dfsadmin
[hadoop@nodo1 mapreduce]$ █

```

Revisamos la clave pública del ssh.

```

[hadoop@nodo1 ~]$ cat .ssh/id_rsa.pub
ssh-rsa AAAAB3NzaC1yc2EAAAABIwAAAQEA4TJuDUkRtEpMhN7LFYpwVpQoIx9DEWa+uLSsemEAtJ8b
aoq/yg0Y1N2DAjcIhaqjj5kbRK3fx/LR9pnJL1psEukfk956uDgjkEWsS806LhAAML+bUrkuRegGW0rY
/vodIhcWMIM69FjCDB0lj9KDdTxqBmQdsXeo25PRtKhC087CFo4qae7tr34k9w4Voyk721JzutB6/Mj/
Fl+5uBaxgRBcFZ7gjuVUD/FeUl+lsWmPB40GXvKvc/nD9cVtZT9fEutkKCrp28GZevgTqC2v0Zg9y3qg
1mplKn02DHxvDnFDfaQzviphCs0fkNhq1W3YpKVgS6bHVftUDwTbThK9Vw== hadoop@nodo1
[hadoop@nodo1 ~]$ █

```

Revisamos que este creado el archivo authorized keys y revisamos su contenido

```
[hadoop@node1 ~]$ cd .ssh
[hadoop@node1 .ssh]$ ls -l
total 16
-rw-r--r--. 1 hadoop hadoop 394 may  8 03:46 authorized_keys
-rw-----. 1 hadoop hadoop 1675 may  8 03:07 id_rsa
-rw-r--r--. 1 hadoop hadoop 394 may  8 03:07 id_rsa.pub
-rw-r--r--. 1 hadoop hadoop 397 may  8 04:17 known_hosts
[hadoop@node1 .ssh]$
[hadoop@node1 .ssh]$ cat authorized_keys
ssh-rsa AAAAB3NzaC1yc2EAAAABIwAAAQEA4TJuDUkRtEpMhN7LFYpwVpQoIx9DEWa+uLSsemEAtJ8b
aoq/yg0Y1N2DAjcIhaqjj5kbRK3fx/LR9pnJL1psEukfk956uDGjkEWSs806LhAAMl+bUrkuRegGW0rY
/vodIhcWMIM69FjCDB0lj9KDdTxqBmQdsXeo25PRtKhc087CFo4qae7tr34k9w4Voyk721JzutB6/Mj/
Fl+5uBaxgRBcFZ7gjuVUD/FeUl+lsWmPB40GXvKvc/nD9cVtZT9fEutkKCrp28GZevgTqC2v0Zg9y3qg
1mplKn02DHxvDnFDfaQzviphCs0fkNhq1W3YpKVgS6bHVftUDwTbThK9Vw== hadoop@node1
[hadoop@node1 .ssh]$
```