

Scaletec Plus® Enhanced Easy-Wash: **to remove calcium scale or stain with less or no acid**

All types pool finishes (existing, new or remodeled) can now be restored with significantly less acid (or none at all), surface damage and hazards to workers exposed to harsh acids. This new enhanced Easy-Wash procedure utilizes de-scaling technology by using Scaletec Plus calcium scale and stain remover.

Enhanced procedure:

1. Add 1 (one) bottle of Scaletec Plus® (64 oz. size per 10,000 gals.) two to three weeks before a scheduled acid wash. Operate pool pump normal duty cycle. Keep chlorine levels at 3.0 ppm or less (the lower the better) and use an algaecide (if needed but not one containing metals) to keep pool water clear.
2. To also clean the tile from calcium-lime buildup, raise and maintain the water level during the pre-treatment phase. This will soften and help dissolve the scale.
3. If possible, return weekly and use a combo brush to scrub trouble areas with heavier scale-stain buildup.

Power wash option:

Before proceeding with scheduled acid wash, many service techs have found that "power washing" is all that is needed to remove scale and stain on pool finish and tile.

Acid wash option:

1. Follow safe draining procedures as per your region and time of year.
2. Inspect and evaluate finish for effectiveness of pre-treatment results.
3. Test a small area with a reduced percentage of acid to determine the total amount of acid that will be needed to finalize the remove all scale and stains.
4. Perform acid wash as normal.

Now that you're done! We suggest you keep your work beautiful by adding Beautec Scale-Stain-Scum Controller and Salt Cell Cleaner.

Scaletec Plus® Enhanced Easy-Wash: **to remove calcium scale or stain with less or no acid**

All types pool finishes (existing, new or remodeled) can now be restored with significantly less acid (or none at all), surface damage and hazards to workers exposed to harsh acids. This new enhanced Easy-Wash procedure utilizes de-scaling technology by using Scaletec Plus calcium scale and stain remover.

Enhanced procedure:

1. Add 1 (one) bottle of Scaletec Plus® (64 oz. size per 10,000 gals.) two to three weeks before a scheduled acid wash. Operate pool pump normal duty cycle. Keep chlorine levels at 3.0 ppm or less (the lower the better) and use an algaecide (if needed but not one containing metals) to keep pool water clear.
2. To also clean the tile from calcium-lime buildup, raise and maintain the water level during the pre-treatment phase. This will soften and help dissolve the scale.
3. If possible, return weekly and use a combo brush to scrub trouble areas with heavier scale-stain buildup.

Power wash option:

Before proceeding with scheduled acid wash, many service techs have found that "power washing" is all that is needed to remove scale and stain on pool finish and tile.

Acid wash option:

1. Follow safe draining procedures as per your region and time of year.
2. Inspect and evaluate finish for effectiveness of pre-treatment results.
3. Test a small area with a reduced percentage of acid to determine the total amount of acid that will be needed to finalize the remove all scale and stains.
4. Perform acid wash as normal.

Now that you're done! We suggest you keep your work beautiful by adding Beautec Scale-Stain-Scum Controller and Salt Cell Cleaner.