
Lexari

SOLANA MOBILE HACKATHON · CLOCK IN 2026

Your own AI agents, working onchain.

Personalized AI agents with one USD balance, funded Solana-first, that swap, bridge, trade and pay across chains. Confirm cards keep you in control of what moves.



Product document
Overview, product tour, architecture, safety and proof

app.lexari.ai
github.com/xElvolution/lexari

Built by
Elvolution

INTRODUCTION

A personal agent for every Seeker owner.

Lexari gives people their own personalized AI agents that work onchain. You sign up with Google or email, name an agent, choose the model it runs on, and fund a single USD balance. From there your agent can research, swap, bridge, trade and pay on your behalf, on whichever chain the opportunity lives.

The product is built around one rule: **you approve what moves.** Swaps and payments are presented as in-app Confirm cards, and transactions from your own wallet are signed in your wallet app over Solana Mobile Wallet Adapter, so Lexari never holds that key. Agent permissions are scoped and revocable. Section 7 explains exactly who holds which funds, including one known gap we are closing.

This document is our submission companion for CLOCK IN, the Solana Mobile hackathon run with RadiantsDAO. It walks through the problem, the product as it runs today at app.lexari.ai, how Lexari uses Solana Mobile and SKR, the architecture, funds and safety, an honest status for every feature, and onchain proof.

> **HOW JUDGES CAN READ THIS**
>
> Each section notes the hackathon criterion it speaks to. Status labels mean: `LIVE` runs on the production path, `PARTIAL` real code not yet exercised or configured in production, `TESTNET` runs on devnet or a testnet, `PLANNED` not built yet. A full criteria mapping is in Appendix A.

Funding
One USD balance, Solana-first, 120+ coins listed

Reach
Cross-chain routes through Aurora Intents

Models
Lamina, plus Kimi and Qwen via 0G; Claude and OpenAI with your own key

Safety
Confirm cards; your wallet stays self-custodied over MWA

CONTENTS

Table of contents

1 Overview 4

2 Problem 5

3 Solution 6

4 Product tour 7

4.1 Sign-up and security 7

4.2 Funding your balance 8

4.3 Agents, brain and marketplace 9

5 SKR and Solana Mobile 10

6 Architecture 11

7 Funds and safety architecture 12

8 Feature status 13

9 Partners 14

10 Proof 15

11 Roadmap 16


12 Team 16

A Appendix A: Judging criteria map 17

PRESENTATION AND DEMO

1 Overview

Lexari is a consumer app for personal AI agents that act onchain. It ships as a Next.js 16 web app at app.lexari.ai and an Expo mobile app for Android and Seeker, sharing one account, one balance and the same agents.



Desktop sign-in at app.lexari.ai: Google or email, no password to remember.

Who it is for

Crypto-curious and crypto-native mobile users who want results onchain without managing a wallet per chain.

What it does

Turns plain-language goals into proposed actions: swaps, bridges, trades and payments, each shown to you as a Confirm card.

STICKINESS AND PRODUCT-MARKET FIT

2 Problem

Onchain finance is powerful, but from a phone it still feels like a part-time job.

2.1

Too many surfaces

Every chain brings its own wallet, gas token, bridge and interface. Users spend their time moving balances around instead of acting on an idea.

2.2

Signal lives on desktop

Smart-money flows and disciplined exits such as take-profit and stop-loss sit in dashboards that most mobile users never open.

2.3

AI that acts feels unsafe

Assistants that hold keys or auto-sign transactions ask for blind trust. Most people, rightly, will not give it.

2.4

No daily reason to open the wallet

Seeker owners carry a secure, crypto-native phone. What is missing is an experience that earns a place in their day.

INNOVATION AND X-FACTOR

3 Solution

Personal agents you create, name and fund, that work across chains while you approve what moves.

One USD balance. LIVE Top up once, Solana-first. Cross-chain routes through Aurora Intents (1Click Swap API) PARTIAL.


Choose the model. PARTIAL Lamina by default, Kimi and Qwen via 0G, Claude and OpenAI with your own key.

Agents that act. Nansen smart-money signal LIVE, Hyperliquid trading TESTNET, Kuru on Monad PARTIAL.

A memory that lasts. Each agent keeps a brain of what it has learned about you.

Confirm cards. LIVE Swaps and new payees always need your approval; within-budget agent payments are moving behind Confirm too (section 7).

Agents pay agents. LIVE (DEVNET) Hire specialists from the marketplace and pay them over x402.



Agents and chats




Agent brain and memory

USER EXPERIENCE


4 Product tour

4.1 Sign-up and security


Getting in takes one tap with Google or email. Right after sign-up, users can lock the app with a PIN that also gates payment approvals. On the web, passkeys can be linked through Mera PARTIAL. On Android, users can sign in with their own Solana wallet over Mobile Wallet Adapter LIVE (CODE).



Sign in on mobile




Lock Lexari with a PIN




Plans and seats

4.2 Funding your balance


One Lexari balance pays for AI usage, hires, agent cards and funding agents. Top up $5, $10 or a custom amount: deposit crypto from 120+ listed coins PARTIAL, or pay from your connected wallet over MWA LIVE (CODE). Depositing SKR earns a 5% bonus credit PARTIAL.



Wallet and agent wallets



Top up: $5, $10 or custom



Pay with crypto, pick a coin

CONFIRM CARD


Each swap or payment the agent proposes is shown as a Confirm card with amount and route before anything is signed. Payments from your own wallet are then signed in your wallet app.

4.3 Agents, brain and marketplace


The marketplace lets you hire specialist agents, and agents can pay other agents LIVE (DEVNET). The Hub adds daily check-ins, streaks and quests LIVE (DEVNET), and the Team floor shows the agents working for you.



Marketplace: hire specialists



Hub: check-ins and quests



Team floor

STICKINESS AND PMF · SKR INTEGRATION

5 SKR and Solana Mobile

Seeker is the natural home for an agent that needs your signature.

5.1 Mobile Wallet Adapter LIVE (CODE)

The Expo app uses `@solana-mobile/mobile-wallet-adapter-protocol-web3js` in `mobileapp/src/lib/mwa.ts`: `authorize` and `reauthorize`, `signMessages` for Sign In With Solana (`walletLink.native.tsx`, `onboard.ts`) and step-up checks (`StepUpSheet.tsx`), and `signAndSendTransactions` from the user's own wallet for the chat Send SOL card (`src/web/chat/cards.tsx`) and Pay from connected wallet top-ups (`src/components/TopUpFlow.tsx`). Phantom, Solflare or Seed Vault sign in the wallet app; Lexari never holds that key.

5.2 Seeker and Seed Vault PARTIAL

`src/lib/device.ts` detects Seeker and Saga by brand and model and surfaces Seed Vault first in the wallet list. Seed Vault is used as an MWA wallet; there is no direct Seed Vault SDK integration.

5.3 SKR top-ups with 5% bonus PARTIAL

Depositing SKR credits the USD balance with a 5% bonus (`SKR_BONUS = 0.05` in `content/topup.ts`, applied in `server/topup/deposits.ts`) on an `SKR:solmain` rail. No SKR deposit has been credited in production yet. This is a deposit-for-credit integration, not staking.

5.4 A daily habit LIVE (DEVNET)

Daily check-ins, streaks and quests run against the Lexari devnet program (300 quest events, 59 claims). Mobile push alerts are coded (`mobileapp/src/lib/push.ts`) PARTIAL, with no Expo push tokens registered in production yet.

TECHNICAL DEPTH

6 Architecture

Agents think offchain. Money moves only after a Confirm card, signed either by your own wallet or by your agent's wallet.

CLIENTS

Expo Android app for Seeker
Mobile Wallet Adapter: SIWS, signMessages, signAndSendTransactions
Next.js 16 web app
Google or email auth, Mera passkeys (web)

→

AGENT CORE

Model router: Lamina, Kimi and Qwen via 0G, own-key Claude and OpenAI
Planner: chat to action proposal
Agent memory (brain)
Confirm card gate and spend policy

→

EXECUTION

Lexari Anchor program (devnet)
x402 agent payments (devnet)
Aurora Intents swaps and bridges
Hyperliquid, Kuru, MetaMask delegation

Money and data rails USD balance as an off-chain ledger held by Lexari · deposits to per-user addresses, 120+ coins listed via Aurora Intents, SKR with 5% bonus · Nansen smart-money signal · Tempo card and Agora AUSD on testnets

Request lifecycle

1. User asks an agent in plain language.
2. The selected model plans using memory and market signal.
3. The plan becomes a Confirm card with amount, route and risk settings.
4. The user approves the Confirm card. Sends from the user's own wallet are signed in the wallet app over MWA; agent-wallet actions are signed by the server with the agent key.
5. The transaction executes and results flow back to the agent feed.

7

WHO HOLDS WHAT, AND WHO SIGNS

Funds and safety architecture

FUNDS	CUSTODY	WHO SIGNS	CONTROLS	STATUS
Your own wallet	Non-custodial. You hold the key in Phantom, Solflare or Seed Vault.	You, in your wallet app over MWA	Confirm card plus biometric gate; MWA calls are never made without a Confirm card (mwa.ts)	LIVE (CODE)
Lexari USD balance	Custodial, off-chain ledger held by Lexari (Postgres billing settings and credit ledger), credited in micro-USD	Lexari server	Deposits land on per-user addresses derived on the server; SKR deposits add 5%	LIVE
Agent wallets	Custodial. Keys are derived on the server per person, agent and chain; none are stored. Solana agent wallets run on devnet only.	Lexari server, after you tap Confirm	Confirm cards, per-transaction and daily limits, step-up checks, first-payee warnings, untrusted-content gating; test USDC funding capped at $25	TESTNET
MetaMask delegation	Non-custodial. Your smart account delegates a capped, expiring allowance (ERC-7710).	Your smart account	Revocable at any time	TESTNET

KNOWN GAP, FIX UNDERWAY

Today, agent payments to services and other agents (`pay.service` , `pay.agent`) pay without a Confirm card when they are within the agent's budget. New payees and untrusted content already force a Confirm. The change underway makes these payments require a Confirm card too, so every agent payment is approved by you.

BEFORE MAINNET FUNDS

Agent and deposit keys are derived from a single server secret. That is acceptable on devnet, and it will be replaced before any mainnet funds with KMS or HSM custody, MPC, or delegation where you keep custody.

8

HONEST, FROM OUR CODE AND PRODUCTION AUDIT

Feature status

FEATURE	STATUS	EVIDENCE
Next.js web app (app.lexari.ai)	LIVE	Production deployment
Expo Android app	LIVE (CODE)	Expo and expo-router app in mobileapp/; APK artifact not verified in the audit
Mobile Wallet Adapter signing	LIVE (CODE)	mobileapp/src/lib/mwa.ts
Seeker detection, Seed Vault first	PARTIAL	src/lib/device.ts; Seed Vault via MWA only
USD balance ledger	LIVE	Custodial off-chain ledger; 15 production ledger rows
Crypto deposits, 120+ coins	PARTIAL	Coin list live from Aurora Intents; no Aurora-credited deposit yet
SKR top-up, 5% bonus	PARTIAL	Bonus logic in place; no SKR deposit credited yet
Agent swaps and bridges	PARTIAL	Aurora Intents quote, route and status; 0 production executions
Model routing	PARTIAL	0G for Kimi and Qwen; Lamina default; Claude and OpenAI own key
Confirm cards	LIVE	Within-budget agent payments currently auto-pay; fix underway
Marketplace hires, agent payments	LIVE (DEVNET)	x402 seller and buyer; 15 hires, 13 payments
Agent wallets	TESTNET	Server-derived keys, Solana devnet
Lexari Anchor program	TESTNET	Deployed on devnet, not on mainnet
Quests and daily check-ins	LIVE (DEVNET)	300 quest events, 59 claims
Mobile push alerts	PARTIAL	Coded; no Expo tokens in production
Solana dApp Store listing	PLANNED	Required for winners

WHAT EACH ONE DOES

9 Partners

Best-in-class rails behind one simple app.

PARTNER	ROLE IN LEXARI	STATUS
Solana Mobile	Mobile Wallet Adapter signing, Seeker detection, SKR rail, dApp Store distribution	LIVE (CODE)
Aurora Intents	1Click Swap API: coin list, quotes, routes for swaps and bridges	PARTIAL
0G	Serves Kimi and Qwen through the 0G router	PARTIAL
Nansen	Smart-money wallet signal, read-only	LIVE
Hyperliquid	API-wallet trading; mainnet refused for now	TESTNET
Kuru	Swaps on Monad via the Kuru SDK; not configured in production	PARTIAL
MetaMask	ERC-7710 delegation with revocation, on Monad testnet	TESTNET
Mera	Passkey-derived keys on the web	PARTIAL
Agora	AUSD balance, faucet, pay and send on Monad testnet	TESTNET
Alchemy	Chain data client; not configured in production	PARTIAL
Tempo	Card and pathUSD top-ups on Moderato testnet	TESTNET
ORE Miner	Marketplace miner agent, devnet practice mode	PARTIAL

10

VERIFIABLE ON SOLANA DEVNET

Proof

LEXARI ANCHOR PROGRAM (DEVNET)

BbnD28xf3kwfQRiRA6VQmw4p2R55WivUgozSoo81M6Po

Instructions include register_agent, update_agent, write_memory, revoke_memory, init_player, check_in, claim_quest and open_box. Deployed on devnet; not on mainnet.

86
onchain signatures in the production chain ledger

15
marketplace hires

300
quest events

59
Hub claims

Sample devnet transactions

All finalized with no error. Each links to Solana Explorer (cluster=devnet).

TYPE	SIGNATURE
Lexari program activity	m2c42qN71dsYpA7zi9CV3hHWXYDRVJz5oGLkokDwRHxQUxncvNBcEzQa9D3Kav6RocpyS6WPCk3Bks2PKkbcNqv
Lexari program activity	3yUEHdKHUAZ2T99mvvDi6XyiHgBnWqcwr85wfauS8VgZ592e3aG5cvz3xUV6hxS1NSioZeE8kNSsq4mWRq1fN31K
x402 paid service	38eBc8dw5p8e8jA91wG5EvLRLkNkSihQCvLbJHL15wvKxcDE3RVvxwLrUWzVeAE1v2TrJ6u3xzbzTrkuqZAAwBXo
Agent-to-agent payment	2dg69aaVgzxbbsWma6hBhmyJ1WHHgtRDh6d34spPALkMXKPx5ZoUS8fgkfqNvnNgi3cSwZP9bMWiPzaoBFBivzeF
Agent funding (test USDC)	37oWVsdTf5g5A6XarepYYauQr5uaVNK9ST8xgFWXzQJmAkq8xxiV5YGbG1uj6DriqCLhnktaPUxcroKc4oe62M8G

339
commits in github.com/xElvolution/lexari

Sep 27, 2026
first commit, after the hackathon opened

VISION

11 Roadmap

Now

Web app, MWA wallet signing in the Android app, USD balance, Confirm cards, marketplace hires and agent payments on devnet, Hub quests on the Lexari devnet program, Nansen signal.

Next

Confirm cards on every agent payment. First credited SKR and Aurora deposits. Kuru and Alchemy configured. Expo push alerts. Android release and Solana dApp Store listing.

Later

Mainnet agent custody through KMS or HSM, MPC, or user-held delegation. Testnet integrations moved to mainnet. Deeper SKR utility.

12 Team

Elvolution

Founder and builder

Designs, builds and operates Lexari across the web app, the Android app, the Solana program and the agent backend.

github.com/xElvolution · app.lexari.ai

A

EACH CRITERION WEIGHTED 25%

Judging criteria map

CRITERION	HOW LEXARI ANSWERS IT	SECTION
Stickiness and Product-Market Fit	Hub check-ins, streaks and quests (300 quest events), SKR deposit bonus for Seeker owners, agents that bring ideas to you.	2, 5
User Experience	Google or email sign-up, wallet sign-in over MWA, PIN lock, one USD balance, $5 or $10 top-ups, Confirm cards.	4, 5
Innovation and X-Factor	Personal multi-model agents with memory that act across chains and hire and pay other agents, with clear custody lines.	3, 6, 7
Presentation and Demo	Three-minute on-device demo, an honest status for every feature, and devnet proof anyone can check.	1, 8, 10

SUBMISSION CHECKLIST

Functional Android APK · GitHub repository (github.com/xElvolution/lexari) · Demo video of three minutes · This document as the pitch deck.