

xFusionTech

Style Guide

Overview

Colors Palette

Navigation Patterns

Section Divider

Buttons

Grid System

Iconography

Table

Notification Patterns

Heading

Overview


Safekids uses a responsive and single page layout approach. The web page should look good, and be easy to use, regardless of the device (desktops, tablets, and phones).



Colors Palette


This color palette comprises primary, secondary and accent colors that can be used for illustration or to develop brand colors. They've been designed to work harmoniously with each other.

Primary Color



R: 70
G: 81
B: 101
HEX: #231F20


Secondary Color



R: 228
G: 234
B: 244
HEX: #E4EAF4



R: 48
G: 49
B: 51
HEX: #303133



R: 233
G: 233
B: 234
HEX: #E9E9EA

Accent Color



R: 241
G: 90
B: 43
HEX: #F15A2B




R: 13
G: 188
B: 212
HEX: #0DBCD4

Navigation Patterns

Safekids uses tabs/pills functionality as main navigation system to transition through sections of content.

Tabs style




Code snippets

HTML

```
<ul class="nav nav-tabs">
  <li role="presentation" class="active"><a href="#">Name 1</a></li>
  <li role="presentation"><a href="#">Name 2</a></li>
  <li role="presentation"><a href="#">Name 3</a></li>
</ul>
```

Pills style





Code snippets - HTML

HTML

```
<ul class="nav nav-pills">
  <li role="presentation" class="active"><a href="#">Name 1</a></li>
  <li role="presentation"><a href="#">Name 2</a></li>
  <li role="presentation"><a href="#">Name 3</a></li>
</ul>
```

Samples

A sample form for a child profile. At the top, there are navigation tabs: 'Parent Profile', 'Child(ren) Profile' (active), 'Facilities Locator', and 'Manage Inbox'. Below the tabs is a header bar with a '+ Add Child' button, a dropdown menu showing 'Child Profile: Kenny McCromy - Son', and an 'Edit' button. The main section is titled 'CHILD INFORMATION'. It contains two columns of form fields. The left column has 'First Name', 'Middle Name' (with a note 'Optional'), and 'Last Name'. The right column has 'Gender' (radio buttons for 'Male' and 'Female'), 'Race / Ethnicity' (a dropdown menu), 'Date of Birth' (a date picker), and 'Social Security No.' (a masked input field). Below these fields is a 'Photo(s)' section with four small photo thumbnails and an 'Add Photo' button.A sample email compose form. At the top, there are navigation tabs: 'Compose New Email' (active), 'Inbox', and 'Contact Info'. Below the tabs is a header bar with the text 'Send To: Atkinson Family Services'. There are two radio buttons for 'Contact Person: Joshua Anderson' (selected) and 'Case Worker: Kevin Jones'. Below this is a 'Subject:' field. The main section is a large text area for the 'Message:'. At the bottom right, there are 'Clear' and 'Submit' buttons.

Section Divider

Use section header to separate major sections. Use sub-section header to divide the group of content.

Section

SECTION HEADER

Code snippets

HTML

```
<div class="section-header">Section Name</div>
```

CSS

```
.section-header {  
  font-size: 1.45em;  
  color: #0DBCD4;  
  border-bottom: 2px solid #0DBCD4;  
  padding-bottom: 0.5em;  
  font-weight: 300;  
  margin: 2em 0;  
  text-transform: uppercase;  
}
```

Sub-Section

Sub-Section Header

Code snippets

HTML









```
<div class="sub-section-header">Section Name</div>
```

CSS

```
.sub-section-header {  
  font-size: 1.2em;  
  color: #231F20;  
  border-bottom: 2px solid #231F20;  
  padding-bottom: 0.5em;  
  margin-bottom: 0.5em;  
}
```

Samples

PARENT INFORMATION

First Name	<input type="text"/>	Gender	<input checked="" type="radio"/> Male <input type="radio"/> Female
Middle Name	<input type="text" value="Optional"/>	Social Security No.	<input type="text"/> - <input type="text"/> - <input type="text"/>
Last Name	<input type="text"/>	Photo(s)	
		   	
		   	
			<input type="button" value="Add Photo"/>

Home Address

Street Address 1	<input type="text"/>
Street Address 2	<input type="text"/>
City	<input type="text"/>
State	<input type="text" value="Alabama"/>
Zip	<input type="text"/> - <input type="text" value="option"/>

Buttons

The primary action is the button that completes the user's task.
Use the button classes on an `<a>`, `<button>`, or `<input>` element.

Primary Button

Primary

Code snippets

HTML

```
<a class="btn btn-primary" href="#" role="button">Link</a>  
<button class="btn btn-primary" type="submit">Button</button>  
<input class="btn btn-primary" type="button" value="Input">  
<input class="btn btn-primary" type="submit" value="Submit">
```

CSS

```
.btn-primary {  
  background-color: #008CC0;  
  border: 1px solid #008CC0;  
}
```

Secondary Button

Secondary

Code snippets

HTML

```
<a class="btn btn-secondary" href="#" role="button">Link</a>  
<button class="btn btn-secondary" type="submit">Button</button>  
<input class="btn btn-secondary" type="button" value="Input">  
<input class="btn btn-secondary" type="submit" value="Submit">
```

CSS

```
.btn-secondary {  
  background-color: #0DBCD4;  
  color: #FFFFFF;  
}
```

Tertiary Button

Tertiary

Code snippets

HTML

```
<a class="btn btn-tertiary" href="#" role="button">Link</a>  
<button class="btn btn-tertiary" type="submit">Button</button>  
<input class="btn btn-tertiary" type="button" value="Input">  
<input class="btn btn-tertiary" type="submit" value="Submit">
```

CSS

```
.btn-tertiary {  
  background-color: #FFFFFF;  
  border: 1px solid #CCCCCC;  
  color: #303133;  
}
```

Samples

Child Profile

Kenny McCromy - Son



Edit

Clear

Reply

+ Add Child

Grid System

Safekids utilize Bootstrap's responsive, mobile first fluid grid system that appropriately scales up to 12 columns as the device or viewport size increases.

Use media queries to create the key breakpoints in the grid system.

.col-md-1	.col-md-1	.col-md-1	.col-md-1	.col-md-1	.col-md-1	.col-md-1	.col-md-1	.col-md-1	.col-md-1	.col-md-1	.col-md-1
.col-md-8								.col-md-4			
.col-md-4				.col-md-4				.col-md-4			
.col-md-6						.col-md-6					

Code snippets

HTML

```
<div class="row">
  <div class="col-md-1">.col-md-1</div>
  <div class="col-md-1">.col-md-1</div>
  <div class="col-md-1">.col-md-1</div>
  <div class="col-md-1">.col-md-1</div>
  <div class="col-md-1">.col-md-1</div>
  <div class="col-md-1">.col-md-1</div>
  <div class="col-md-1">.col-md-1</div>
  <div class="col-md-1">.col-md-1</div>
  <div class="col-md-1">.col-md-1</div>
  <div class="col-md-1">.col-md-1</div>
  <div class="col-md-1">.col-md-1</div>
</div>
<div class="row">
  <div class="col-md-8">.col-md-8</div>
  <div class="col-md-4">.col-md-4</div>
</div>
<div class="row">
  <div class="col-md-4">.col-md-4</div>
  <div class="col-md-4">.col-md-4</div>
  <div class="col-md-4">.col-md-4</div>
</div>
<div class="row">
  <div class="col-md-6">.col-md-6</div>
  <div class="col-md-6">.col-md-6</div>
</div>
```

Fluid container

```
<div class="container-fluid">
  <div class="row">
    ...
  </div>
</div>
```

Media queries

```
@media (min-width: @screen-sm-min) { ... }
```

```
@media (min-width: @screen-md-min) { ... }
```

```
@media (min-width: @screen-lg-min) { ... }
```

Iconography

Safekids utilize icon font format from the Glyphicon Halflings set. Icon classes should only be used on elements that contain no text content and have no child elements.



Code snippets

HTML

```
<span class="glyphicon glyphicon-icon-name" aria-hidden="true"></span>
```

Samples



Table

Tables should only be used for rendering data that belongs naturally in a grid where the data describe the information of objects that have the same properties.

Header Name 1	Header Name 2	Header Name 3	Header Name 4	Header Name 5
Data - Column 1	Data - Column 2	Data - Column 3	Data - Column 4	Data - Column 5

Code snippets

HTML

Basic

```
<table class="table">
...
</table>
```

Striped rows

```
<table class="table table-striped">
...
</table>
```

Bordered

```
<table class="table table-bordered">
...
</table>
```

Hover rows

```
<table class="table table-hover">
...
</table>
```

Responsive

```
<table class="table table-responsive">
...
</table>
```

Samples

Distance	Facility Name	Facility Address	Contact Person	Phone No.
1.2 Miles	Atkinson Family Services	123 Abc Street, Sacramento, CA 95123	Joshua Anderson	916.432.1234
1.8 Miles	Welcome Home Foster Family Agency	4 K Street, Sacramento, CA 95123	Kevin Jones	916.654.6734
3.2 Miles	Our Children's Keeper	425 Big Ave, Sacramento, CA 95123	Maria Garcia	916.634.4312
3.7 Miles	Foster Family Services	650 Small Blvd, Sacramento, CA 95123	Rebecca Williams	916.567.8900
4.5 Miles	Positive Option Family Services	789 Xyz Street, Sacramento, CA 95123	Elizabeth Martinez	408.634.8778

Notification Patterns

Notification banner provides people information and functionality that is important and needs to be paid attention right now. Various color convey the urgency of the message.

Success Message

Informative Message

Warning Message

Alert Message

Code snippets

HTML

```
<p class="notification success">...</p>
<p class="notification info">...</p>
<p class="notification warning">...</p>
<p class="notification alert">...</p>
```

CSS

```
.notification {
  color:#2D2D2D;
  border:none;
  padding: 1.4em 1.1em 1.1em 1.1em;
  margin-bottom: 0;
}
.success {
  background-color: #DFF0D8;
}
.info {
  background-color: #D9EDF7;
}
.warning {
  background-color: #FCF8E3;
}
.alert {
  background-color: #FFE3E3;
}
```

Samples



Warning: Lorem ipsum dolor sit amet, consectetur adipisicing elit. Amet, ea, recusandae, veniam, aliquam deserunt ipsum illum pariatur.

Heading

h1. heading

Semibold 36px

h2. heading

Semibold 30px

h3. heading

Semibold 24px

h4. heading

Semibold 18px

h5. heading

Semibold 14px

h6. heading

Semibold 12px

Code snippets

HTML

```
<h1>h1. heading</h1>
<h2>h2. heading</h2>
<h3>h3. heading</h3>
<h4>h4. heading</h4>
<h5>h5. heading</h5>
<h6>h6. heading</h6>
```

CSS

```
.h1, .h2, .h3, .h4, .h5, .h6, h1, h2, h3, h4, h5, h6 {
  font-family: inherit;
  font-weight: 500;
  line-height: 1.1;
  color: inherit;
}
```