

2.2.11 Live Lab: Secure an Azure OpenAI LLM

Jeffrey Jordan (ghostinthemaking@gmail.com)

Date: 12:26:23 AM 03/07/2026

Time Spent: 00:40:41

Score: 100%

Passing Score: 80%



Task: Disable public network access

✓ Correct

Task: API and POST operation created

✓ Correct

Question 1

✓ Correct

What is the most likely cause of a 403 error when testing the API?

☒ The traffic is being blocked ✓ Correct

☐ The wrong HTTP method is used

☐ The subscription key is invalid

☐ There's a typo in the deployment name

Question 2

✓ Correct

Which APIM policy is specifically designed to limit the number of calls a client can make in a given time period?

- ☐ set-backend-service
- ☐ validate-jwt
- ☒ rate-limit-by-key ✓ Correct
- ☐ rewrite-uri

Question 3

✓ Correct

What is the main effect of setting Public network access to “Disabled” for an Azure AI service?

- ☐ It increases model accuracy
- ☒ It blocks unapproved traffic ✓ Correct
- ☐ It requires all traffic to be encrypted with TLS 1.3
- ☐ It forces the service to only accept API calls from Azure API Management

Question 4

✓ Correct

In Azure Monitor, what is the purpose of an Action Group?

- ☐ To control which IP addresses can access a resource
- ☐ To set the maximum number of API requests per second
- ☒ To define automated responses when an alert is fired ✓ Correct
- ☐ To group multiple Azure resources for billing

