test_nodelay
websocket_test.py:577

wrapper

[closure inside run_on_executor_decorator]
concurrent.py:121

calls [#1]

_create_future
gen.py:141

calls [#2]

future
(9 writes, 7 distinct)
<Future pending>
<Task pending name='Task-1' coro=<_HTTPConnection.run() running at /home/shashwat/BTP/BugsInPy/workspace/tornado/tornado…
<Future pending cb=[IOLoop.add_future.<locals>.<lambda>() at /home/shashwat/BTP/BugsInPy/workspace/tornado/tornado/ioloo…
<Future pending cb=[coroutine.<locals>.wrapper.<locals>.<lambda>() at /home/shashwat/BTP/BugsInPy/workspace/tornado/torn…
None
<Future finished result=None>
… +1 more values

writes×3

result
(4 writes, 4 distinct)
<generator object WebSocketBaseTestCase.ws_connect at 0x7c7411cdb4c0>
<coroutine object HTTPServer.close_all_connections at 0x7c7411bbdc40>
<Task pending name='Task-5' coro=<HTTPServer.close_all_connections() running at /home/shashwat/BTP/BugsInPy/workspace/to…
<Task pending name='Task-5' coro=<HTTPServer.close_all_connections() running at /home/shashwat/BTP/BugsInPy/workspace/to…

writes

ws_connect
websocket_test.py:211

calls [#3]

__init__
options_test.py:20

calls [#43]

yielded
(4 writes, 3 distinct)
<Future pending>
<Future pending cb=[IOLoop.add_future.<locals>.<lambda>() at /home/shashwat/BTP/BugsInPy/workspace/tornado/tornado/ioloo…
None

writes×3

runner

<tornado.gen.Runner object at 0x7c7411e466f0>

writes

writes

source_traceback
None

writes

add_future
Schedules a callback on the ``IOLoop`` when the given
ioloop.py:665

passed to

_run_callback
simple_httpclient.py:529

passed to

remove_timeout
asyncio.py:167

passed to

get_http_port
Returns the port used by the server.
testing.py:450

calls [#4]

websocket_connect
Client-side websocket support.
websocket.py:1579

calls [#5] calls×3 [#6]

request
(2 writes, 2 distinct)
<tornado.httpclient.HTTPRequest object at 0x7c7411e50110>
<tornado.httpclient._RequestProxy object at 0x7c7411e47e60>

writes×2

conn

<tornado.websocket.WebSocketClientConnection object at 0x7c7411e53c50>

writes

calls×5 [#13]

headers
httpclient.py:546

calls [#7]

body
httpclient.py:560

calls [#9]

_init
queues.py:302

calls [#14]

self
(10 writes, 8 distinct)
<Queue at 0x7c7411e93c80 maxsize=1>
<Event clear>
<Event set>

{'Upgrade': 'Upgrade'}
{'Upgrade': 'Upgrade', 'Connection': 'Connection'}
{'Upgrade': 'Upgrade', 'Connection': 'Connection', 'Sec-WebSocket-Key': 'Sec-Websocket-Key'}
… +2 more values

writes×2

set

Set the internal flag to ``True``. All waiters are awak…
locks.py:215

calls [#16]

__getattr__
util.py:80

calls×2 [#18]

scheme
(2 writes, 2 distinct)
'ws'
'http'

writes×2

sep
':'

writes

rest

'//127.0.0.1:39105/nodelay'

writes

key
(4 writes, 4 distinct)
'Upgrade'
'Connection'
'Sec-WebSocket-Key'
'Sec-WebSocket-Version'

writes×4

__setitem__
options.py:163

calls×4 [#21]

__new__
httpclient.py:196

calls [#30]

current

ioloop.py:235

calls×3 [#37]

time

Returns the current time according to the `IOLoop`'s cl…
ioloop.py:534

calls [#38]

convert_yielded
Convert a yielded object into a `.Future`.
gen.py:808

calls [#42] calls [#40]

handle_yield
gen.py:764

calls [#45]

first_yielded
<Future pending cb=[IOLoop.add_future.<locals>.<lambda>() at /home/shashwat/BTP/BugsInPy/workspace/tornado/tornado/ioloo…

writes

calls [#8]

utf8
escape.py:172

passed to calls [#10]

passed to

passed to

passed to

passed to passed to __missing__

httputil.py:87

passed to

_initialize
web.py:235

passed to passed to

passed to

passed to

read_message
Reads a message from the WebSocket server.
websocket.py:1501

passed to

get
bad.py:5

passed to

get_nowait
Remove and return an item from the queue without blocki…
queues.py:254

passed to

_consume_expired
queues.py:318

passed to

qsize
Number of items in the queue.
queues.py:173

passed to

_get
queues.py:305

passed to

tearDown

autoreload_test.py:15

passed to

stop
tcpclient_test.py:53

passed to

remove_handler
asyncio.py:124

passed to

split_fd
ioloop.py:769

passed to

run_sync

Starts the `IOLoop`, runs the given function, and stops…
ioloop.py:460

passed to

run

<function IOLoop.run_sync.<locals>.run at 0x7c7411b291c0>

passed to

add_callback
[closure inside test_add_callback_return_sequence]
ioloop_test.py:37

passed to

add_timeout
Runs the ``callback`` at the time ``deadline`` from the…
ioloop.py:548

passed to

call_at
asyncio.py:155

passed to

start

Starts the mock S3 server on the given port at the give…
s3server.py:57

passed to

_setup_logging
The IOLoop catches and logs exceptions, so it's
ioloop.py:427

passed to passed to

passed to

close
ioloop.py:70

passed to

_clear_current_hook
asyncio.py:276

passed to

__rethrow
testing.py:257

passed to

writes

calls [#20]

request_attr
(2 writes, 2 distinct)
'ws://127.0.0.1:39105/nodelay'
<tornado.httputil.HTTPHeaders object at 0x7c7411e50860>

writes×2

passed to

passed to

calls×4 [#22]

norm_name
(4 writes, 4 distinct)
'Upgrade'
'Connection'

'Sec-Websocket-Key'
'Sec-Websocket-Version'

writes×4

writes×4

w

(8 writes, 6 distinct)
'Upgrade'
'Connection'
'Sec'
'WebSocket'
'Key'
'Version'

writes×8

normalized
(4 writes, 4 distinct)
'Upgrade'
'Connection'

'Sec-Websocket-Key'
'Sec-Websocket-Version'

writes×4

configurable_base
util_test.py:51

calls×2 [#31]

base
(2 writes)
<class 'tornado.netutil.Resolver'>

writes

init_kwargs
{}

writes

configured_class
Returns the currently configured class.
util.py:337

calls [#32] impl

<class 'tornado.netutil.DefaultExecutorResolver'>

writes

instance

<tornado.netutil.DefaultExecutorResolver object at 0x7c7411e51190>

writes

calls [#35]

calls [#33]

writes

passed to

passed to

loop
(4 writes, 2 distinct)
<_UnixSelectorEventLoop running=True closed=False debug=False>
<_UnixSelectorEventLoop running=False closed=False debug=False>

writes×4

is_future
concurrent.py:52

calls×2 [#41]

writes×3

passed to

passed to

calls [#48] calls [#46]

writes

inner

<function Runner.handle_yield.<locals>.inner at 0x7c7411b28860>

writes

calls [#49]

awaitable
<Future finished result=None>

writes

writes×2

writes

calls [#50]

writes

calls [#53] calls [#51] calls [#52]

writes

calls×2 [#54]

calls [#55]

get_async_test_timeout
Get the global timeout setting for async tests.
testing.py:68

calls [#60] calls×2 [#74] calls [#59]

asyncio_loop
(2 writes, 2 distinct)
<_UnixSelectorEventLoop running=False closed=False debug=False>
<_UnixSelectorEventLoop running=False closed=True debug=False>

writes×2

tasks
(2 writes, 2 distinct)
set()
[]

writes×2

uninitialize
Removes the ``SIGCHLD`` handler.
process.py:335

calls [#79]

clear_current
Clears the `IOLoop` for the current thread.
ioloop.py:301

calls [#85] calls [#80]

fd
(2 writes)
9

writes

sock
(2 writes, 2 distinct)
<socket.socket fd=9, family=2, type=1, proto=6, laddr=('127.0.0.1', 39105)>
<socket.socket [closed] fd=-1, family=2, type=1, proto=6>

writes×2

calls [#56]

passed to

passed to

passed to

writes

calls [#57]

calls [#58]

fileobj
<socket.socket fd=9, family=2, type=1, proto=6, laddr=('127.0.0.1', 39105)>

writes

removed
[True]

writes

KeyError
b'ASYNC_TEST_TIMEOUT'

raises (caught)

env

None

writes

calls [#62]

future_cell
(4 writes, 4 distinct)
[None]
[<Task pending name='Task-5' coro=<HTTPServer.close_all_connections() running at /home/shashwat/BTP/BugsInPy/workspace/t…
[<Task pending name='Task-5' coro=<HTTPServer.close_all_connections() running at /home/shashwat/BTP/BugsInPy/workspace/t…
[<Task finished name='Task-5' coro=<HTTPServer.close_all_connections() done, defined at /home/shashwat/BTP/BugsInPy/work…

writes×2

writes calls [#61]

timeout_callback
<function IOLoop.run_sync.<locals>.timeout_callback at 0x7c7411b29260>

writes

calls [#63]

timeout_handle
(2 writes, 2 distinct)
<TimerHandle when=8138.620682023184 IOLoop._run_callback(functools.par...7c7411b29260>))>
<TimerHandle cancelled when=8138.620682023184>

writes×2

calls [#73] calls [#66]

writes×3 passed to

writes

calls [#70]

calls [#71]

writes×2

call_soon
<bound method BaseEventLoop.call_soon of <_UnixSelectorEventLoop running=False closed=False debug=False>>

writes

calls [#65] calls [#64]

old_loop
<_UnixSelectorEventLoop running=False closed=False debug=False>

writes

calls [#69] calls×2 [#68] calls [#67]

ret

(2 writes)
None

writes×2

timeout
<TimerHandle cancelled when=8138.620682023184>

writes

calls×4 [#75]

cached_val
<tornado.simple_httpclient.SimpleAsyncHTTPClient object at 0x7c7412abc6b0>

writes

calls [#81]

old
<tornado.platform.asyncio.AsyncIOLoop object at 0x7c7412a44ec0>

writes

calls [#82]