
test_no_ref
gen_test.py:1258
calls [#1]
sleep
ioloop_test.py:35
calls [#14], calls [#2]
with_timeout
Wraps a `.Future` in a timeout.
gen.py:859
loops(×3)
calls [#15]
calls [#12]
asyncSleep
Returns a `.Future` that will yield the next available ...
calls [#13]
call_
stack_context_test.py:17
calls [#10]
calls [#4]
calls [#3]
calls [#18]
calls [#19]
calls [#16]
calls [#6]
calls [#17]
calls [#26]
calls [#22]
calls [#11]
writes
passed to
result
<tornado.concurrent.Future object at 0x7f4ba2029430>
error_callback
<function with_timeout.<locals>.error_callback at 0x7f4ba203a700>
timeout_callback
<function with_timeout.<locals>.timeout_callback at 0x7f4ba203a7a0>
timeout_handle
<tornado.ioloop._Timeout object at 0x7f4ba2032bc0>
f
(2 writes)
<tornado.concurrent.Future object at 0x7f4ba2026db0>
io_loop
<tornado.platform.epoll.EPollIOLoop object at 0x7f4ba2c790a0>
future
<tornado.concurrent.Future object at 0x7f4ba2026db0>
1
0
futures
(<tornado.concurrent.Future object at 0x7f4ba2026db0>,)
self_ref
<weakref at 0x7f4ba1f05440; to 'RuntimeError' at 0x7f4ba2027830>
calls [#8]
call_later
Runs the `callback` after `delay` seconds have pass...
ioloop.py:496
current
Returns the current thread's `IOLoop`.
ioloop.py:159
writes×2
add_timeout
Runs the `callback` at the time `deadline` from the...
ioloop.py:462
chain_future
Chain two futures together so that when one completes, ...
concurrent.py:487
add_done_callback
Attaches the given callback to the `Future`.
concurrent.py:226
call_at
asyncio.py:114
writes×2
calls×2 [#9]
calls×2 [#7]
time
ioloop_test.py:32
calls [#5]
calls [#20]
calls [#21]
timedelta_to_seconds
Equivalent to td.total_seconds() (introduced in python ...
util.py:324
copy
<function chain_future.<locals>.copy at 0x7f4ba203a840>
timeout
(2 writes, 2 distinct)
<tornado.ioloop._Timeout object at 0x7f4ba2166d40>
<tornado.ioloop._Timeout object at 0x7f4ba2032bc0>
_in
ioloop.py:963
wrap
Returns a callable object that will restore the current...
stack_context.py:253
writes×2
cap_contexts
(2 writes)
[(0, <tornado.stack_context.ExceptionStackContext object at 0x7f4ba2c159a0>)]
wrapped
(2 writes, 2 distinct)
<function wrap.<locals>.wrapped at 0x7f4ba203a660>
<function wrap.<locals>.wrapped at 0x7f4ba203aa20>
passed to
passed to
passed to