test_format_filtering
test_YoutubeDL.py:308 loops(×7)

_make_result
test_YoutubeDL.py:38

calls [#1]

info_dict
(11 writes, 10 distinct)
{'formats': [{'format_id': 'A', 'filesize': 500, 'width': 1000, 'url': 'http://_/', 'ext': 'unknown'}, {'format_id': 'B'…
{'formats': [{'format_id': 'A', 'filesize': 500, 'width': 1000, 'url': 'http://_/', 'ext': 'unknown'}, {'format_id': 'B'…
{'formats': [{'format_id': 'A', 'filesize': 500, 'width': 1000, 'url': 'http://_/', 'ext': 'unknown'}, {'format_id': 'B'…
{'formats': [{'format_id': 'A', 'filesize': 500, 'width': 1000, 'url': 'http://_/', 'ext': 'unknown'}, {'format_id': 'B'…
{'formats': [{'format_id': 'A', 'filesize': 500, 'width': 1000, 'url': 'http://_/', 'ext': 'unknown'}, {'format_id': 'B'…
{'formats': [{'format_id': 'A', 'filesize': 500, 'width': 1000, 'url': 'http://_/', 'ext': 'unknown', 'format': 'A - ?x1…
… +4 more values

writes×2

__init__
execafterdownload.py:11

calls×10 [#2]

ydl
(10 writes, 8 distinct)
<test.test_YoutubeDL.YDL object at 0x7c762c9e6d50>
<test.test_YoutubeDL.YDL object at 0x7c762b80b860>
<test.test_YoutubeDL.YDL object at 0x7c762b68bcb0>
<test.test_YoutubeDL.YDL object at 0x7c762b7e4e90>
<test.test_YoutubeDL.YDL object at 0x7c762c8b20f0>
<test.test_YoutubeDL.YDL object at 0x7c762bc63530>
… +2 more values

writes×10

process_ie_result
Take the result of the ie(may be modified) and resolve …
YoutubeDL.py:692

calls×10 [#12] downloaded

{'formats': [{'format_id': 'A', 'filesize': 500, 'width': 1000, 'url': 'http://_/', 'ext': 'unknown', 'format': 'A - ?x1…

writes

info

{'formats': [{'format_id': 'A', 'filesize': 500, 'width': 1000, 'url': 'http://_/', 'ext': 'unknown', 'format': 'A - ?x1…

writes

downloaded_ids
['B', 'C', 'D']

writes

IndexError
list index out of range

raises (caught)

add_extra_info
Set the keys from extra_info in info dict if they are m…
YoutubeDL.py:626

passed to

process_video_result
YoutubeDL.py:1148

passed to

_calc_headers
YoutubeDL.py:1130

passed to

_calc_cookies
YoutubeDL.py:1143

passed to

process_info
test_YoutubeDL.py:31

passed to

calls×30 [#3]

get_params
helper.py:21

calls×10 [#4]

params
(10 writes)
dict(len=41)

writes×10

_setup_opener
YoutubeDL.py:1908

calls×10 [#7]

b
(10 writes)
'parameters.json'

writes×10

PARAMETERS_FILE
(10 writes)
'/home/shashwat/BTP/BugsInPy/workspace/youtube-dl/test/parameters.json'

writes×10

pf
(10 writes)
<_io.TextIOWrapper name='/home/shashwat/BTP/BugsInPy/workspace/youtube-dl/test/parameters.json' mode='r' encoding='utf-8…

writes×10

parameters
(10 writes)
dict(len=41)

writes×10

passed to

make_HTTPS_handler
utils.py:443

passed to

calls×20 [#8]

timeout_val
(10 writes)
20

writes×10

opts_cookiefile
(10 writes)
None

writes×10

opts_proxy
(10 writes)
None

writes×10

cookie_processor
(10 writes, 10 distinct)
<urllib.request.HTTPCookieProcessor object at 0x7c762b8431a0>
<urllib.request.HTTPCookieProcessor object at 0x7c762c7539e0>
<urllib.request.HTTPCookieProcessor object at 0x7c762b6b1460>
<urllib.request.HTTPCookieProcessor object at 0x7c762b68bfb0>
<urllib.request.HTTPCookieProcessor object at 0x7c762bc60260>
<urllib.request.HTTPCookieProcessor object at 0x7c762b688710>
… +4 more values

writes×10

proxies
(10 writes)
{}

writes×10

proxy_handler
(10 writes, 9 distinct)
<youtube_dl.utils.PerRequestProxyHandler object at 0x7c762b779850>
<youtube_dl.utils.PerRequestProxyHandler object at 0x7c762b843a10>
<youtube_dl.utils.PerRequestProxyHandler object at 0x7c762b841490>
<youtube_dl.utils.PerRequestProxyHandler object at 0x7c762b68b860>
<youtube_dl.utils.PerRequestProxyHandler object at 0x7c762b840d10>
<youtube_dl.utils.PerRequestProxyHandler object at 0x7c762b68b9b0>
… +3 more values

writes×10

debuglevel
(10 writes)
0

writes×10 calls×10 [#9]

https_handler
(10 writes, 10 distinct)
<youtube_dl.utils.YoutubeDLHTTPSHandler object at 0x7c762b689520>
<youtube_dl.utils.YoutubeDLHTTPSHandler object at 0x7c762bcb0710>
<youtube_dl.utils.YoutubeDLHTTPSHandler object at 0x7c762b68bfe0>
<youtube_dl.utils.YoutubeDLHTTPSHandler object at 0x7c762b68bce0>
<youtube_dl.utils.YoutubeDLHTTPSHandler object at 0x7c762b6b16a0>
<youtube_dl.utils.YoutubeDLHTTPSHandler object at 0x7c762bb5fc20>
… +4 more values

writes×10

ydlh
(10 writes, 10 distinct)
<youtube_dl.utils.YoutubeDLHandler object at 0x7c762b843a70>
<youtube_dl.utils.YoutubeDLHandler object at 0x7c762b68b770>
<youtube_dl.utils.YoutubeDLHandler object at 0x7c762bde4290>
<youtube_dl.utils.YoutubeDLHandler object at 0x7c762b80be00>
<youtube_dl.utils.YoutubeDLHandler object at 0x7c762b68a0c0>
<youtube_dl.utils.YoutubeDLHandler object at 0x7c762b843ce0>
… +4 more values

writes×10

opener
(10 writes, 10 distinct)
<urllib.request.OpenerDirector object at 0x7c762b8425a0>
<urllib.request.OpenerDirector object at 0x7c762c753b60>
<urllib.request.OpenerDirector object at 0x7c762b841370>
<urllib.request.OpenerDirector object at 0x7c762b68bd40>
<urllib.request.OpenerDirector object at 0x7c762b6b07a0>
<urllib.request.OpenerDirector object at 0x7c762b68bc50>
… +4 more values

writes×10

passed to calls×10 [#10]

opts_no_check_certificate
(10 writes)
False

writes×10

context

(10 writes, 10 distinct)
<ssl.SSLContext object at 0x7c762b62d850>
<ssl.SSLContext object at 0x7c762b3f8f50>
<ssl.SSLContext object at 0x7c762b3f93d0>
<ssl.SSLContext object at 0x7c762b3f8450>
<ssl.SSLContext object at 0x7c762b3f9850>
<ssl.SSLContext object at 0x7c762b3f90d0>
… +4 more values

writes×10

passed to

writes×5

loops(×404)

result_type
(10 writes)
'video'

writes×10

calls×10 [#13] calls×10 [#14]

format_resolution
YoutubeDL.py:1710

calls×22 [#17] calls×4 [#16]

req_format
(10 writes, 10 distinct)
'best[filesize<3000]'
'best[filesize<=3000]'
'best[filesize <= ? 3000]'
'best [filesize = 1000] [width>450]'
'best [filesize = 1000] [width!=450]'
'[filesize>?1]'
… +4 more values

writes×10

build_format_selector
YoutubeDL.py:913

calls×10 [#28]

_parse_filter
(10 writes, 9 distinct)
<function YoutubeDL.build_format_selector.<locals>._parse_filter at 0x7c762b6ff740>
<function YoutubeDL.build_format_selector.<locals>._parse_filter at 0x7c762b3c8720>
<function YoutubeDL.build_format_selector.<locals>._parse_filter at 0x7c762b3c8d60>
<function YoutubeDL.build_format_selector.<locals>._parse_filter at 0x7c762b3c9800>
<function YoutubeDL.build_format_selector.<locals>._parse_filter at 0x7c762b3c9bc0>
<function YoutubeDL.build_format_selector.<locals>._parse_filter at 0x7c762b3ca160>
… +3 more values

calls×3 [#174]

_build_selector_function
(10 writes, 10 distinct)
<function YoutubeDL.build_format_selector.<locals>._build_selector_function at 0x7c762b6ffc40>
<function YoutubeDL.build_format_selector.<locals>._build_selector_function at 0x7c762b3c85e0>
<function YoutubeDL.build_format_selector.<locals>._build_selector_function at 0x7c762b3c8ea0>
<function YoutubeDL.build_format_selector.<locals>._build_selector_function at 0x7c762b3c8a40>
<function YoutubeDL.build_format_selector.<locals>._build_selector_function at 0x7c762b3c9300>
<function YoutubeDL.build_format_selector.<locals>._build_selector_function at 0x7c762b3c8ae0>
… +4 more values

calls×10 [#43]

__next__
(10 writes, 10 distinct)
<function YoutubeDL.build_format_selector.<locals>.TokenIterator.__next__ at 0x7c762b3c8040>
<function YoutubeDL.build_format_selector.<locals>.TokenIterator.__next__ at 0x7c762b3c8ae0>
<function YoutubeDL.build_format_selector.<locals>.TokenIterator.__next__ at 0x7c762b3c94e0>
<function YoutubeDL.build_format_selector.<locals>.TokenIterator.__next__ at 0x7c762b3c8860>
<function YoutubeDL.build_format_selector.<locals>.TokenIterator.__next__ at 0x7c762b3c9ee0>
<function YoutubeDL.build_format_selector.<locals>.TokenIterator.__next__ at 0x7c762b3c82c0>
… +4 more values

calls×36 [#40]

format_filter
(13 writes, 12 distinct)
'filesize<3000'
'filesize<=3000'
'filesize<=?3000'
'filesize=1000'
'width>450'
'width!=450'
… +6 more values

writes×13

parsed_selector
(10 writes, 10 distinct)
[FormatSelector(type='SINGLE', selector='best', filters=['filesize<3000'])]
[FormatSelector(type='SINGLE', selector='best', filters=['filesize<=3000'])]
[FormatSelector(type='SINGLE', selector='best', filters=['filesize<=?3000'])]
[FormatSelector(type='SINGLE', selector='best', filters=['filesize=1000', 'width>450'])]
[FormatSelector(type='SINGLE', selector='best', filters=['filesize=1000', 'width!=450'])]
[FormatSelector(type='SINGLE', selector='best', filters=['filesize>?1'])]
… +4 more values

writes×10

comparison_value
(14 writes, 10 distinct)
3000
1000
450
1
None
1000000
… +4 more values

writes×3

op
(13 writes, 6 distinct)
<built-in function lt>
<built-in function le>
<built-in function eq>
<built-in function gt>
<built-in function ne>
<built-in function ge>

writes×2

filters
(10 writes, 10 distinct)
[<function YoutubeDL._build_format_filter.<locals>._filter at 0x7c762b3c8360>]
[<function YoutubeDL._build_format_filter.<locals>._filter at 0x7c762b3c91c0>]
[<function YoutubeDL._build_format_filter.<locals>._filter at 0x7c762b3c9bc0>]
[<function YoutubeDL._build_format_filter.<locals>._filter at 0x7c762b3c99e0>, <function YoutubeDL._build_format_filter.…
[<function YoutubeDL._build_format_filter.<locals>._filter at 0x7c762b3c9c60>, <function YoutubeDL._build_format_filter.…
[<function YoutubeDL._build_format_filter.<locals>._filter at 0x7c762b3ca5c0>]
… +4 more values

writes×2

final_selector
(10 writes, 10 distinct)
<function YoutubeDL.build_format_selector.<locals>._build_selector_function.<locals>.final_selector at 0x7c762b3c8720>
<function YoutubeDL.build_format_selector.<locals>._build_selector_function.<locals>.final_selector at 0x7c762b3c8e00>
<function YoutubeDL.build_format_selector.<locals>._build_selector_function.<locals>.final_selector at 0x7c762b3c9800>
<function YoutubeDL.build_format_selector.<locals>._build_selector_function.<locals>.final_selector at 0x7c762b3c9a80>
<function YoutubeDL.build_format_selector.<locals>._build_selector_function.<locals>.final_selector at 0x7c762b3c9bc0>
<function YoutubeDL.build_format_selector.<locals>._build_selector_function.<locals>.final_selector at 0x7c762b3ca200>
… +4 more values

writes×2

s

(10 writes, 10 distinct)
FormatSelector(type='SINGLE', selector='best', filters=['filesize<3000'])
FormatSelector(type='SINGLE', selector='best', filters=['filesize<=3000'])
FormatSelector(type='SINGLE', selector='best', filters=['filesize<=?3000'])
FormatSelector(type='SINGLE', selector='best', filters=['filesize=1000', 'width>450'])
FormatSelector(type='SINGLE', selector='best', filters=['filesize=1000', 'width!=450'])
FormatSelector(type='SINGLE', selector='best', filters=['filesize>?1'])
… +4 more values

writes×2

fs
(10 writes, 10 distinct)
[<function YoutubeDL.build_format_selector.<locals>._build_selector_function.<locals>.final_selector at 0x7c762b3c8720>]
[<function YoutubeDL.build_format_selector.<locals>._build_selector_function.<locals>.final_selector at 0x7c762b3c8e00>]
[<function YoutubeDL.build_format_selector.<locals>._build_selector_function.<locals>.final_selector at 0x7c762b3c9800>]
[<function YoutubeDL.build_format_selector.<locals>._build_selector_function.<locals>.final_selector at 0x7c762b3c9a80>]
[<function YoutubeDL.build_format_selector.<locals>._build_selector_function.<locals>.final_selector at 0x7c762b3c9bc0>]
[<function YoutubeDL.build_format_selector.<locals>._build_selector_function.<locals>.final_selector at 0x7c762b3ca200>]
… +4 more values

writes×2

format_selector
(10 writes, 10 distinct)
<function YoutubeDL.build_format_selector.<locals>._build_selector_function.<locals>.selector_function at 0x7c762b3c8860…
<function YoutubeDL.build_format_selector.<locals>._build_selector_function.<locals>.selector_function at 0x7c762b3c8d60…
<function YoutubeDL.build_format_selector.<locals>._build_selector_function.<locals>.selector_function at 0x7c762b3c8680…
<function YoutubeDL.build_format_selector.<locals>._build_selector_function.<locals>.selector_function at 0x7c762b3c8720…
<function YoutubeDL.build_format_selector.<locals>._build_selector_function.<locals>.selector_function at 0x7c762b3c9620…
<function YoutubeDL.build_format_selector.<locals>._build_selector_function.<locals>.selector_function at 0x7c762b3ca160…
… +4 more values

writes×10

audiovideo_formats
(9 writes, 4 distinct)
[{'format_id': 'A', 'filesize': 500, 'width': 1000, 'url': 'http://_/', 'ext': 'unknown', 'format': 'A - ?x1000', 'http_…
[{'format_id': 'B', 'filesize': 1000, 'width': 500, 'url': 'http://_/', 'ext': 'unknown', 'format': 'B - ?x500', 'http_h…
[{'format_id': 'B', 'filesize': 1000, 'width': 500, 'url': 'http://_/', 'ext': 'unknown', 'format': 'B - ?x500', 'http_h…
[]

writes×6

formats_to_download
(9 writes, 7 distinct)
[{'format_id': 'D', 'filesize': 2000, 'width': 600, 'url': 'http://_/', 'ext': 'unknown', 'format': 'D - ?x600', 'http_h…
[{'format_id': 'E', 'filesize': 3000, 'url': 'http://_/', 'ext': 'unknown', 'format': 'E - unknown', 'http_headers': {'U…
[{'format_id': 'F', 'url': 'http://_/', 'ext': 'unknown', 'format': 'F - unknown', 'http_headers': {'User-Agent': 'Mozil…
[{'format_id': 'B', 'filesize': 1000, 'width': 500, 'url': 'http://_/', 'ext': 'unknown', 'format': 'B - ?x500', 'http_h…
[{'format_id': 'C', 'filesize': 1000, 'width': 400, 'url': 'http://_/', 'ext': 'unknown', 'format': 'C - ?x400', 'http_h…
[{'format_id': 'G', 'filesize': 1000000, 'url': 'http://_/', 'ext': 'unknown', 'format': 'G - unknown', 'http_headers': …
… +1 more values

writes×9

new_info
(10 writes, 2 distinct)
{'formats': [{'format_id': 'A', 'filesize': 500, 'width': 1000, 'url': 'http://_/', 'ext': 'unknown', 'format': 'A - ?x1…
{'formats': [{'format_id': 'A', 'filesize': 500, 'width': 1000, 'url': 'http://_/', 'ext': 'unknown', 'format': 'A - ?x1…

writes×10

calls×10 [#53] ie_result

{'formats': [{'format_id': 'A', 'filesize': 500, 'width': 1000, 'url': 'http://_/', 'ext': 'unknown', 'format': 'A - ?x1…

writes

parse_filesize
utils.py:1156

calls [#327]

u

(6 writes, 2 distinct)
'B'
'Yb'

writes×3

units_re
(3 writes)
'B|b|KiB|KB|kB|Kb|MiB|MB|mB|Mb|GiB|GB|gB|Gb|TiB|TB|tB|Tb|PiB|PB|pB|Pb|EiB|EB|eB|Eb|ZiB|ZB|zB|Zb|YiB|YB|yB|Yb'

writes×3

num_str
(2 writes)
'1'

writes×2

mult
(2 writes, 2 distinct)
1000000
1048576

writes×2

to_screen
test_YoutubeDL.py:34

calls [#432]

raises (caught)

writes×4

thumbnails
(10 writes)
None

writes×10

thumbnail
(10 writes)
None

writes×10

process_subtitles
Select the requested subtitles and their format
YoutubeDL.py:1288

calls×10 [#15]

available_subs
(10 writes)
{}

writes×10

calls×22 [#18]

writes×10

syntax_error
(10 writes, 9 distinct)
<function YoutubeDL.build_format_selector.<locals>.syntax_error at 0x7c762b6ff420>
<function YoutubeDL.build_format_selector.<locals>.syntax_error at 0x7c762b6ffce0>
<function YoutubeDL.build_format_selector.<locals>.syntax_error at 0x7c762b3c8cc0>
<function YoutubeDL.build_format_selector.<locals>.syntax_error at 0x7c762b3c9760>
<function YoutubeDL.build_format_selector.<locals>.syntax_error at 0x7c762b6ffd80>
<function YoutubeDL.build_format_selector.<locals>.syntax_error at 0x7c762b3ca0c0>
… +3 more values

writes×10

PICKFIRST
(10 writes)
'PICKFIRST'

writes×10

MERGE
(10 writes)
'MERGE'

writes×10

SINGLE
(10 writes)
'SINGLE'

writes×10

GROUP
(10 writes)
'GROUP'

writes×10

FormatSelector
(10 writes)
<class 'youtube_dl.YoutubeDL.FormatSelector'>

writes×10

writes×10

_parse_format_selection
(10 writes, 10 distinct)
<function YoutubeDL.build_format_selector.<locals>._parse_format_selection at 0x7c762b6ffba0>
<function YoutubeDL.build_format_selector.<locals>._parse_format_selection at 0x7c762b3c8220>
<function YoutubeDL.build_format_selector.<locals>._parse_format_selection at 0x7c762b3c8c20>
<function YoutubeDL.build_format_selector.<locals>._parse_format_selection at 0x7c762b3c8f40>
<function YoutubeDL.build_format_selector.<locals>._parse_format_selection at 0x7c762b3c98a0>
<function YoutubeDL.build_format_selector.<locals>._parse_format_selection at 0x7c762b3c8680>
… +4 more values

writes×10 writes×10

stream

(10 writes, 9 distinct)
<_io.BytesIO object at 0x7c762b3c4540>
<_io.BytesIO object at 0x7c762b400900>
<_io.BytesIO object at 0x7c762b403060>
<_io.BytesIO object at 0x7c762b403790>
<_io.BytesIO object at 0x7c762b414b80>
<_io.BytesIO object at 0x7c762b419080>
… +3 more values

writes×10

tokens
(10 writes, 10 distinct)
[TokenInfo(type=67 (ENCODING), string='utf-8', start=(0, 0), end=(0, 0), line=''), TokenInfo(type=1 (NAME), string='best…
[TokenInfo(type=67 (ENCODING), string='utf-8', start=(0, 0), end=(0, 0), line=''), TokenInfo(type=1 (NAME), string='best…
[TokenInfo(type=67 (ENCODING), string='utf-8', start=(0, 0), end=(0, 0), line=''), TokenInfo(type=1 (NAME), string='best…
[TokenInfo(type=67 (ENCODING), string='utf-8', start=(0, 0), end=(0, 0), line=''), TokenInfo(type=1 (NAME), string='best…
[TokenInfo(type=67 (ENCODING), string='utf-8', start=(0, 0), end=(0, 0), line=''), TokenInfo(type=1 (NAME), string='best…
[TokenInfo(type=67 (ENCODING), string='utf-8', start=(0, 0), end=(0, 0), line=''), TokenInfo(type=55 (OP), string='[', s…
… +4 more values

writes×10

__module__
(10 writes)
'youtube_dl.YoutubeDL'

writes×10

__qualname__
(10 writes)
'YoutubeDL.build_format_selector.<locals>.TokenIterator'

writes×10

__iter__
(10 writes, 10 distinct)
<function YoutubeDL.build_format_selector.<locals>.TokenIterator.__iter__ at 0x7c762b3c80e0>
<function YoutubeDL.build_format_selector.<locals>.TokenIterator.__iter__ at 0x7c762b3c8b80>
<function YoutubeDL.build_format_selector.<locals>.TokenIterator.__iter__ at 0x7c762b3c9580>
<function YoutubeDL.build_format_selector.<locals>.TokenIterator.__iter__ at 0x7c762b3c8220>
<function YoutubeDL.build_format_selector.<locals>.TokenIterator.__iter__ at 0x7c762b3c9f80>
<function YoutubeDL.build_format_selector.<locals>.TokenIterator.__iter__ at 0x7c762b3c89a0>
… +4 more values

writes×10 writes×10

next

(10 writes, 10 distinct)
<function YoutubeDL.build_format_selector.<locals>.TokenIterator.__next__ at 0x7c762b3c8040>
<function YoutubeDL.build_format_selector.<locals>.TokenIterator.__next__ at 0x7c762b3c8ae0>
<function YoutubeDL.build_format_selector.<locals>.TokenIterator.__next__ at 0x7c762b3c94e0>
<function YoutubeDL.build_format_selector.<locals>.TokenIterator.__next__ at 0x7c762b3c8860>
<function YoutubeDL.build_format_selector.<locals>.TokenIterator.__next__ at 0x7c762b3c9ee0>
<function YoutubeDL.build_format_selector.<locals>.TokenIterator.__next__ at 0x7c762b3c82c0>
… +4 more values

writes×10

restore_last_token
(10 writes, 10 distinct)
<function YoutubeDL.build_format_selector.<locals>.TokenIterator.restore_last_token at 0x7c762b3c84a0>
<function YoutubeDL.build_format_selector.<locals>.TokenIterator.restore_last_token at 0x7c762b3c8f40>
<function YoutubeDL.build_format_selector.<locals>.TokenIterator.restore_last_token at 0x7c762b3c9940>
<function YoutubeDL.build_format_selector.<locals>.TokenIterator.restore_last_token at 0x7c762b3c9620>
<function YoutubeDL.build_format_selector.<locals>.TokenIterator.restore_last_token at 0x7c762b3c8540>
<function YoutubeDL.build_format_selector.<locals>.TokenIterator.restore_last_token at 0x7c762b3ca340>
… +4 more values

writes×10

TokenIterator
(10 writes)
<class 'youtube_dl.YoutubeDL.YoutubeDL.build_format_selector.<locals>.TokenIterator'>

writes×10

passed to passed to passed to passed to passed to passed to passed to passed to passed to passed to

passed to

calls×26 [#38] calls×13 [#37]

calls×10 [#36]

passed to

calls×27 [#33] calls×10 [#32]

passed to

format_spec
(10 writes, 2 distinct)
'best'
'all'

writes×10

_build_format_filter
Returns a function to filter the formats according to t…
YoutubeDL.py:856

calls×13 [#45]

writes×8

writes×8

writes×8 writes×8

passed to

passed to

passed to passed to passed to passed to

OPERATORS
(13 writes)
{'<': <built-in function lt>, '<=': <built-in function le>, '>': <built-in function gt>, '>=': <built-in function ge>, '…

writes×13

operator_rex
(13 writes)
re.compile('(?x)\s*
(?P<key>width|height|tbr|abr|vbr|asr|filesize|fps)
\s*(?P<op><|<=|>|>=|=…

writes×11 writes×13 writes×11

ValueError
invalid literal for int() with base 10: '1M'

raises (caught) calls×2 [#326]

passed to

passed to

passed to

passed to

passed to passed to passed to

format_idx
(9 writes)
- 1

passed to passed to

passed to

_UNIT_TABLE
(3 writes)
dict(len=34)

passed to writes×3 writes×3