

CONTROLLED MEDICINE
KEEP OUT OF REACH OF CHILDREN
JAUHI UBAT DARI KANAK-KANAK
FOR ANIMAL TREATMENT ONLY

BMD® Soluble 50%

ACTIVE CONSTITUENT: 50g bacitracin activity per 100g material

PRODUCT DESCRIPTION: BMD® Soluble 50% is a tan to light tan powder.

INDICATIONS: For use in broiler chickens and swine.

RECOMMENDED DOSE:

Prevention

Animal	Dose Level	Indications for Use
Broiler Chickens	25mg activity/L 0.25 sachet/500L water	For prevention of necrotic enteritis caused by <i>Clostridium perfringens</i> susceptible to bacitracin methylene disalicylate.

Treatment

Broiler Chickens	50-100mg activity/L 0.5-1.0 sachet/500L water	For control of necrotic enteritis caused by <i>Clostridium perfringens</i> susceptible to bacitracin methylene disalicylate.
Pigs	250mg activity/L 2.5 sachet/500L water	For use in the treatment of swine dysentery associated with <i>Treponema hyodysenteriae</i> .

MODE OF ADMINISTRATION: Oral via drinking water.

PHARMACODYNAMICS/PHARMACOKINETICS:

Bacitracin is a peptide antibiotic produced by *Bacillus licheniformis*. Bacitracin has been shown to interfere with cell wall synthesis causing rapid lysis and death of bacteria when they are actively growing and multiplying. Polypeptide antibiotics are NOT absorbed from the gut and consequently, there are no concerns regarding residues. Studies demonstrate that residues of bacitracin, near derivatives of bacitracin and even catabolic peptides stemming from bacitracin breakdown are not likely to occur in animal products.

CONTRAINDICATIONS: Not for use in swine weighing more than 100kg.

WARNINGS AND PRECAUTIONS: Feed continuously as sole ration. Avoid inhaling dust during mixing.

Avoid contact of product with skin, eyes and clothing. Wash thoroughly after handling.

INTERACTIONS WITH OTHER MEDICAMENTS: There are no known incompatibilities.

PREGNANCY AND LACTATION: None known

UNDESIRABLE EFFECTS: None known.

OVERDOSE AND TREATMENT: If an overdose is suspected seek advice from a veterinarian.

STORAGE: Store below 25°C away from sunlight. The sachet should be closed securely after use.

DOSAGE FORM: Water soluble powder.

PROPOSED SHELF LIFE AFTER DILUTION: Prepare a fresh solution daily and use as the sole source of drinking water

PACKAGING: 100g sealed foil packets (sachets). 10 x 100g sachets are placed inside pre-printed cartons.

WITHHOLDING PERIODS: NIL

Manufactured By:

Zoetis Inc
400 State Street,
Chicago Heights,
Illinois, 60411
USA

Date of Revision: 8 June 2018

Product Registration Holder:

Zoetis Malaysia Sdn Bhd
Lot 3.1, Level 3, Tower 7,
Avenue 3, Bangsar South,
No 8 Jalan Kerinchi,
59200 Kuala Lumpur, MALAYSIA

Malaysian Registration Number: MAL15050039HA