

PACKAGE INSERT

Product Name

NW Benzalkonium and Cetrimide Cream

Name and Strength of Active Substance(s)

Benzalkonium chloride..... 0.02% w/w

Cetrimide.....0.20% w/w

Product Description

Yellow colored cream.

Pharmacodynamics

Benzalkonium chloride and cetrimide are both quaternary ammonium disinfectants with properties typical of cationic surfactants. This preparation is useful in the prevention and treatment of nappy rash, acting to suppress the development of ammonia producing organisms usually associated with this condition.

Pharmacokinetics

No data is available on the pharmacokinetics of the active ingredients of NW Benzalkonium and Cetrimide Cream, when used for the specified indications. Systemic absorption of the active ingredients is not envisaged.

Indication

For prevention and treatment of nappy rash.

Recommended Dosage

The nappy area should be washed then dried thoroughly at each change of nappy. NW Benzalkonium and Cetrimide Cream should be applied, paying particular attention to folds in the skin.

Contraindication

It is inadvisable to apply NW Benzalkonium and Cetrimide Cream to a baby or adult who has an established hypersensitivity to benzalkonium chloride, cetrimide or any other ingredients in the cream. Use should be discontinued if an allergic hypersensitivity reaction is suspected.

Warning and Precautions

For external used only.

Interaction with other medicaments

None known

Pregnancy and Lactation

When used in accordance with the specified indications, systemic absorption of the specified components is not envisaged and so there are no special precautions/warnings appropriate to pregnancy and lactation.

Adverse effect/Undesirable effect

Allergic hypersensitivity reactions may occur in individuals who are sensitive to one or several components of NW Benzalkonium and Cetrimide Cream.

In a few individuals, benzalkonium chloride, used as a preservative in ophthalmic solutions, was associated with oedema and conjunctivitis. Dermatitis as a result of contact allergy to benzalkonium chloride in plaster of Paris has also been reported.

Hypersensitivity to cetrimide is also known to occur, presenting as a localised contact dermatitis. In severe cases the rash may be generalised.

Overdose and Treatment

There are no reports of excessive application or accidental indigestion of NW Benzalkonium and Cetrimide Cream. In cases of accidental ingestion, symptomatic treatment is appropriate.

Incompatibilities

No known incompatibilities

Instruction for use and handling, and disposal

Store on the original packaging

Keep out of the reach and sight of children.

Do not use after the expiry

Any unused product or waste material should be discarded in accordance with the local requirements. No additional environment precautions for disposal are necessary

Storage Conditions

Store below 30°C.

Keep away from heat, moisture and direct light.

Shelf Life

2 Years

Dosage Forms and Packaging Available

30g and 50g cream in HDPE white jar

Name and Address of Manufacturer/Marketing Authorization Holder

Natural Wellness Industries Sdn Bhd

No:78, Jalan Kilang Midah, Taman Midah,

56000, Cheras, Kuala Lumpur

Date of Revision of Package Insert

07082017