

**PSA INTERNATIONAL**

(Export Div. of PSA Chemicals & Pharmaceuticals Pvt. Ltd.)

COUNTRY (CLIENT)	MALAYSIA _ HEALOL	SIZE	L-100 mm x W-135 mm
PAPER SPECIFICATION	MAPLITHO PAPER	PRINTING	FRONT & BACK PRINTING
GSM	60 TO 75 GSM	COLOUR	BLACK
BUYER'S P. O. NO.:			
MFG. P. O. NO.:			
ARTWORK VERSION NO.:*	9081/09/T/MALA/002	DT.: 06/01/2020	

100.00

100.00

135.00 mm

135.00 mm

IVISPAN

Ivy Leaf 7mg/mL Cough Syrup

Read insert carefully before use.
Ask your doctor for further information.
Medicines should be kept out of reach of children.

COMPOSITION:

Each mL contains:
Dried Ivy leaf extract BP 7.00 mg
(HEDERAHELIX L., FOLIUM)
Potassium Sorbate 1.34 mg
(As preservative)

PRODUCT NAME:**IVISPAN** (Ivy Leaf Cough Syrup) 7 mg/mL**PRODUCT DESCRIPTION:****Description:** Yellowish brown colored cherry flavor syrupy liquid with characteristic odor.**DOSAGE FORM:**

Liquid Syrup

ACTIVE SUBSTANCE:

Dried Ivy Leaf (Hedera helix L.) Extract BP

PRESERVATIVE:

Potassium Sorbate BP

EXCIPIENTS SUBSTANCE:

Xanthan Gum BP
Sorbitol Solution BP
Citric acid-anhydrous BP
Cherry Flavor
Purified Water BP

PRODUCT INDICATION/USAGE:**IVISPAN** is traditionally used for reducing phlegm and relief of cough.**RECOMMENDED DOSAGE:**

Adult: 5 to 7.5 mL three times a day
Children ≥ 6 years to < 18 years: 5 mL three times a day
Children > 2 years to < 6 years: 2.5 mL three times a day
• Take this product with the enclosed measuring cup.
• Take one dose in the morning, at midday and in the evening.
• This product may be taken with or without food.

CONTRA-INDICATION:

Hypersensitivity to any of the ingredient.

WARNING/PRECAUTIONS:

- This is a Traditional Medicine.
- Keep Out of Reach of Children.
- Jauhkan Daripada Capaian Kanak-Kanak.
- Shake Well Before Use.
- Concomitant use with antitussives as codeine or dextromethorphan is not recommended without medical advice.
- Caution is recommended in patients with gastritis or gastric ulcer.
- If dyspnoea, fever or purulent sputum occurs, a doctor or a pharmacist should be consulted.
- Not to be used for more than 2 weeks.
- If the symptoms persist longer than a week during the use of the medicinal product, a doctor or a qualified health care practitioner should be consulted.

DRUG INTERACTION:

Unknown.

PREGNANCY AND LACTATION:

Safety during pregnancy and lactation has not been established. The use during pregnancy and lactation is not recommended.

SIDE EFFECTS:

- Allergic reactions (urticaria, skin rash, tuberoses, dyspnoea) and gastrointestinal reactions (nausea, vomiting, diarrhoea). The frequency is not known.
- If other adverse reactions not mentioned above occur, a doctor or a qualified health care practitioner should be consulted.

SIGNS AND SYMPTOMS OF OVERDOSE:

Overdose can provoke nausea, vomiting, diarrhoea and agitation. Treatment is symptomatic.

PRESENTATION:

100 mL syrup packed in an amber coloured PET bottle. Such a bottle packed in a printed carton along with an insert and a measuring cup (with markings of 2.5 mL, 5 mL, and 10 mL).

STORAGE CONDITION:

Store below 30°C. Protect from light and moisture.

Date of Revision of Package Insert: 22/01/2020

Product Owner:

**PSA INTERNATIONAL**

(Export Div. of PSA Chemicals & Pharmaceuticals Pvt. Ltd.)

Vashi, Navi Mumbai, INDIA.

Manufacturer: Unijules Life Sciences Ltd.

B # 35 & 36, MIDC Industrial Area,

Kalmeshwar, Dist.: Nagpur - 441 501,

(M.S.), INDIA.

Product Registration Holder:

Healol Pharmaceuticals Sdn. Bhd.,

74-3, Jalan Wangsa Delima 6, KLSC,

Wangsa Maju, Kuala Lumpur, Malaysia.

MAL No.: MAL1816037TC
908109/T/MALA002-06/01/2020

*Artwork version no. & version date is included for Mfg. unit information purpose only.