

USER INFORMATION
HYPERNEB 3%
SODIUM CHLORIDE 3% w/v NEBULISER SOLUTION BP

Composition:

Each 4mL solution contains Sodium Chloride BP 120mg.

Product Description:

HYPERNEB 3% is a clear and colourless solution. Each single-use ampoule contains 4 mL sterile, preservative-free and non-pyrogenic Sodium Chloride 3% w/v Nebuliser Solution BP for inhalation.

Pharmacology:

Pharmacodynamics:

Increase the mobilization of secretions in the lower airways in cases of mucous consolidation (cystic fibrosis, bronchiolitis, acute viral bronchitis) by osmotic effects.

Indication:

Mobilise lower respiratory tract secretions in mucous consolidation (e.g. cystic fibrosis).
Mild to moderate acute viral bronchiolitis in infants.

Recommended Dosage:

4mL to be taken 2 to 4 times daily as required.

Route of administration:

The single-use ampoules are intended only for inhalation with suitable nebulising devices and should not be taken orally or administered parenterally.

Warnings and Precautions :

1. You should consult your doctor before mixing HYPERNEB 3% with other medications. When HYPERNEB 3% is mixed with other medications, there is always possibility of chemical cross-reactions which can impair effectiveness of the treatment.
2. If there is a tendency to develop dyspnea or hypersensitivity is present, HYPERNEB 3% must not be used without medical supervision.

Caution:

HYPERNEB 3% contains no preservative. It should be opened immediately before administration.
Do not use if ampoule is damaged. Single-use container. Discard all unused contents.

Adverse Effects/Undesirable Effects:

In rare cases, temporary irritations (e.g. coughing) or reversible constriction of the bronchia can occur. The doctor will often recommend that a bronchodilator be used before treatment. If undesirable side effects do occur, discontinue treatment and seek advice from your doctor or pharmacist.

Storage Condition Before and After Opening:

Do not store above 30°C.

Shelf life:

2 years from manufacturing date in the proposed storage condition. Do not use after expiry.

Dosage form and packaging available:

4mL X 20 LDPE plastic ampoules per box.

Manufacturer/Product Registration Holder:

 **AIN MEDICARE SDN. BHD.**
Lot 4933, 4934 & PT2464, Jalan 6/44,
Kaw. Perindustrian Pengkalan Chepa 2,
16100 Kota Bharu, Kelantan, MALAYSIA

HANDLING INSTRUCTION

AIN MEDICARE NEBULISER SOLUTION IN LOW-DENSITY POLYETHYLENE (LDPE) AMPOULE

