

PACKAGE INSERT



ECONAZOLE CREAM 1% W/W

Composition:
Econazole nitrate 1%w/w

Product Description: A white and smooth cream.

Pharmacodynamics:
Econazole nitrate exhibits broad spectrum anti-fungal activity against the dermatophytes, Trichophyton rubrum, Trichophyton mentagrophytes, Trichophyton tonsurans, Microsporum canis, Microsporum audouini, Microsporum gypseum and Epidermophyton floccosum, the yeasts, Candida albicans and Pityrosporum orbiculare. It may act by interfering with the permeability of the fungal cell membrane. It also possesses some anti-bacterial activity. The sensitive bacteria include staphylococci, streptococci, bacillus anthracis and bacteroides fragilis.

Pharmacokinetics:
After topical application to the skin of normal subjects, systemic absorption of econazole nitrate is extremely low. Although most of the applied drug remains on the skin surface, drug concentrations were found in the stratum corneum which, by far, exceeded the minimum inhibitory concentrations for dermatophytes. Inhibitory concentrations were achieved in the epidermis and as deep as the middle region of the dermis. Less than 1% of the applied dose was recovered in the urine and faeces.

Indication:
It is indicated for topical application in the treatment of tinea pedis, tinea cruris, and tinea corporis caused by Trichophyton rubrum, Trichophyton mentagrophytes, Trichophyton tonsurans, Microsporum canis, Microsporum audouini, Microsporum gypseum and Epidermophyton floccosum, in the treatment of cutaneous candidiasis and tinea versicolor.

Recommended Dosage:
Sufficient cream should be applied to cover affected areas twice daily (morning and evening) in patients with tinea pedis, tinea cruris, tinea corporis and cutaneous candidiasis and once daily in patients with tinea versicolor. Candidal infections, tinea cruris and tinea corporis should be treated for two weeks and tinea pedis for one month in order to reduce the possibility of recurrence.

Route of Administration: Topical

Contraindications:
It is contraindicated in individuals who have shown hypersensitivity to it.

Warnings and Precautions:
If a reaction suggesting sensitivity or chemical irritation should occur, use of the medication should be discontinued. Avoid introduction of cream into the eyes.

Interactions with Other Medicaments: None Known.

Pregnancy and Lactation:
Pregnancy Category C: In animal studies after high oral dose (10 – 40 times human topical dose), Econazole has shown undesired effects on the fetus. Therefore, Econazole should be used during pregnancy and lactation only if the potential benefit outweighs the potential risk.

Side Effects:
The reported side effects consist mainly of itching, burning, stinging and erythema.

Symptoms and Treatment of Overdosage:
Overdosage of Econazole nitrate has not been reported to date.

Effect on Ability to Drive and Use Machine: Not Applicable

Storage Condition: Store at or below 30°C. Protect from light.

Pack Sizes: A tube of 10g, 15g and 30g.
Pack Size (export only): A jar of 400g.

Shelf-life: 3 years

FURTHER INFORMATION CONCERNING THIS DRUG CAN BE OBTAINED FROM YOUR FAMILY PHYSICIAN / LOCAL GENERAL PRACTITIONER / PHARMACIST.

Manufacturer & Product Registration Holder:
SUNWARD PHARMACEUTICAL SDN. BHD.
No. 9, 11 & 17, Jalan Kempas 4,
Taman Perindustrian Tampoi Indah,
81200 Johor Bahru, Johor, Malaysia.

EL208A-R7
Revision Date: 19/09/2025