

DYNA EMBROCATION OIL

MAL19910637X

DESCRIPTION:

OIL

Colour : Orange

Fragrance : Natural

CONTENT:

Methyl Salicylate	60% w/w
Eucalyptus Oil	7% w/w
Camphor.....	5% w/w
Menthol.....	3% w/w
Turpentine Oil.....	10% w/w
Lavender Oil	5% w/w
Cinnamon Leaf Oil	5% w/w

PHARMACODYNAMICS:

Camphor

Camphor is a stimulant, rubefacient, antipruritic and feebly antiseptic. When in combination with other ingredient like Menthol, Methyl Salicylate, it becomes ideal for neuralgia and other painful areas.

Menthol

Menthol dilates the blood vessels causing a sensation of coldness, followed by an analgesic effect. Menthol also acts as a penetration enhancer, increasing the penetration of drugs when applied on the skin, to give a faster onset of action.

Methyl Salicylate

Methyl Salicylate is a salicylic acid derivative.

Salicylates inhibit cyclooxygenase, thereby reducing the formation of prostaglandins, and cause platelet dysfunction.

Methyl Salicylate is used topically as counter-irritant. Upon application, it is absorbed through the skin and is applied for the relief of pain in rheumatic conditions and painful muscle or joints.

PHARMACOKINETICS:

Camphor

- Camphor is readily absorbed from all administration sites. Camphor is well absorbed after dermal exposure.
- It is hydroxylated in the liver to yield hydroxycamphor metabolites which are then conjugated with Glucuronic Acid and excreted in the urine.
- Camphor crosses the placenta.

Menthol

- After absorption, Menthol is excreted in the urine and bile as a glucuronide.

Methyl Salicylate

- May be absorbed through intact skin.
- The absorption of topical salicylates is proportional to the surface area involved, duration of exposure, concentration and skin integrity.
- Absorption characteristics of salicylates vary with the dose, formulation and route of administration.
- Percutaneous absorption is enhanced by exercise, heat, occlusion, or disruption of the integrity of the skin or application to large areas of skin.
- Both the rate and extent of absorption increases after repeated application; increasing the bioavailability.
- Methyl Salicylate is extensively metabolized to Salicylic Acid in the dermal and subcutaneous tissues after topical application.
- At therapeutic levels, the half life of salicylates is 2-4 hours. As salicylate level increase into the toxic range, the half life can be greater than 18 hours.

INDICATION:

For the relief of pain in lumbago, sciatica, sprains, neuralgias and other rheumatic conditions.

APPLICATION:

Apply freely as needed, rubbing and massaging in well. Bandaging or wrapping is not recommended.

CONTRAINDICATIONS:

Patients hypersensitive to the ingredients of the preparations.

WARNINGS AND PRECAUTIONS:

This product is contraindicated in **children below** 2 years of age. Caution must be exercised when older children are treated.

It is dangerous to place any Camphor-containing product into the nostril of children. A small amount applied this way may cause immediate collapse.

This product contains Methyl Salicylate and when applied or rub on to the skin, can be absorbed through the skin into the blood.

For patients taking Warfarin, excessive application on to the skin for muscle or joint pains may increase the chances of bleeding.

Keep out of reach of children to avoid accidental poisoning.

Avoid getting into eyes or on mucous membranes. Discontinue use if excessive irritation of the skin develops. Consult physician if pain persist for more than 10 days.

DRUG INTERACTIONS:

This product contains Methyl Salicylate and when applied or rub on to the skin, can be absorbed through the skin into the blood.

For patients taking Warfarin, excessive application on to the skin for muscle or joint pains may increase the chances of bleeding.

SIDE EFFECTS:

Skin irritation may occur. Absorption of Methyl Salicylate through skin may produce systemic side effects such as dizziness tinnitus, deafness, sweating, nausea and vomiting, headache and mental confusion.

SYMPTOMS AND TREATMENT OF OVERDOSE:**Symptoms of Methyl Salicylate overdose**

Salicylate intoxication can occur after ingestion or topical application of Methyl Salicylate.

Mild chronic Salicylate intoxication, or salicylism, usually occurs only after repeated use of large doses. Salicylism can also occur following excessive topical application of salicylates. Symptoms include dizziness, tinnitus, deafness, sweating, nausea and vomiting, headache, and confusion, and may be controlled by reducing the dosage.

Symptoms of more severe intoxication or of acute poisoning following overdose include hyperventilation, fever, restlessness, ketosis, and respiratory alkalosis and metabolic acidosis.

Depression of the CNS may lead to coma; cardiovascular collapse and respiratory failure may also occur.

Symptoms of Camphor/ Menthol overdose

Ingestion of significant quantities is reported to cause symptom: severe abdominal pain, nausea, vomiting, vertigo, ataxia, drowsiness, and coma; instant collapse in infants after the local application of Menthol/Camphor to their nostrils.

Seizures may be the first clinical sign of severe toxicity of Camphor; however, seizures are usually self-limited. Severe toxicity of Camphor can result in delirium, visual hallucinations, cerebral edeme, and status epilepticus. Systemic toxicity may include hypotension, tachycardia, respiratory failure, and death.

Treatment

The stomach should be emptied by gastric lavage or administration of oral Activated Charcoal.

Fluid and electrolyte management is the mainstay of treatment with the immediate aim of correction of acidosis, hyperpyrexia, hypokalaemia and dehydration is present.

Any convulsions must be controlled first through supportive care including anticonvulsant therapy.

PACKING/PACK SIZE(S):

Glass bottles of 28 ml and 60 ml.

JAUHI UBAT DARIPADA KANAK-KANAK

KEEP OUT OF REACH OF CHILDREN

Keep Away From Eyes

FOR EXTERNAL USE ONLY

MANUFACTURER/PRODUCT REGISTRATION HOLDER:

DYNAPHARM (M) SDN. BHD. (65683-V)

2497, Mk. 1, Lorong Perusahaan Baru 5,

Kawasan Perusahaan Perai 3,

13600 Perai, Pulau Pinang, Malaysia.

PI2NE M003-03

Latest Revision: June 2019