



SOLUWAX EAR DROPS

PRODUCT DESCRIPTION : A colourless slightly turbid solution with characteristic odour.

NAME AND STRENGTH OF ACTIVE SUBSTANCE : Docusate Sodium 0.5% w/v

Other ingredients are Methyl Paraben, Glycerin, Propylene Glycol, Citric Acid Anhydrous, Sodium Citrate and Purified Water.

PHARMACODYNAMICS : Docusate sodium is an anionic surface acting agent and thus penetrates into thick wax to soften and facilitate easy removal of ear wax.

PHARMACOKINETICS : Docusate sodium is absorbed from the gastro-intestinal tract after oral administration and there is significant biliary excretion. It is also excreted in breast milk.

INDICATION : For softening wax in the ear.

CONTRAINDICATION : Do not use this preparation in patients with known hypersensitivity to Docusate sodium. Docusate sodium must not be used if the ear drum has been perforated. Discontinue use if any pain is experienced.

SIDE EFFECT/ADVERSE REACTION : Cramping pains have been reported occasionally and liquid preparation sometimes causes nausea. Docusate sodium increases the intestinal absorption of other concomitantly administered drugs.

PRECAUTION/WARNING : Do not use this preparation if the ear drum is perforated. Discontinue use if irritation of ear develops or persists.

RECOMMENDED DOSAGE : With the head tilted, fill the affected ear with sufficient SOLUWAX Ear Drops (approx. 10 drops) for two consecutive nights. Remain in this position for 4 to 5 minutes. The ear wax should then be easily removed by normal cleansing. If the ear wax is unusually hard or if symptoms persist, consult your doctor or pharmacist.

ROUTE OF ADMINISTRATION : Auricular (otic).

SYMPTOMS AND TREATMENT FOR OVERDOSE : Treatment after accidental consumption is purely symptomatic. Pain relieve in cramping pain and antinauseant for treatment of nausea.

PACKING : Amber glass bottles of 10ml (with dropper) and 100ml.

STORAGE : For external use only. Keep container well closed. Protect from light. Store below 30°C. Keep out of reach of children. Recommended shelf-life : 18 months.

MANUFACTURED BY :

HOE Pharmaceuticals Sdn. Bhd.
Lot 10, Jalan Sultan Mohamed 6, Bandar Sultan Suleiman,
42000 Port Klang, Selangor, MALAYSIA.

Revision date : February 2025