

FLANiL

ANALGESIC CREAM

COMPOSITION:

|                      |                   |         |
|----------------------|-------------------|---------|
| Each 100 g contains: | Methyl Salicylate | 10.20 g |
|                      | Menthol           | 5.44 g  |
|                      | Eugenol           | 1.36 g  |

PRODUCT DESCRIPTION:

White cream

PHARMACODYNAMICS:

Pharmacological actions:

FLANIL is an analgesic cream. Methyl Salicylate, menthol and eugenol which are the active ingredients in FLANIL cream together exert the action of counterirritant.

Mechanism of action:

The mechanism of action is poorly understood.

PHARMACOKINETICS:

FLANIL is a local analgesic cream. It is applied to the skin or muscle to relief muscular discomforts or pruritus, urticaria. When applying the cream, very small amount are absorbed because it has only local counterirritant effects. Methyl Salicylate, Menthol and Eugenol are all aromatic volatile substances.

INDICATION:

For temporary relief of minor ache and pains of muscle and joints associated with arthritis, strains, sprains and rheumatism.

DOSAGE:

Apply to the affected area 3 - 4 times daily.

CONTRAINDICATIONS:

Should not be given to patients who have known hypersensitivity to any active ingredients or other ingredients in the preparation.

WARNINGS:

If irritation occurs, dosage should be reduced or reduce the frequency of the treatment. This product contains methyl salicylate and when applied or rub on to the skin, can be absorbed through the skin into the blood. For patients taking warfarin, excessive application on to the skin for muscle or joint pains may increase the chances of bleeding.

INTERACTIONS WITH OTHER MEDICAMENTS:

Not known.

PREGNANCY AND LACTATION:

Not known.

ADVERSE EFFECTS:

Local irritation may rarely occur.

OVERDOSAGE AND TREATMENT:

No symptoms of overdosage have been reported. Should they occur, symptomatic treatment should be provided.

ROUTE OF ADMINISTRATION:

Topical

STORAGE:

Store in a cool dry place at temperature not exceeding 30°C.

Protect from light, heat and moisture.

The shelf-life period is 3 years.

SUPPLY:

Tube of 30 and 60 g.



Manufactured by

BIOLAB CO., LTD.

SAMUTPRAKARN, THAILAND

Date of revision : September 2019

EER 014/B

FRONT

发 扭

消 痛 膏

主要成分:

|             |         |
|-------------|---------|
| 每 100 克 含有: |         |
| 水杨酸甲酯       | 10.20 克 |
| 薄荷醇         | 5.44 克  |
| 丁香油酚        | 1.36 克  |

描述:

白色膏状

功能:

专用与: 肌肉酸痛、铁打损伤、毒虫咬伤、皮肤发痒等症。

用法:

用此药膏涂抹于患处后按摩使药渗透入皮肤、每日用三至四次。

禁忌:

不宜给予对本产品任何活性成分或其他成分过敏的患者服用。

注意事项

如果出现发炎症状，应减少剂量或减少治疗的次数。本产品含有水杨酸甲酯，当将其涂抹在皮肤上时，可以通过皮肤吸收到血液中。对于服用华法令的患者，过度在肌肉或关节痛的皮肤上使用可能会增加出血的机率。

怀孕及哺乳期

未知

副作用

罕见的局部发炎。

过量和治疗

未收到过量使用的报告。当过量发生时，应给予对症治疗。

给药途径

涂抹于皮肤

储存条件:

存放在温度不超过 30 度的阴凉干燥处。

避免光照、炎热和潮湿。

保质期为 3 年。

包装:

每管 30、60 克

BACK

|                                     |                    |                            |  |
|-------------------------------------|--------------------|----------------------------|--|
| Code : EER014/B                     | Draft Revision : 4 | Final Artwork Revision : A |  |
| Name : AW_LEAFLET FLANIL NEW MAL-ai |                    |                            |  |
| Remark :                            |                    |                            |  |
| Design by                           | Review by          | Approved by                |  |
| Signature                           | Signature          | Signature                  |  |
| Date                                | Date               | Date                       |  |
| Specification                       |                    |                            |  |
| Size 100 x 150 mm. (+/- 3 mm.)      |                    |                            |  |
| Color 白 粉 1 號 綠 點                   |                    |                            |  |
| Material 100g 每包 55 包               |                    |                            |  |
| Other 白 粉 1 號 綠 點                   |                    |                            |  |