



MENTAR SHAMPOO

DESCRIPTION : A dark green viscous liquid with a herbal and menthol fragrance.

ACTIVE INGREDIENT : Coal Tar Solution 9% v/v and Menthol 1% w/v.

PHARMACODYNAMICS : Mentar Shampoo is antiseborrhoeic and antipruritic. Coal tar is antipruritic. After the corticosteroids, coal tars are the most powerful agents against most chronic cases of eczema. It is also effective against psoriasis in its own right. Its exact mechanism of action is not known but may possibly be antimitotic. Menthol relieves itching; applied to the skin, it dilates the vessels, causing a sensation of coldness followed by an analgesic effect. The detergents in the formulation loosen and soften scales and crusts.

PHARMACOKINETICS : The exact mechanism of action of coal tar is known but may possibly be antimitotic. Applied to the skin, menthol dilates the blood vessels causing a sensation of coldness followed by an analgesic effect. Ingested, menthol is excreted in the bile and urine as a glucuronide conjugate; the various stereoisomers differ quantitatively in the extent to which they conjugate with glucuronic acid. Menthol may occur in the conjugated form as a metabolite of pulegone which is a constituent of pulegium oil.

INDICATIONS : Control of dandruff, seborrhoea and psoriasis.

CONTRAINDICATION : Hypersensitivity to any component in the formulation.

DRUG INTERACTION : Not known.

ADVERSE EFFECT : Coal tar may cause irritation and an acne-like symptoms of the skin. It has a photosensitizing action. Menthol may give rise to hypersensitivity reactions including contact dermatitis.

WARNINGS AND PRECAUTIONS : For external use only. Discontinue use if irritation occurs. Avoid contact with eyes.

PREGNANCY AND LACTATION : Safety of its use during pregnancy and lactation has not been established. Thus it should be used only if the potential benefit outweighs the potential risk to the foetus or nursing infant.

ROUTE OF ADMINISTRATION : Topical.

RECOMMENDED DOSE : Apply sufficient Mentar Shampoo on wet hair and work up a rich lather. Massage the scalp gently for at least 5 minutes and rinse well.

SYMPTOMS AND TREATMENT FOR OVERDOSE: If swallowed, may cause diarrhoea and vomiting. For treatment, give milk. Do not induce vomiting. Treat symptomatically.

PACKING : 500ml PE bottle.

STORAGE : Keep container well closed. Protect from strong light. Store below 30°C. Keep out of the reach of children.
Recommended shelf-life: 3 years.

MANUFACTURED BY :

HOE Pharmaceuticals Sdn. Bhd.
Lot 10, Jalan Sultan Mohamed 6, Bandar Sultan Suleiman,
42000 Port Klang, Selangor, MALAYSIA.

Revision date : Feb. 2021