



NCHK001

Each sachet of pills (10gm) contains:

人參	Radix Panax Ginseng	600mg
蟲草	Cordyceps Sinensis (Mycelium)	600mg
珍珠	Rhizoma Ligustici Chuanxiong	600mg
白朮	Rhizoma Atractylodes Macrocephala	600mg
鹿茸	Concha Hyriopsis Cumingii	600mg
虎骨	Radix Codonopsis Pilosulae	600mg
地骨皮	Cortex Lycium Chinensis	600mg
杜仲	Cortex Eucommiae Ulmoides	600mg
淮山	Rhizoma Dioscorea Opposita	600mg
珍珠末	Pearl Powder	300mg
蜂王漿粉	Royal Jelly Powder	300mg
蜜糖	Honey	4000mg

This is a traditional medicine. Please consult your pharmacist/ doctor if symptoms persist/ worsen. Keep out of reach of children. Jauhkan daripada capaian kanak-kanak. Store below 30°C, protect from light and moisture. This product contains substance(s) from animal origin.

Distributed by Product Registration Holder:



新香港制藥企業有限公司
NCHK Medicine Enterprise Sdn. Bhd.
No. 21G, Jalan SL 11/7, Bandar Sg. Long,
43000 Kajang, Selangor Darul Ehsan.

Manufactured by:
天津同仁堂制藥廠有限公司
TJ-TYT Pharmaceuticals (M) Sdn. Bhd.
1 & 3, Persiaran Perindustrian Pengkalan 12,
Kawasan Perindustrian Pengkalan,
31500 Lahat, Perak, Malaysia.

复方

小丸
small pill

10gm

主治：傳統上用于舒緩腹痛，頭痛，輕微嘔吐，調經及改善分娩後食慾。
服法：成人：每次10克（1包）。每日2次，飯前或飯後用溫開水服食。

INDICATION: Traditionally used for symptomatic relief of stomachache, headache, mild vomiting and to regulate menstruation and to improve appetite after childbirth.
DOSAGE: Adult: 10 gram (1 sachet) each time. To be taken twice a day with warm water before or after meal.

INDIKASI: Digunakan secara tradisional untuk melegakan sakit perut, sakit kepala, muntah ringan dan melancarkan perjalanan haid dan menambahkan selera makan selepas bersalin.

DOS: Dewasa: 10 gram (1 sachet) sekali. Makan 2 kali sehari dengan air suam sebelum atau selepas makan.

PRODUCT DESCRIPTION: Small black color coded round pill. Taste bitter-sweet. Average diameter of each pills is 0.3cm.

Contraindicated in pregnant women. Safe use in lactating women and children has not been established. Do not exceed the stated dose. Safety on long term use has not been established. This product contains royal jelly and may cause severe allergic reactions including fatal anaphylactic reactions in susceptible individuals. Asthma and allergy sufferers maybe at the greater risk.

001MY124-01V
Revision Date: 01/08/2024