



4749035505

sanofi



Composition

Each 7.5 ml of syrup contains:		% EU RDA
Lysine hydrochloride	150.0 mg	-
Calcium	65.0 mg	8
Vitamin B1	1.5 mg	107
Vitamin B2	1.73 mg	115
Vitamin B6	3.0 mg	150
Vitamin D3	200 IU	100
Vitamin E	7.5 IU	75
Nicotinamide	10.0 mg	56
D-Panthenol	5.0 mg	83

Preservatives: potassium sorbate 1.18 mg/ml (E202), sodium benzoate 1.34 mg/ml (E211)

Properties

PHARMATON KIDDI CL Syrup contains vitamins, minerals and lysine. It serves primarily as a reconstituent for children and adolescents during the period of growth. Furthermore, it is also indicated in all ages during convalescence.

A poorly balanced or deficient diet may not provide all the necessary vitamins and minerals which are required for children/adolescents.

Vitamin D

Helps in normal development and maintenance of bones and teeth

Vitamin E

Helps to maintain good health

Thiamine (Vitamin B1)

Helps normal growth
Helps the body to metabolize carbohydrates

Riboflavin (Vitamin B2)

Helps the body to utilize energy from food/metabolize proteins, fats and carbohydrates

Nicotinamide (Niacin)

Helps normal growth and development
Helps the body in utilization of energy from food

Pyridoxine (Vitamin B6)

Helps the body to metabolize proteins, fats and carbohydrates

Calcium

Helps in the formation and maintenance of bones and teeth

D-Panthenol

Helps the body to metabolize fats and carbohydrates

Indications

As a health supplement.

Dosage and administration

Children from 1 to 5 years:
7.5 ml per day.
School children and adolescents:
10 ml per day.
PHARMATON KIDDI CL Syrup should be taken with breakfast or lunch.
It may be diluted with water or mixed with food.
PHARMATON KIDDI CL Syrup has an orange taste, due to an orange flavour contained in the product.

sanofi

File Information

GMID code:	653102
Plant PM code:	10049291
Second Plant PM code:	4749035505
Version of artwork:	V3
PM type:	Lealfet
Market:	MALAYSIA
Format:	IP002 - 160 x 160 mm
Issue date of artwork:	29.04.2024
Print colors:	BLACK
Number of print colors:	1
Used font:	Dax
Min. font size:	8 pt

Technical colors

Diecut-Legendcase	Free area
-------------------	-----------

Plant information

Plant barcode	45491
---------------	-------

Information for diabetics:

This product contains 1.8 g of carbohydrates per dose of 7.5 ml.

Contraindications

PHARMATON KIDDI CL Syrup is contraindicated in:

- disturbances of calcium metabolism (hypercalcaemia and hypercalciuria)
- hypervitaminosis D
- renal insufficiency
- calcium based kidney stones
- during therapy with vitamin D
- phenylketonuria
- hypersensitivity to any ingredients of the compound.

Precautions

7.5 ml of PHARMATON KIDDI CL Syrup contain 1.3 g of sorbitol.
Patients with the rare hereditary condition of fructose intolerance should not take this medicine.
Unsuitable for phenylketonurics.

Pregnancy and Lactation

Controlled studies with pregnant and lactating women are not available.
PHARMATON KIDDI CL Syrup should only be used during pregnancy or lactation if considered essential by the physician in terms of benefit and risk.

Side-effects

Immune system disorder, Skin and subcutaneous tissue disorders: Hypersensitivity

Interactions

Vitamin B₆ may decrease the effectiveness of L-Dopa.

Effects on ability to drive and use machines

No studies on the effects on ability to drive and use machines have been performed.

Overdose

The toxicity of the product in large overdoses will be that of the liposoluble vitamin D. Therapeutic measures may be required for hypercalcaemia. Prolonged daily intake of larger amounts (corresp. to 75 ml of this formulation) can cause symptoms of chronic toxicity

such as vomiting, headache, drowsiness and diarrhoea. Acute symptoms are only seen at even higher doses.

Note

A yellow coloration of the urine after taking PHARMATON KIDDI CL Syrup is caused by the vitamin B₂ content (natural color of vitamin B₂). Such staining is absolutely harmless.

General Notice

PHARMATON KIDDI CL Syrup may show a natural turbidity which is due to some of the excipients but this does not impair its efficacy.
Shake well before use.

Storage Conditions

Keep bottle tightly closed, in a dry place, below 25°C and protected from light. Store in a safe place out of the reach of children.
The drug may be used only up to the expiry date indicated on the container.

Packages

100 ml syrup in a bottle with 15 ml measuring cup.

Manufactured by:
Soho Flordis International Switzerland SA
Via Mulini 6934 Bioggio, Switzerland

Date of revision: October 2023



10049291 - PI PHARMATON KIDDI 2G/+ SYR BT1 M24 XR

Plant: EM CHC EUROPE
Packaging material code: 10049291
Packaging material name: PI PHARMATON KIDDI 2G/+ SYR
BT1 M24 XR
Second packaging material code: 4749035505
VISTAlink folder number: 4277118
VISTAlink PDF version: 3

This artwork pdf has been approved by the following people who electronically signed their respective step(s) within the VISTAlink system, following the Sanofi group guidelines.

Reason for artwork pdf approval	Electronically signed by	Date
Plant final technical validation	Stefano Frigerio (EM SFI packaging team)	29/04/2024 15:42:11
Market regulatory validation	Vidhya Sheerapathi (Malaysia CHC regulatory team)	09/05/2024 18:18:36
Plant ready to print	Stefano Frigerio (EM SFI packaging team)	14/05/2024 12:17:04