



INDICATION : Traditionally used for relieving pain and itchiness related to piles.

DIRECTIONS : Adult: 2 capsules to be taken orally each time, 3 times daily before meals, with cold water.

INDIKASI : Digunakan secara tradisional untuk melegakan kesakitan dan rasa gatal akibat buasir.

SUKATAN : Dewasa: 2 kapsul diambil setiap kali, 3 kali sehari sebelum makan, dengan air sejuk.

主治 : 傳統用於緩解痔瘡的疼痛和癢。

服法 : 成人每次2粒，每日三次，飯前用冷開水送服用。

Formula:

Each 450mg capsule contains:

Flos Sophora japonica	50 mg
Radix Scutellaria baicalensis	25 mg
Resina Boswellia carterii	25 mg
Radix et Rhizoma Rheum plamatum	38 mg
Radix Angelicae dahurica	25 mg
Flos Lonicera japonica	25 mg
Radix Sanguisorba officinalis	25 mg
Radix Paeonia lactiflora	25 mg
Fructus Citrus aurantium	25 mg
Resina Commiphora myrrha	25 mg
Radix Angelicae sinensis	50 mg
Radix Ledebouriella divaricata	25 mg
Radix Glycyrrhizae uralensis	87 mg

Ini adalah persediaan tradisional. Sila merujuk kepada ahli farmasi/doktor jika simptom berlarutan/bertambah teruk.

Jauhkan daripada capaian kanak-kanak.

Simpan di bawah 30°C. Jauhkan dari cahaya dan kelembapan.

Keep out of reach of children.

Source of capsule : Bovine

MAL No. 09032136TC

DESCRIPTION: Brownish powder in size 0 transparent capsule

WARNING

1. Do not use when abdominal pain, nausea or vomiting is present.
2. Frequent or prolonged use of this preparation may result in dependence towards the product and "imbalanced electrolytes".
3. Contraindicated in pregnant and lactating women.
4. Please consult a healthcare practitioner for use beyond 7 days.
5. Please consult your doctor/pharmacist before using this product if you are on other medicines.

Dikilangkan oleh :
PRIME PHARMACEUTICAL SDN. BHD.
1505, Lorong Perusahaan Utama 1,
Taman Perindustrian Bukit Tengah,
14000 Bukit Mertajam, Penang, Malaysia.

Pemegang Pendaftaran :
優品藥業貿易有限公司
U-PIN MEDIC TRADING SDN. BHD.
18, Lintasan Perajurit 6, Ipoh Garden East,
31400 Ipoh, Perak Darul Ridzuan.

28/01/2022