

Product Name:

SPECTIVET 50% Water Soluble Powder

Composition:

Each gram contains:

Streptomycin 500mg

Product Description:

White powder

Pharmacodynamics:

Streptomycin is a member of the amino glycosides group of antibiotics and is thought to act by entering the bacterial cell and combining irreversibly with ribosomal RNA. This combination interferes with protein synthesis including misreading of the amino-acid sequence and premature termination of the protein chain, resulting in the death of the bacteria.

Pharmacokinetics:

Oral absorption of Streptomycin is found to be 20% - 20. Volume of distribution is found to be 96 l/kg and plasma protein binding is 33%. Renal Excretion accounts for 50 - 60% and plasma half life is 2.4 - 9.0 hr.

Indications:

Chickens: Treatment of chronic respiratory disease (air-sac infection). Treatment of bluecomb (nonspecific infectious enteritis). Swine: Treatment of bacterial enteritis (scours) in swine.

Dosage and Administration:

Chickens:

0.5 to 1.5 grams of Streptomycin per gallon of drinking water. Administer for not more than 5 days. As sole source of streptomycin.

Swine:

0.5 to 1.5 grams Streptomycin per gallon of drinking water. Administer for not more than 4 days. As sole source of streptomycin.

Contraindications:

Not to be used in animals with known sensitivity to the active ingredient.

Interaction with Other Medicaments:

None known.

Pregnancy and Lactation:

Not for use in laying chickens.

Side effects:

None known.

Symptoms and Treatment of Overdose:

None known.

Warning and Precautions:

Keep out of reach of children.

Jauhi dari kanak-kanak.

Use of the product should be based on susceptibility testing of bacteria isolated from the animal. If this is not possible, therapy should be based on local (regional, farm level) epidemiological information about susceptibility of the target bacteria.

Other precautions:

Manure from treated pigs should be stored for one month prior to spreading and incorporating into land.

Withdrawal Periods:

Chickens: Withdraw 4 days before slaughter. Not for use in laying chickens.

Swine: zero days (meat)

Storage conditions:

Store in cool, dark place. Store below 30° C. Protect from direct light.

Pack Size:

1kg, 100gm

Distributed by Product Registration Holder:

LIM SENG PHARMACHEM SDN. BHD.

2692, Tingkat Perusahaan Enam,

Prai Industrial Estate MK1,

13600 Prai, Pulau Pinang, Malaysia.

Manufactured By:

THYE PHARMA SDN. BHD.

No. 2, Lorong Industri Ringan Permatang Tinggi 8,

Kawasan Industri Ringan Permatang Tinggi,

14000 Bukit Mertajam, Pulau Pinang.

DATE OF REVISION: APRIL 2019