



Package Insert

Quace

ECZEMA OINTMENT

Clobetasol Propionate Ointment USP, 0.05%

Description

White semisolid with characteristic odour and free from any grittiness and foreign matter.

Pharmacodynamics

Clobetasol propionate is a highly active corticosteroid with topical anti-inflammatory activity. The major effect of clobetasol propionate on skin is a non-specific, anti-inflammatory response, as a result of vasoconstriction and decrease in collagen synthesis.

Pharmacokinetics

Clobetasol propionate ointment has been shown to depress the plasma levels of adrenal cortical hormones following repeated nonocclusive application to diseased skin in patients with psoriasis and eczematous dermatitis. These effects have been shown to be transient and reversible upon completion of a two-week course of treatment.

Indication

Clobetasol Propionate is a potent topical corticosteroid indicated for short courses treatment of more resistant dermatoses such as psoriasis (excluding widespread plaque psoriasis), recalcitrant eczemas, lichen planus, discoid lupus erythematosus, and other conditions which do not respond satisfactorily to less active steroids.

Recommended Dose

Apply sparingly to the affected area once or twice daily until improvement occurs; normally within a few days in the more responsive conditions. Discontinue the therapy when control is achieved. If a longer course is required, it is recommended that treatment should not be continued for more than 4 weeks without the patient's condition being reviewed. Repeated short courses of the Clobetasol Propionate may be used to control exacerbations. A less potent preparation should be used if continuous steroid treatment is necessary. In very resistant lesions, especially where



there is hyperkeratosis, the anti-inflammatory effect of Clobetasol Propionate can be enhanced by occluding the treatment area with polythene film. Overnight occlusion is usually adequate to bring about satisfactory response. Thereafter improvement can usually be maintained by application without occlusion.

Mode of Administration

Topical

Contraindication

QUACE ECZEMA Ointment is contraindicated in patients who are hypersensitive to clobetasol propionate, to other corticosteroids, or to any ingredient in this preparation.

Warning and Precautions

Systemic absorption of topical corticosteroids should always be considered. It should not be applied with an occlusive dressing to large areas of the body. Long-term continuous topical therapy should be avoided, especially in children. If Clobetasol Propionate is required for use in children, it is recommended that the treatment should be reviewed weekly, so that the least potent corticosteroid that will control the disease can be selected. It should be noted that, the infant's nappin might act as an occlusive dressing. The face, more than other areas of the body, may exhibit atrophic changes after prolonged treatment with potent topical corticosteroids. If applied to the eyelids, care is needed to ensure that the preparation does not enter the eyes as might cause corneal ulcers, raised intra-ocular pressure and reduced visual function. Any spread of infection requires withdrawal of topical corticosteroid therapy and systemic administration of appropriate antimicrobial product. Topical corticosteroids may be hazardous in psoriasis for a number of reasons including rebound relapses, development of tolerance, risk of generalized pustular psoriasis and development of local and systemic toxicity due to impair barrier function of the skin. If used in psoriasis careful patient supervision is important.

Drug Interactions

Potentially hazardous interactions

No hazardous interactions have been reported

Potentially useful interactions

No such interactions are reported, although clobetasol topical applications can be combined with an antibiotic

Pregnancy and Lactation

The safe use of topical corticosteroids during lactation has not been established.

Side Effects

QUACE ECZEMA Ointment is generally well tolerated when used for two-week treatment periods.

The most frequent adverse reactions reported to clobetasol propionate ointment have been local and have included burning sensation and stinging sensation in approximately 1% of the patients. Less frequent adverse reactions were itching, skin atrophy, and cracking and fissuring of the skin.

The following local adverse reactions are reported infrequently when topical corticosteroids are used as recommended. These reactions are listed in an approximately decreasing order of occurrence: burning, itching, irritation, dryness, folliculitis, hypertrichosis, acne form eruptions, hypopigmentation, perioral dermatitis, allergic contact dermatitis, maceration of the skin, secondary infection, skin atrophy, striae, and miliaria. Systemic absorption of topical corticosteroids has produced reversible. HPA axis suppression, manifestations of Cushing's syndrome, hyperglycaemia and glucosuria in some patients. In rare instances, treatment (or withdrawal of treatment) of psoriasis with corticosteroids is thought to have exacerbated the disease or provoked is postural form of the disease, so careful patient supervision is recommended

Symptoms And Treatment of Overdose

Acute overdose is unlikely to occur, however, in case of chronic overdose or misuse the features of hypercorticism may appear and topical corticosteroids should be discontinued.

Storage Condition

Store in a dry place and below 30°C.

Do not freeze.

Shelf Life

36 months from the date of manufacture.

Presentation:

Topical ointment 10g aluminum collapsible tube and flipout type white HDPE cap packed in a duplex board carton.

Date of revision : September, 2019

Mfg. Lic. No.: 28/9/96

Reg. No.: MA/0877804Z

Importer & Product registration holder:

Zalari Pharmacy Sdn Bhd, 23 & 23A,
Jalan Bunkai 2, Taman Malaysia,
53100 Kuala Lumpur, Malaysia.



torrent
pharmas

Manufactured by:
TORRENT PHARMACEUTICALS LTD.
Plot No. 810, Sector III, Industrial Area,
Pimpriur. Dist:Thar-44776(MP) INDIA

MOA0018-233

PRODUCT NAME	- Quince Clintment	COUNTRY : Malaysia	LOCATION : Pithampur	Supersedes A/W No. Z3CEX02-MY			
ITEM / PACK	- Insert	NO. OF COLORS : 1	REMARK:				
DESIGN STYLE	-	PANTONE SHADE NOS.:	SUBSTRATE :				
CODE	x0000xxxx-5253		Activities	Department	Name	Signature	Date
DIMENSIONS (MM)	150 L x 180 W	 Black C	Prepared by	Pkg.Dev			
ART WORK SIZE	A3/S		Reviewed by	Pkg.Dev			
DATE	18-09-2019		Approved By	Quality			
This colour proof is not colour binding. Follow Pantone shade reference for actual colour matching.							

Shalini
Regulatory Affairs
Zulat Pharmacy