

Customer		Colours Front	Colours Back	Our Ref.	SO58431
Product name	LFT DESLORATADINE 5mg	BLACK	BLACK	Proof No.	
				Proof Date	
Item code	1035197-03			End Client	
Material	50gsm Opaque			Approved	Y / N
Flat size (mm)	380 x 190			Date	
Fold size (mm)	N/A			Signed	
Packing details	Flat pack			Print	
Pharmacode	 Reading Direction				

BY SIGNING THIS APPROVAL YOU ARE AUTHORISING US TO PRINT USING THESE DETAILS. PRODUCTION WILL NOT COMMENCE UNTIL APPROVAL OF PROOFS AND SPECIFICATION DETAILS ARE IN PLACE

Dezal Tablet 5mg

Product Name

Dezal Tablet 5mg

COMPOSITION

Name and Strength of Active Substance(s)

Each tablet contains 5mg desloratadine

Product Description

5mg tablet: Blue, round, 6mm, biconvex, film-coated tablets with "LT" debossed on one face.

PHARMACOLOGY

Actions: Desloratadine is a non-sedating long-acting histamine antagonist with potent, selective peripheral H₁-receptor antagonist activity. It has demonstrated anti-allergic, antihistaminic and anti-inflammatory activity.

Pharmacodynamics: After oral administration, desloratadine selectively blocks peripheral histamine H₁-receptors because the drug is effectively excluded from entry to the central nervous system (CNS). In addition to antihistaminic activity, desloratadine has demonstrated anti-allergic and anti-inflammatory activity. Desloratadine does not readily penetrate the CNS. At the recommended dose of 5mg daily, there was no excess incidence of somnolence. Desloratadine tablet even at a dose of 7.5 mg daily, did not affect psychomotor performance. A single dose of desloratadine 5 mg did not affect standard measures of flight performance including exacerbation of subjective sleepiness or tasks related to flying. In adult and adolescent patients with seasonal allergic rhinitis (SAR), Desloratadine tablet, was effective in relieving symptoms eg, sneezing, nasal discharge and itching, congestion/stuffiness, as well as ocular itching, tearing and redness, and itching of palate. Desloratadine tablet effectively controlled symptoms for 24 hrs.

PHARMACOKINETICS

Desloratadine plasma concentrations can be detected within 30 min of desloratadine administration. It is well absorbed with maximum concentration achieved after approximately 3 hrs; the terminal phase half-life is approximately 27 hrs. The degree of accumulation of desloratadine was consistent with its half-life (approximately 27 hrs) and a once-daily dosing frequency. In adults and adolescents, the bioavailability of desloratadine was dose proportional over the range of 5-20 mg. Desloratadine is moderately bound (83-87%) to plasma proteins. There is no evidence of clinically relevant drug accumulation following once-daily dosing of desloratadine (5-20 mg) for 14 days. The enzyme responsible for the metabolism of desloratadine has not been identified yet, and therefore some interactions with other drugs cannot be fully excluded. Desloratadine does not inhibit CYP3A4 or CYP2D6 and is neither a substrate nor an inhibitor of P-glycoprotein.

INDICATIONS

For the rapid relief of symptoms associated with seasonal allergic rhinitis e.g., sneezing, nasal discharge

and itching, congestion/stuffiness, as well as ocular itching, tearing and redness. Desloratadine is also indicated for the relief of symptoms associated with chronic idiopathic urticaria e.g., relief of itching and the size and number of hives.

DOSAGE AND ADMINISTRATION

Adults and Adolescents (12 years of age and older):

One Dezal 5 mg film-coated tablet once a day regardless of mealtime for the relief of symptoms associated with allergic rhinitis (including intermittent and persistent allergic rhinitis) and urticaria. For oral use.

Intermittent allergic rhinitis (presence of symptoms for less than 4 days per week or less than 4 weeks) should be managed in accordance with the evaluation of patient's disease history and the treatment could be discontinued after symptoms are resolved and reinitiated upon their reappearance.

In persistent allergic rhinitis (presence of symptoms for 4 days or more per week and for more than 4 weeks), continued treatment may be proposed to the patients during allergen exposure periods.

CONTRAINDICATIONS

Hypersensitivity to desloratadine or to any of the excipients of Dezal tablets.

WARNINGS AND PRECAUTIONS

Efficacy and safety of Desloratadine tablets in children under 12 years of age have not been established.

Effects on the Ability to Drive or Operate Machinery: No effects on the ability to drive and use machines have been observed.

USE IN PREGNANCY AND LACTATION

The safe use of desloratadine during pregnancy has not been established. Desloratadine is not to be used during pregnancy unless the potential benefits outweigh the risks.

Desloratadine is excreted into breast milk; therefore the use of desloratadine is not recommended in breastfeeding women.

DRUG INTERACTIONS

No clinically relevant interactions were observed.

There was no effect of food or grapefruit juice on the disposition of desloratadine.

Desloratadine taken concomitantly with alcohol did not potentiate the performance-impairing effects of alcohol.

Incompatibilities: Not applicable.

ADVERSE EFFECTS

The most frequent adverse events reported were fatigue, dry mouth and headache.

Very rare cases of hypersensitivity reactions, including anaphylaxis and rash, have been reported. In addition, cases of tachycardia, palpitations, elevations of liver enzymes and increased bilirubin have been reported very rarely.

OVERDOSE AND TREATMENT

In the event of overdose, consider standard measures to remove unabsorbed active substance. Symptomatic

1035197-03 (12090)

and supportive treatment is recommended.
Desloratadine is not eliminated by hemodialysis; it is
not known if it is eliminated by peritoneal dialysis.

STORAGE:

Store below 30°C.

AVAILABILITY

5mg film coated tablet: Blister pack of 1x10's, 3x10's
and 10x10's

***For further information, please consult your
physician or pharmacist.***

Manufactured by:

Actavis Ltd.

BLB016 Bulebel Industrial Estate,
Zejtun ZTN 3000,
MALTA

DATE OF REVISION: 10-2021




Actavis
AAAN8728

1035197-03 (12090)