

170mm

Front

12 mm

6mm

2 mm

2 mm

42 mm

2 mm

2 mm

12 mm

12 mm

260mm

Mat ID code read direction

Mat ID code read direction

Surolan™

CA0813

16085080

Topical Suspension

NAME OF THE VETERINARY MEDICINAL PRODUCT

Surolan Topical Suspension

STATEMENT OF THE ACTIVE SUBSTANCE(S) AND OTHER INGREDIENT(S)

Each ml of ear drops and cutaneous suspension contains miconazole nitrate 23 mg, prednisolone acetate 5 mg and polymyxin B sulfate 0.5293 mg.

PRODUCT DESCRIPTION

A white colour suspension for topical use.

PROPERTIES

Miconazole is a synthetic imidazole derivative with a pronounced antifungal effect and a potent activity against Gram-positive bacteria. Polymyxin B is an antibiotic with a bactericidal effect against Gram-negative bacteria. To these two substances, prednisolone has been added to provide anti-inflammatory and antipruritic activities.

TARGET SPECIES

Cats and dogs

PHARMACODYNAMIC PROPERTIES

Miconazole nitrate is a synthetic imidazole derivative with a pronounced antifungal activity and a potent activity against Gram-positive bacteria. Miconazole selectively inhibits the synthesis of ergosterol, which is an essential component of the membrane of yeasts and fungi.  
Polymyxin B sulfate is a polypeptide antibiotic with bactericidal activity against Gram-negative bacteria. It binds to phospholipids in the cytoplasmic membrane, whereby the membrane permeability is disturbed. This results in lysis of the bacteria.  
Prednisolone acetate is a glucocorticoid with strong anti-inflammatory activity which results from its reduction of the permeability of capillaries and vascular proliferation and from the inhibition of fibroblast action.

PHARMACOKINETIC PROPERTIES

After topical application of miconazole nitrate, virtually no systemic absorption takes place through the skin or mucus membranes.  
Systemic absorption of prednisolone on normal or abraded skin is minimal. Absorption of polymyxin B via the skin is also negligible. Excretion is almost completely via the kidneys.

INDICATION

For the topical treatment of otitis externa and skin infections caused by Gram-positive bacteria e.g. *Staphylococcus aureus* and *Streptococcus* spp. and Gram-negative bacteria *Escherichia coli* and *Pseudomonas aeruginosa*. For the topical treatment of otitis externa and skin infections caused by fungi and yeasts: *Trichophyton* spp., *Microsporum* spp., *Malassezia pachydermatis*, *Candida* spp.  
For the topical treatment of otitis externa caused by the ear mite *Otodectes cynotis*. The product also has anti-inflammatory and antipruritic activity.

DOSAGE AND ADMINISTRATION

This product is for topical administration. Shake the bottle well before use. At the beginning of treatment, hair surrounding or covering the lesions must be clipped; this should be repeated during treatment if necessary.  
**Ear:** Clean the auditory canal and place a few drops of the product into the ear twice daily.  
For infections caused by *Otodectes cynotis*, instill five drops twice daily for 14 days.  
Massage the ear and the auditory canal gently but thoroughly to ensure proper distribution.  
**Skin:** Having ensured the area to be treated is clean, apply a few drops of the product (depending on lesion size) twice a day and rub well. Treatment should be continued until a few days after complete disappearance of the clinical symptoms. In some obstinate cases, treatment may be required for 2 to 3 weeks. Where ear mite infestation is present, consideration should be given to treating both ears even if infestation is only apparent in one ear.

ADVICE ON CORRECT ADMINISTRATION

Shake the bottle vigorously and ensure the product is fully resuspended before use.

CONTRAINDICATIONS

Do not use in animals with perforated ear drums since Polymyxin B is known to be a potential ototoxic agent.

WARNING AND PRECAUTIONS

Special precautions for use in animals  
For external use only.  
Due to likely variability (time, geographical) in the occurrence of resistance of bacteria for Polymyxin B, bacteriological sampling and susceptibility testing are recommended.

170mm

12 mm

57mm

2 mm

2 mm

12 mm

12 mm

260mm

12 mm

Mat ID code Read Direction

Back

Special precautions to be taken by the person administering the medicinal product to animals

Do not handle the product if you are allergic to the ingredients in the product.

Accidental spillage on the skin should be washed off immediately with soap and water. Wash hands after use.

Corticosteroids may produce irreversible effects in the skin. They can be absorbed and may have harmful effects, especially with frequent and extensive contact or in pregnancy. Always wear single use disposable gloves when applying the product to animals.

Special warning for each target species

As the product is a prescription only medicine, treatment should be closely supervised by a veterinary practitioner.

**INTERACTION WITH OTHER MEDICINAL PRODUCT**

None known

**PREGNANCY AND LACTATION**

Corticosteroids are not recommended for use in pregnant animals.

**ADVERSE REACTIONS**

Long-term use of topical steroids may cause skin thinning and delay wound healing.

If you notice any serious effects or other effects not mentioned in this leaflet, please inform your veterinary surgeon.

**SYMPTOMS AND TREATMENT OF OVERDOSE**

The product is applied topically. No toxic side effects have been observed after accidental intake by licking.

**WITHDRAWAL PERIOD**

Not applicable

**SPECIAL STORAGE PRECAUTIONS**

Keep out of the reach and sight of children.

Jauhi ubat dari kanak-kanak.

Do not store above 25 °C.

Protect from direct sunlight. Store in a dry place and protect from humidity.

Keep the dropper bottle in the outer carton.

Do not use after the expiry date stated on the label and carton. The date refers to the last day in that month.

Once opened use within three months. Discard unused material.

When the container is broached {opened} for the first time, using the in-use shelf-life which is specified above, the date on which any product remaining in the carton should be discarded should be worked out. This discard date should be written in the space provided.

**SPECIAL PRECAUTIONS FOR THE DISPOSAL OF UNUSED PRODUCT OR WASTE MATERIALS, IF ANY**

Dispose of any unused product and empty containers in accordance with guidance from your local waste regulation authority.

**OTHER INFORMATION**

**Presentation**

15 ml or 30 ml dropper bottle.

Not all pack sizes may be marketed.

Manufactured by

LUSOMEDICAMENTA- Sociedade Tecnica Farmaceutica, S.A.

Estrada Consiglieri Pedroso, 66, 69-B

Queluz de Baixo

2730-055 Barcarena- Portugal

For

Elanco Malaysia Sdn Bhd

Unit 5.04, Level 5 & 6, Tower Block, The Bousteador,

No. 10, Jalan PJU 7/6, Mutiara Damansara,

47800 Petaling Jaya, Selangor,

Malaysia

**MAL18126006HAC**

**Controlled Medicine**

**DATE ON WHICH THE PACKAGE LEAFLET WAS LAST APPROVED**

March 2022

Surolan, Elanco and the diagonal bar logo are trademarks of Elanco or its affiliates.

© 2022 Elanco or its affiliates

**Elanco**<sup>TM</sup>

| LEGEND KEY                                                                              | Template: PL_170x260mm_v2 |
|-----------------------------------------------------------------------------------------|---------------------------|
| <div><div></div>Print Free Area</div> <div><div></div>Variable Data and Code area</div> |                           |
| <div><div></div>50 mm Rule Bar</div>                                                    |                           |

Elanco Template Key v2

PRODUCT INFO

|                    |          |               |                              |
|--------------------|----------|---------------|------------------------------|
| BLUE #:            | 213312AP | Product Name: | Surolan Topical Suspension   |
| Item Code:         | 1608508D | Component:    | Package Inserts and Leaflets |
| Product Code:      | CA0813   | Pack Size:    | 15ml                         |
| Previous Item Code | 1608508C |               |                              |

ARTWORK INFO

|                                                                |                   |                               |                 |
|----------------------------------------------------------------|-------------------|-------------------------------|-----------------|
| Template:                                                      | PL_170x260mm_v2   | Packaging Spec(s):            | N/A             |
| Barcodes/Type:                                                 | Pharmacode: 207   | Add. Info:                    | N/A             |
|                                                                |                   | Minimum Core Data Point Size: | 9.5 pt          |
| GTIN:                                                          | GTIN Not Required | Proof #                       | P1a             |
|                                                                |                   | By/Date                       | ATG 23-MAR-2022 |
| <div><div></div>NON PRINTING</div> <div><div></div>BLACK</div> |                   |                               |                 |

ELANCO ARTWORK LEGEND v16