

Important Information. Please read carefully.



SpasmolivTM

HYOSCINE N-BUTYLBROMIDE 10mg

Film-Coated Tablets

Composition

Each film-coated tablet contains Hyoscine N-Butylbromide 10mg

Indications

Relief of gastrointestinal spasm in gastric and duodenal ulcers, gastrointestinal and colonic spasm, acute spasm in renal or biliary colic, spasmodic dysmenorrhoea, hypermotility, post-operative vomiting.

Dosage and Administration

To be administered orally. Unless otherwise prescribed by the physician :

Adults : 1 - 2 tablets four times daily.

Children over 6 years : 1 tablet three times daily.

The film-coated tablets should be swallowed whole with sufficient fluid.

Contraindications

Glaucoma, obstructive diseases of the gastrointestinal tract, unstable cardiovascular adjustment in acute haemorrhage, and in myasthenia gravis.

Precautions

Spasmoliv should be used with caution in elderly men, patients having fever, autonomic neuropathy, ulcerative colitis, hyperthyroidism and cardiovascular diseases.

Side Effects

Side effects are rare when **Spasmoliv** is administered in the usual dose. However, high doses may produce dry mouth, blurred vision and palpitation.

Overdosage and Treatment

The symptoms may progress from an intensification of the usual side effects to CNS disturbances (from restlessness and excitement to psychotic behaviour), circulatory changes (flushing, fall in blood pressure, circulatory failure), respiratory failure and coma. The stomach should be emptied by aspiration and lavage. Charcoal may be given to reduce absorption, followed by lavage. Purgation such as Sodium Sulphate may also be used. Neostigmine methylsulphate can be given to control the peripheral effects. Excitement can be controlled by diazepam or a short-acting barbiturate. Supportive therapy should also be given.

Shelf-life

The expiry date is indicated on the packaging.

Presentation

White, round, film-coated tablets in packs of 100's, 500's and 1000's blister strips. Not all pack size(s) are available for sale.

Storage

Store below 30°C.

KEEP OUT OF REACH OF CHILDREN

JAUHI DARI KANAK-KANAK

For further information, please consult your pharmacist or physician.

Revision Date: 24-Apr-2021

Manufacturer and Product Registration Holder

Xepa-Soul Pattinson (Malaysia) Sdn. Bhd.

1-5, Cheng Industrial Estate, 75250 Melaka, Malaysia.