

---

# BETA-N CREAM

---

**Name and Strength of Active Ingredient(s)**

Betamethasone 17-Valerate equivalent to Betamethasone BP ..... 0.1% w/w

Neomycin Sulphate BP ..... 0.5% w/w

Preservative:

Methyl Paraben ..... 0.15% w/w

Propyl Paraben ..... 0.08% w/w

**Product Description:**

White to off white colour, smooth, homogenous cream.

**Pharmacodynamics:**

Betamethasone: It is mostly metabolized in skin.

**Pharmacokinetics:**

Betamethasone: It is absorbed systemically. Occlusion or use over extensive areas increases absorption of topical dosage forms.

Neomycin: It is not absorbed through the intact skin. However, it is readily absorbed from large denuded, burned or granulating areas.

**Indications:**

For the treatment of allergic dermatitis and other inflammatory skin disease when complicated by infection caused by organisms susceptible to neomycin including contact dermatitis, neurodermatitis, atopic dermatitis (allergic eczema), non-specific anogenital pruritus and seborrheic dermatitis.

**Recommended dosage:**

Apply a thin layer to the affected skin area one to three times daily. When dilution is required, the diluted cream should not be used two weeks after issue.

**Mode of Administration:**

Topical.

**Contraindications:**

In tuberculous infections of the skin, fungus infections, herpes simplex, vaccinia, varicella and in other cutaneous infections for which an infective antibiotic is not available.

**Warning and precautions:**

Potential hazard of nephrotoxicity and ototoxicity. Prolong use of large amount should be avoided in the treatment of skin infections following extensive burns, trophic ulceration and other conditions where absorption of neomycin is possible.

**Interactions with Other Medicaments:**

Not know drug interaction.

**Adverse Effects:**

Impaired wound healing, thin fragile skin, petechiae and ecchymoses, facial erythema, increased sweating and suppress of reactions to skin tests may occur due to betamethasone. Hypersensitivity reactions due to neomycin include itching, rash, redness, swelling or other sign of irritation not present before therapy.

**Storage Conditions:**

Keep container tightly closed. Store below 30°C. Protect from freezing, heat and direct light.

**Packaging Available:**

15 gm tube

15 gm tub

**Registration Number:**

MAL19860243AZ

**Manufactured by & Product Registration Holder:**

KCK PHARMACEUTICAL INDUSTRIES SDN. BHD.

Plot 61, Bayan Lepas Industrial Park Phase 4,

Lintang Bayan Lepas 1, 11900 Bayan Lepas,

Pulau Pinang, Malaysia.

**Date of Revision of Package Insert:**

6 July 2023