

CHLORMINE SYRUP 4MG/5ML

PRODUCT DESCRIPTION:

Clear orange syrup, sweet taste with orange flavour.

COMPOSITION:

Chlorpheniramine Maleate 4mg/5ml

PHARMACOLOGY:

Chlorpheniramine is a sedating antihistamine of alkylamine derivative, which competes with histamine for H₁-receptor. It also has antimuscarinic effect.

PHARMACOKINETICS:

Chlorpheniramine is absorbed through gastrointestinal tract relatively slowly and undergoes considerable first pass metabolism. It achieves peak plasma concentration about 2.5 to 6 hours after being administered orally.

INDICATIONS:

Symptomatic relief of allergy such as rhinitis, runny nose, sneezing, hay fever, allergic skin conditions and urticaria.

RECOMMENDED DOSAGE:

Orally
Adults : 4mg (5ml) 3 to 4 times daily
Children: 2-5 years : 1mg (1.25ml) 3 to 4 times daily
6-12 years : 2mg (2.5ml) 3 to 4 times daily

CONTRAINDICATIONS

Patients who are hypersensitive to Chlorpheniramine or to any of its ingredients.

SIDE EFFECTS:

Sedation, dizziness, muscular weakness and incoordination. Gastro-intestinal disturbances such as nausea, vomiting, diarrhoea or constipation, and epigastric pain, difficulty in micturition, dryness of the mouth; blurred vision.

PRECAUTIONS/WARNINGS:

When used for treatment of cough and cold;

Not to be used in children less than 2 years of age.

To be used with caution and doctor's/ pharmacist's advice in children 2 to 6 years of age.

This preparation may cause drowsiness. If affected, do not drive or operate machinery. Avoid alcohol.

Chlorpheniramine may enhance the sedative effect of central nervous system depressants including alcohol, barbiturates, hypnotics, narcotic analgesics, sedatives, and tranquillisers. It may also enhance the effects of anticholinergic drugs administered concomitantly.

USE IN PREGNANCY AND LACTATION:

There are no adequate Chlorpheniramine studies in pregnant and lactating women. Therefore, Chlorpheniramine should not be used in pregnant and lactating women unless the potential advantage justifies the possible risk to the foetus.

DRUG INTERACTIONS:

Please see PRECAUTIONS/WARNINGS.

OVERDOSAGE AND TREATMENT:

The lethal dose for chlorpheniramine is approximately 25-50 mg/kg body weight. Treatment involves gastric lavage for massive oral overdosage. Mechanical ventilation may be employed if there is severe respiratory depression. Fluid replacement may be necessary to counter severe hypotension.

STORAGE:

Store below 30°C in airtight containers and protect from light.

EXPIRY PERIOD:

Please do not use after the expiry date stated on the label.

pharma code

131451_s2 - P: Chlorpheniramine Maleate (Chlormine) MY, Syrup, 4mg/5ml, 100ml

GENERAL INFORMATION		NON-PRINTING COLOURS	COLOURS/PLATES
Proof / Cycle: 1	Dimensions: 115x230 mm	1. Profile 	1. Black 
Origination Date: 26.10.2023	Supplier: PT Actavis Indonesia	2.	2.
Originated by: D. Nenov	Min pt size*: 9 pt	3.	3.
Revision Date:			4.
Revised by:			5.
			6.

teva

avstudio@tevapharm.com

*Note that smaller packaging dimensions may result in lower point size than your required font size.

Supplier Instructions Artwork, text and content must NOT be altered. The only exceptions to this are: bleeds, chokes, spreads or other adjustments required for print reproduction purposes only. If you have any difficulties please contact the Teva Artwork Team. We must receive a copy of the 3rd Party Vendors Proof before final approval can be made.

100ml in amber glass bottle.

For further information, please consult your doctor or pharmacist.

PT Actavis Indonesia
Jl. Raya Bogor Km. 28, Kelurahan
Pekayon, Kecamatan Pasar Rebo
Kota Jakarta Timur, Provinsi DKI Jakarta,
Indonesia

pharma code



131451_s2

GENERAL INFORMATION

1.Black

2.

3.

4.

5.

6.



awstudio@tevapharm.com

Supplier Instructions Artwork, text and content must NOT be altered. The only exceptions to this are: bleeds, chokes, spreads or other adjustments required for print reproduction purposes only. If you have any difficulties please contact the Teva Artwork Team. We must receive a copy of the 3rd Party Vendors Proof before final approval can be made.