AMXOL

TABLETS AND SYRUP

Clears Airways and Eases Cough

COMPOSITION :

AMXOL TABLETS

Each tablet contains : **Ambroxol HCl 30 mg**

AMXOL SYRUP

Each 5 ml contains : **Ambroxol HCl 30 mg**

DOSAGE FORM AVAILABLE :

AMXOL TABLETS

Round, flat, white tablet, bisected on one face and impressed BIOLAB's logo on the obverse.

AMXOL SYRUP

A clear colorless pear-flavored solution.

ACTIONS :

AMXOL (Ambroxol Hydrochloride) is a metabolite of bromhexine, which liquefies and changes the structure of bronchial secretions. By this way it promotes the expectoration of blocked-up secretions and also eases cough.

INDICATIONS :

Acute and chronic diseases of the respiratory tract, especially in chronic bronchitis, asthmatoid bronchitis, bronchial asthma, bronchiectasis, laryngitis, sinusitis. Ambroxol hydrochloride reduces the viscosity of the sputum.

DOSAGE AND ADMINISTRATIONS :

AMXOL TABLETS

Adult : 1 tablet 3 times daily.

The therapeutic effect may be enhanced by administering 2 tablets 2 times daily. The tablets should be taken with liquid.

AMXOL SYRUP

Adults and children over 12 years : 10 ml 2 times daily.

This regimen is suitable for the therapy of acute respiratory tract disorders and for the initial treatment of chronic conditions up to 14 days.

Children 6 - 12 years : 5 ml 2 – 3 times daily.

Children 2 - 5 years : 2.5 ml 3 times daily.

Children 1 - 2 years : 2.5 ml 2 times daily.

This dosage regimen is for initial treatment; the dosage may be halved after 14 days. In acute respiratory indications, medical advice should be sought if symptoms do not improve or worsen in the course of therapy.

AMXOL TABLETS and AMXOL SYRUP can be taken with or without food.

OVERDOSAGE

No symptoms of overdosage have been reported. Should they occur, symptomatic treatment should be provided.

CONTRAINDICATIONS

AMXOL is recommended not to prescribe during the first trimester of pregnancy.

WARNING AND PRECAUTIONS

Patient being treated with AMXOL should be warned to expect an increase in the flow secretions.

Very rare cases of chronically associated severe skin impairments such as Stevens Johnson Syndrome, Toxic Epidermal Necrolysis (TEN), Erythema Multiforme (EM) and Acute Generalized Exanthematous Pustulosis (AGEP) have been reported. In most cases, these could be explained by the severity of the underlying disease or concomitant administration of another drug. In the early stages of such severe skin reactions, initially only nonspecific flu-like symptoms appear, e.g. fever, arthralgia, runny nose, cough, and sore throat. If skin or mucous membrane damage occurs, seek medical advice immediately and discontinue treatment as a precaution.

Warning for Metabisulfite :

Following oral ingestion, sodium metabisulfite is oxidized to sulfate and is excreted in the urine. Ingestion may result in gastric irritation due to liberation of sulfurous acid, while ingestion of large amounts of sodium metabisulfite can cause gastro-intestinal upsets, circulatory failure and central nervous system disturbances.

ADVERSE EFFECTS

Gastrointestinal Disorders

Frequency 1-10% : Dysgeusia, hypoesthesia, nausea

Immune System Disorders

Frequency not known : Anaphylactic reactions including anaphylactic shock.

Skin and Subcutaneous Skin Disorders

Frequency not known : Severe skin reactions (including Stevens Johnson Syndrome, Toxic Epidermal Necrolysis (TEN), Erythema Multiforme (EM) and Acute Generalized Exanthematous Pustulosis (AGEP).

STORAGE

AMXOL TABLETS

Store in a cool dry place at temperature not exceeding 30°C.

Protect from light and moisture.

The shelf-life period is 5 years.

AMXOL SYRUP

Store in a cool dry place at temperature not exceeding 30°C.

Protect from light and excessive heat.

The shelf-life period is 3 years.

SUPPLY :

AMXOL TABLETS : Pack of 50 x 10 Tablets.

AMXOL SYRUP : Bottle of 60 ml.

Date of Revision

March 2023

BIOLAB

Manufactured by

BIOLAB CO., LTD.

625 Bangpoo Industrial Estate,

Samutprakarn, Thailand

EET149/C

Note :

Draft Rev. 0 = Warning

Draft Rev. 1 = แก้ไขคำผิด

Draft Rev. 2 = เพิ่มข้อความ "severe skin reactions"

Draft Rev. 3 = แก้ไขคำผิด

Draft Rev. 4 = แก้ไขข้อความในหัวข้อ DOSAGE AND ADMINISTRATIONS

Draft Rev. 5 = เปลี่ยน Font ตัวหนังสือ จาก "Arial" เป็น "PSL Text Pro" (22/03/23)

- Final art work B

○ ลูกค้าพิจารณาอนุมัติต้นฉบับร่าง ○ ทำเสนอราคา

☑ RA ขึ้นทะเบียน ○ ส่งพิมพ์

Color Guide

BLACK 100%

BIOLAB

Code : EET149/C	Draft Revision : 5	Final Artwork Revision : B
Name : EET149-C_Rev.B_Leaflet_Amxol TAB&SYRUP_MAL.ai		
Remark :		

Design by	Review by QCP	Approved by QCP
Signature Date	Signature Date	Signature Date

Review by RA	Approved by RA
Signature Date	Signature Date

Specification

Size : 100 x 275 MM. (+/- 3 MM.)

Color : พิมพ์ 1 สี คือ สีดำ

Material : ใช้กระดาษปอนด์ น้ำหนัก 55 แกรม

Other :