

JUYANKO CREAM
(Antiseptic)**Active Ingredient:**

Chlorhexidine Gluconate 20% Solution 1%w/w
Preservatives -
Methyl Hydroxybenzoate 0.1%w/w
Propyl Hydroxybenzoate 0.01%w/w

Presentations:

Tubes of 10g and 15g.

Product Descriptions:

White smooth cream.

Pharmacology:

Chlorhexidine is effective against a wide range of vegetative Gram positive and Gram negative bacteria. It is ineffective against acid-fast bacteria, bacterial spores, fungi and viruses. It is more effective against Gram positive than Gram negative bacteria, some species of *Pseudomonas* and *Proteus* being relatively less susceptible. Chlorhexidine is most active at a neutral or slightly alkaline pH, but its activity is reduced by blood and other organic matter.

Indications:

Antiseptic cream for insect bites, skin rashes, cuts and abrasions. Upon application, it produces a feeling of coolness and relieves discomfort.

Directions of Use:

Apply to the affected area 2 to 3 times per day.

Symptoms and Treatments of Overdose:

Poisoning has not been reported. Gastric lavage is probably advisable using milk, egg white, gelatin or mild soap. However, systemic effects are unlikely as Chlorhexidine taken orally is poorly absorbed.

Warning:

This product is contraindicated in children under 2 years of age. Caution must be exercised when older children are treated.

Precautions:

For external use only. Avoid in contact with eyes, nose and mouth. Not to be taken.

Juyanko Cream contains chlorhexidine. Chlorhexidine is known to induce hypersensitivity, including generalised allergic reactions and anaphylactic shock. The prevalence of chlorhexidine hypersensitivity is unknown, but available literature suggests this is likely to be very rare. Juyanko Cream should not be administered to anyone with a possible history of an allergic reaction to chlorhexidine. If any signs or symptoms of a suspected hypersensitivity reaction such as itching, skin rash, redness, swelling, breathing difficulties, light headedness, and rapid heart rate develop, immediately stop using the product. Appropriate therapeutic countermeasures must be instituted as clinically indicated.

It is dangerous to place any camphor containing product into the nostrils of children. A small amount applied this way may cause immediate collapse.

If symptoms persist, please consult a doctor.

Undesirable Effects:

Immune system disorders

Frequency not known: Hypersensitivity including anaphylactic shock.

Storage:

Store below 30°C. Protect from light. Keep cap tightly closed.

Keep out of reach of children.

Jauhkan daripada capaian kanak-kanak.

Shelf Life:

3 years from the date of manufacture.

Manufacturer and Product Registration Holder

WINWA MEDICAL SDN. BHD.

198101009677(75794-A)

1952, Lorong I.K.S. Bukit Minyak 3,

Taman I.K.S. Bukit Minyak,

14000 Bukit Mertajam,

Pulau Pinang, Malaysia.

MAL19912795XZ

Date of Revision: 16 June 2026

X.EJY-I.07

Size: 55mm x 85mm
 Dark Blue (Pantone 2767U)