

PACKAGE INSERT

DICOMET CZ CREAM

Containing:- Dimethicone 20% w/w
Calamine 4% w/w
Zinc Oxide 3% w/w

Product Description:

Pale pink to cream coloured smooth cream.

Pharmacodynamics:

Activated dimethicone is water repellent and has a low surface tension. Due to its skin adherent and water repellent properties, it forms a protective film covering the affected areas. Calamine is zinc oxide coloured with ferric oxide. It has a mild astringent action on the skin. Zinc oxide also has mild astringent property. It is used to cover and to protect epithelial surfaces, ulcers and wounds. Being astringents they have a very low cell penetrability that the action is essentially limited to the cell surface and the interstitial spaces. The permeability of the cell membrane is reduced, but the cells remain viable. The astringent action is accompanied by contraction and wrinkling of the tissue and by blanching. The cement substance of the capillary endothelium is hardened so that pathological transcapillary movement of plasma protein is inhibited and local oedema, inflammation and exudation are thereby reduced.

Pharmacokinetics:

Physiologically, dimethicone is extremely inert and its absorption has not been observed. Calamine and zinc oxide are also inert and acts superficially only. They are also not absorbed to any appreciable extent.

Indication:

It is indicated for the prevention and treatment of dermatitis, eczema, nappy rash and bedsores.

Recommended Dosage:

Sufficient cream should be applied to cover the affected areas twice daily or as directed by the doctor.

Route of Administration:

Topical

Contraindications:

It is contraindicated in patients who have shown hypersensitivity to any of its ingredients.

Warnings and Precautions:

For external use only.

It should not be applied where free drainage is necessary or inflamed or abraded skin. Avoid getting the application into the eyes. It may be irritant to the eyes.

Interactions with Other Medicaments:

No known drug interaction.

Pregnancy and Lactation:

No data available.

Side Effects:

No adverse effects arising from the topical application of dimethicone or calamine or zinc oxide have been reported.

Symptoms and Treatment of Overdose:

Overdosage arising from topical application is extremely remote. As the product is inert, side effects, if any, arising from accidental oral overdosage, may not be serious. If any discomfort is encountered, general measures to hasten the elimination of the drug from the gastrointestinal system is suggested. Other supportive measures providing symptomatic relief are also recommended.

Storage Conditions:

Store at or below 30°C.

Pack size:

A tube of 15g, 30g, 50g and 60g.

Shelf-life:

3 years.

FURTHER INFORMATION CONCERNING THIS DRUG CAN BE OBTAINED FROM YOUR FAMILY PHYSICIAN/LOCAL GENERAL PRACTITIONER/PHARMACIST.

Manufacturer & Product Registration Holder:

SUNWARD PHARMACEUTICAL SDN. BHD.

No. 9, 11 & 17, Jalan Kempas 4,
Taman Perindustrian Tampoi Indah,
81200 Johor Bahru, Johor, Malaysia.

EL207A-R7
Revision Date: 11/08/2025