

PRODUCT LITERATURE

KALMINE LOTION

Each 100 ml contains

Calamine	6.8% w/v
Zinc Oxide	6.8% w/v

Preservatives

Phenol	0.152%v/v
--------	-----------

Description

Pink coloured viscous lotion with menthol odour.

Pharmacodynamic properties

Calamine has a mild astringent on the skin and is used to relieve the discomfort of dermatitis.

Calamine lotion cools the skin by evaporation and is useful for allaying the pain and swelling of sunburn.

Zinc oxide is applied externally as a mild astringent for the skin and protective application in eczema and as a protective for slight excoriations.

Pharmacokinetics properties

Physicochemical characteristics:

Calamine consists of a mixture of zinc oxide (not less than 98% and not more than 100.5%) and a small proportion of ferric oxide.

Mechanism of action/Effect:

Unknown.

Absorption:

Calamine applied topically is not absorbed through the skin

Indication

Mild astringent, used for minor skin irritation sunburn & pruritic. Soothes and relieves nappy rashes prickly heat, insect bites and sunburn.

Recommended Dose

Apply a thin film over the affected part 2 or 3 times a day.

Route of Administration

Topical

Contraindications

Known hypersensitivity to any of the ingredients.

Warning and Precautions

Appropriate studies on the relationship of age to the effects of calamine have not been performed in the pediatric and geriatrics population. However, no pediatrics-specific, geriatrics-specific problems have been documented to date.

Precautions while using this medication

Discontinuing use and checking with physician if condition worsens, or does not improve within 7 days, or if rash, irritation, or sensitivity develops. Do not use on broken skin.

Interactions with Other Medicaments

None

Pregnancy and Lactation

No evidence has been found as to the safety of the product when used during pregnancy and lactation. However, the product has been used for many years without any apparent ill effects.

Breast-feeding

Problems in humans have not been documented.

Side Effects

Occasional hypersensitivity or irritant reactions.

Symptoms and Treatment of Overdose

If accidentally ingested treat symptomatically.

Overdose is considered unlikely with this product. However, if large quantities have been ingested, vomiting, inflammation of mucous membranes of the mouth and stomach, weakness, mental confusion, cold sweats, depression of pulse and leg cramps may occur. Where phenol has been swallowed it may be necessary to empty the stomach by aspiration and lavage.

Castor oil or olive oil may be added to the water to dissolve the phenol and delay absorption: 50ml of oil may be left in the stomach. The patient should be kept warm and pulmonary oedema, systemic acidosis, respiratory failure and circulatory failure should be treated symptomatically. Respiration may have to be assisted.

Packing

Packed in plastic container of 60 ml, 100 ml and 120ml.

Storage Condition

Store below 30°C in a dry place, protected from direct light. Keep away from reach of children

FOR EXTERNAL USE ONLY

SHAKE WELL BEFORE USE

Shelf Life

2 years from date of manufacture

Name and Address of Distributors

ZONTRON PHARMACEUTICALS SDN BHD.

(445695-T)

Lot 10 & 11, PERDA Industrial Park, Lorong IKS Simpang Ampat B, 14100 Simpang Ampat, S.P.S.,
Pulau Pinang, Malaysia

Product Registration Holder / Manufacturer

TERAPUTICS SDN. BHD. (590500-W)

Lot 10 & 11, PERDA Industrial Park, Lorong IKS Simpang Ampat B, 14100 Simpang Ampat, S.P.S.,
Pulau Pinang, Malaysia

Malaysian Drug Registration No.: MAL19940186XCZ

Date Revision: 18/10/2023