



Important information. Please read carefully.

Univate[®]

Cream / Ointment

COMPOSITION

Univate Cream contains Clobetasol Propionate 0.05% w/w in a non-greasy water miscible cream. Chlorocresol 0.15% w/w as preservative

Univate Ointment contains Clobetasol Propionate 0.05% w/w in a fatty basis.

PROPERTIES

Clobetasol Propionate is a potent synthetic corticosteroid with anti-inflammatory, antipruritic and vasoconstrictive properties.

INDICATIONS

Univate is indicated for the treatment of severe inflammatory skin disorders such as eczema, discoid lupus erythematosus, psoriasis, lichen planus and other conditions or in patients which do not respond to less potent corticosteroids.

DOSAGE AND ADMINISTRATION

For external use only. Apply sparingly onto the affected area 1 to 2 times a day. When a favourable response is obtained, reduce application gradually and eventually discontinue.

CONTRAINDICATIONS

Univate should not be used for acne, rosacea or on areas around the mouth; viral skin infections e.g. herpes simplex (cold sores) and chickenpox; fungal infections e.g. candidiasis; bacterial infections; in patients with a history of sensitivity to any of its components. The use of **Univate** is not indicated in the treatment of perianal and genital pruritus and dermatoses in children under one year of age, including dermatitis and napkin eruption.

WARNINGS AND PRECAUTIONS

If irritation develops with the use of **Univate**, treatment should be discontinued and appropriate therapy instituted.

Do Not Use UNIVATE:

- For prolonged period
- For extensive body surfaces
- Together with occlusive dressings
- In children and infants
- In areas where the skin is thinner eg. Eyes, face, in the anogenital region
- On broken or infected skin including cold sores, acne and athlete's foot

as systemic absorption may occur.

Avoid indiscriminate use in pruritus as a rebound exacerbation of the condition may occur when treatment is stopped.

Appropriate antimicrobial therapy should be used whenever treating inflammatory lesions which have become infected. Any spread of infection requires withdrawal of topical corticosteroid therapy and systemic administration of antimicrobial agents.

Visual disturbance may be reported with systemic and topical corticosteroid use. If a patient presents with symptoms such as blurred vision or other visual disturbances, the patient should be considered for referral to an ophthalmologist for evaluation of possible causes which may include cataract, glaucoma or rare

diseases such as central serous chorioretinopathy (CSCR) which have been reported after use of systemic and topical corticosteroids.

DRUG INTERACTIONS

Topical application of **Univate** is not likely to produce significant drug interactions. Concurrent use of barbiturates, phenytoin, or rifampicin may enhance the metabolism and decrease the effect of corticosteroids.

USAGE DURING PREGNANCY

The safe use of topical corticosteroids in pregnancy has not been established, avoid excessive or prolonged use.

SIDE EFFECTS

Univate is generally well tolerated when used for short durations and over small areas. If application of more than 50g per week is used, clobetasol, being a potent corticosteroid, is likely to produce the severe side effects associated with steroid use such as pituitary-adrenal axis suppression. Local side effects may include spread of local infections, thinning of the skin, irreversible striae atrophicae, increased hair growth, acne, mild depigmentation and growth of vellus hair and perioral dermatitis in young women, particularly when occlusive dressing are used or when skin folds are involved. Use of occlusive dressing increases the absorption of topical corticosteroids. In infants, the napkin may act as an occlusive dressing. Blurred vision may occur.

SYMPTOMS AND TREATMENT FOR OVERDOSAGE

Overdosage of corticosteroids may cause adrenal atrophy and show signs of Cushing's syndrome, with moon face, striae, acne and buffalo hump. Treatment is symptomatic. Where possible, the drug should be slowly withdrawn.

SHELF LIFE

The expiry date is indicated on the packaging.

PRESENTATION

- Univate Cream** : White, odourless, water-miscible cream in tubes of 15g
- Univate Ointment** : White, smooth, homogeneous fatty basis ointment in tubes of 15g,

STORAGE

Store below 30°C.

KEEP OUT OF REACH OF CHILDREN

JAUHI DARI KANAK-KANAK

For further information, please consult your pharmacist or physician.

Revision Date : 27-Nov-2019

Manufactured and Marketed by

Xepa-Soul Pattinson (Malaysia) Sdn Bhd

1-5 Cheng Industrial Estate, 75250 Melaka, Malaysia