



FUSIDIC ACID CREAM

COMPOSITION:

Fusidic Acid (micronised) 2.0% w/w

Chlorocresol 0.1% w/w as preservative.

PRESENTATION:

A white, water-miscible cream.

INDICATIONS:

Skin infection caused by *Staphylococci* and other susceptible or fusidic - sensitive organisms.

PHARMACOLOGY:

Fusidic acid penetrates normal or inflamed skin. Oral suspension of fusidic acid are less well absorbed compared with sodium fusidate. Once absorbed, fusidate is widely distributed into tissues and body fluids, including bone, pus and synovial fluid. It has been found in the foetal circulation and in breast milk. 95% or more of fusidate in the circulation is bound to plasma protein.

DIRECTION FOR USE:

For external use only.

Apply a thin layer of the cream to the affected area 2 - 3 times a day.

CONTRAINDICATION:

Contraindicated in patients known to be hypersensitive to fusidic acid. Infection caused by non-susceptible organism. Application to eyes.

PRECAUTION:

Repeated topical use of the cream may lead to problems of resistance.

Use in Pregnancy and Lactation:

The safety of the use during pregnancy and lactation has not been fully established. Therefore, they should not be used extensively on pregnant and lactating patients, in large amounts or for prolonged periods of time.

SIDE EFFECTS:

Hypersensitivity reactions in the form of rashes and irritation may occur after the topical administration of the cream. It should be avoided in patients known to be hypersensitive to fusidic acid or its derivatives.

DRUG INTERACTIONS:

No known drug interaction to date.

OVERDOSAGE & TREATMENT:

Overdosage is unlikely to occur when fusidic acid is applied topically.

STORAGE:

Keep container well closed. Store below 30°C. Protect from light.

KEEP OUT OF REACH OF CHILDREN JAUHI DARI KANAK-KANAK

PACK QUANTITIES:

Available in aluminium tube of 5gm.

Further information can be obtained from pharmacist, physician or the manufacturer.

MAL19992397AZ



Kotra Pharma (M) Sdn. Bhd.
No.1, 2 & 3, Jalan TTC 12, (90082-V)
Cheng Industrial Estate,
75250 Melaka, Malaysia.

PMSPAAXC03906 - 260917(00)



FUSIDIC ACID CREAM

COMPOSITION:

Fusidic Acid (micronised) 2.0% w/w

Chlorocresol 0.1% w/w as preservative.

PRESENTATION:

A white, water-miscible cream.

INDICATIONS:

Skin infection caused by *Staphylococci* and other susceptible or fusidic - sensitive organisms.

PHARMACOLOGY:

Fusidic acid penetrates normal or inflamed skin. Oral suspension of fusidic acid are less well absorbed compared with sodium fusidate. Once absorbed, fusidate is widely distributed into tissues and body fluids, including bone, pus, and synovial fluid. It has been found in the foetal circulation and in breast milk. 95% or more of fusidate in the circulation is bound to plasma protein.

DIRECTION FOR USE:

For external use only.
Apply a thin layer of the cream to the affected area 2 - 3 times a day.

CONTRAINDICATION:

Contraindicated in patients known to be hypersensitive to fusidic acid. Infection caused by non-susceptible organism. Application to eyes.

PRECAUTION:

Repeated topical use of the cream may lead to problems of resistance.

Use in Pregnancy and Lactation:

The safety of the use during pregnancy and lactation has not been fully established. Therefore, they should not be used extensively on pregnant and lactating patients, in large amounts or for prolonged periods of time.

SIDE EFFECTS:

Hypersensitivity reactions in the form of rashes and irritation may occur after the topical administration of the cream. It should be avoided in patients known to be hypersensitive to fusidic acid or its derivatives.

DRUG INTERACTIONS:

No known drug interaction to date.

OVERDOSAGE & TREATMENT:

Overdosage is unlikely to occur when fusidic acid is applied topically.

STORAGE:

Keep container well closed. Store below 30°C. Protect from light.

**KEEP OUT OF REACH OF CHILDREN
JAUHI DARI KANAK-KANAK****PACK QUANTITIES:**

Available in aluminium tube of 5gm and 15gm.

Further information can be obtained from pharmacist, physician or the manufacturer.

MAL19992397AZ



Kotra Pharma (M) Sdn. Bhd.
No.1, 2 & 3, Jalan TTC 12, (90082-V)
Cheng Industrial Estate,
75250 Melaka, Malaysia.

REGN - 260918