

A To Z Kid's Vitamin C (Orange)

Appeton A To Z Kid's Vitamin C (Orange)

PRESENTATION:

Orange colored, oranged flavoured rectangular chewable tablet with alphabet letter embossed on one side and engraved on the other side.

COMPOSITION:

Each tablet contains :
Vitamin C 30mg (USRDA 75%)

INDICATION:

As a health supplement.

DOSAGE:

Children (2-6 years old): 2 - 6 tablets, twice a day before/with meal.

SIDE EFFECT:

Vitamin C is usually well tolerated. Large doses may cause diarrhoea, gastrointestinal disturbances, and renal calculi.

PRECAUTION:

It should be given with care to patient with hyperoxaluria. Tolerance may be induced in patients taking high doses. Unsuitable for phenylketonurics.

PACKING:

Available in amber glass bottle of 20's, 60's and 100's.

STORAGE:

Keep container well closed. Store below 30°C. Protect from light and moisture.

KEEP OUT OF REACH OF CHILDREN

Further information can be obtained from pharmacist, doctor or the manufacturer.

Appeton A To Z Kid's Vitamin C (Orange)

CIRI—CIRI FIZIKAL:

Tablet kunyah berbentuk empat-segi, berwarna dan berperisa oren dengan huruf.

KANDUNGAN:

Setiap tablet mengandung:
Vitamin C 30mg (USRDA 75%)

INDIKASI:

Sebagai suplemen kesihatan.

SUKATAN:

Kanak-kanak (2-6 tahun): 2 - 6 biji, dua kali sehari sebelum / semasa makan.

KESAN SAMPINGAN:

Vitamin C selalunya bertoleransi baik. Sukatan berlebihan boleh menyebabkan cirit-birit, gangguan terhadap gastrointestinal dan renal kalkuli.

PERHATIAN:

Ia mesti diberi secara berhati-hati kepada pesakit yang menghadapi hyperoxaluria. Toleransi akan meningkatkan pada pesakit yang mengambil sukatan yang tinggi. Tidak sesuai untuk phenylketonurics.

KUANTITI PEMBUNGKUSAN:

Terdapat di dalam botol kaca sebanyak 20 biji, 60 biji dan 100 biji.

PENYIMPANAN:

Bekas mesti ditutup rapi. Simpan di bawah suhu 30°C. Lindungi dari cahaya dan kelembapan.

JAUHI DARI KANAK-KANAK

Keterangan lanjut boleh didapati dari ahli farmasi, doktor atau pengilang.

Appeton A To Z Kid's Vitamin C (Orange)

外形:

橙色, 鲜橙口味, 英文字母方形口嚼锭。

成份:

每粒含:
维他命C30毫克(USRDA 75%)

适应:

健康营养补充剂。

剂量:

儿童(二至六岁): 二至六粒, 每日2次, 饭前或饮食间服用。

副作用:

高剂量会产生腹泻, 肠胃不适及肾结石。

注意:

高草酸盐尿的病患, 必须小心使用。高剂量会产生耐受性。苯酮尿症患者不适合服用。

包装:

20, 60及100粒玻璃瓶装。

贮藏:

将瓶盖盖好, 贮藏于30°C以下, 避免阳光照射和防潮。

置於儿童取不到之处。

欲知详情, 请咨询药剂师, 医生或制造商。