

Vime B.COMPLEX plus C

Solution for injection

COMPOSITION

Thiamine Hydrochloride.....	35 mg
Riboflavin Sodium Phosphate.....	0.5 mg
Pyridoxine Hydrochloride.....	7 mg
Nicotinamide.....	23 mg
Ascorbic Acid.....	70 mg
Water for injection qs. to.....	1 mL

DESCRIPTION: The finished product is yellow transparent solution.

PHARMACOLOGICAL PROPERTIES

Thiamine Hydrochloride (Vitamin B₁) acts as a co-enzyme in the breakdown of glucose and glycogen. Riboflavin Sodium Phosphate (Vitamin B₂) is phosphorylated to form the co-enzymes Riboflavin-5-phosphate and Flavin Adenine Dinucleotide (FAD) which act as hydrogen recipients and donors.

Pyridoxine Hydrochloride (Vitamin B₆) is converted to pyridoxal phosphate which functions as a co-enzyme with the transaminases and decarboxylases in the metabolism of proteins and amino acids. Nicotinamide is converted into the essential co-enzymes Nicotinamide Adenine Dinucleotide (NAD) and Nicotinamide Adenine Dinucleotide Phosphate (NADP).

Vitamin C (Ascorbic Acid) is involved in the conversion of folic acid to tetrahydrofolic acid and the conversion of proline to hydroxyproline which is essential to the formation of collagen.

TARGET SPECIES: Horses, cattle, sheep

INDICATION

For the treatment of cerebrocortical necrosis in cattle and sheep, the treatment of bracken poisoning in horses and for the treatment of Vitamin B deficiencies in horses, cattle and sheep.

ROUTE OF ADMINISTRATION

Administer by subcutaneous, deep intramuscular or slow intravenous injection.

RECOMMENDED DOSE

The dose should be repeated daily as required. Normal aseptic precautions should be observed.

Horses, cattle: 20-30 mL



Calves, foals: 5-10 mL

Sheep: 5-10 mL

If dose volume exceeds 20 mL, it should be divided and injected into two sites.

CONTRAINDICATIONS

Anaphylactic reactions, particularly in the horse, may occur following intravenous administration. When this route is used, the product should be given slowly and may be diluted with sterile saline or dextrose saline solution.

INTERACTION WITH OTHER MEDICINAL PRODUCTS: None

PREGNANCY AND LACTATION: Vime B.Complex plus C Solution for injection can be safely administered to pregnant and lactating animals.

SYMPTOMS AND TREATMENT OF OVERDOSE: Not applicable.

WARNINGS & PRECAUTIONS

Special Warnings for each target species: None

Special precautions for use

1. Special precautions for use in animals: None
2. Special precautions to be taken by the person administering the veterinary medicinal product to animals

Care should be taken to avoid accidental self-injection. Wash hands after use.

- Keep out of reach of children
- Jauhkan daripada kanak-kanak

ADVERSE REACTIONS

There may be slight irritation at the injection site when the product is given by the subcutaneous or intramuscular routes.

STORAGE: Store in a dry place not exceeding 30°C. Protect from light.

SHELF LIFE: 2 years

SHELF LIFE AFTER OPENING: 24 hours

WITHDRAWAL PERIOD

Meat: Zero days

Milk: Zero hours

PACKAGING: 100 mL

REVISED DATE: April 14, 2020



Manufactured by:
Vemedim Veterinary Drugs and Probiotics Co., Ltd
(Vemedim Animal Health)
Song Hau Industrial Zone, Chau Thanh District, Hau
Giang Province, Vietnam

Product Registration Holder: **Vemedim Sdn Bhd**
15, Jalan USJ 1/31, 47600 Subang Jaya,
Selangor Darul Ehsan, Malaysia
Tel: (603)80247118 Fax: (603) 80247168