

Jardin Septicide CHG Hand Sanitizer

Description

Jardin Septicide CHG is a light pink solution, slight alcohol and lavender odour containing:

- Chlorhexidine Gluconate 0.5% w/v
- Isopropyl alcohol 77% w/v

Pharmacodynamic

Bisbiguanide antiseptics exert their lethal effect upon bacterial cells through non-specific interaction with acidic phospholipids of the cell membranes. Since there is little percutaneous absorption of isopropyl alcohol or chlorhexidine gluconate, pharmacodynamic studies have not been undertaken.

Pharmacokinetic

There is little absorption of isopropyl alcohol or chlorhexidine gluconate through intact skin. Pharmacokinetic studies have not been conducted with the product.

Indications

Non-rinse hand sanitizer for hand hygiene when soap and water not available.

Dose/Use Instruction

Apply 3-5 ml (1 pump) onto hand and rub until dry. After 10 applications, it is advisable to wash hands with soap and water.

Mode of Administration

Topical

Contraindications

Known hypersensitivity to Jardin Septicide CHG or any of its components, especially in those with a history of possible chlorhexidine-related allergic reactions.

Warnings and Precautions

For external use only

Flammable: keep away from fire or flame.

Keep out of eyes, ears, and mouth. If contact occurs in any of these areas, rinse with cold water right away, consult your physician immediately.

Keep medicine out of reach of child.

Jardin Septicide CHG contains chlorhexidine. Chlorhexidine is known to induce hypersensitivity, including generalised allergic reactions and anaphylactic shock. The prevalence of chlorhexidine hypersensitivity is unknown, but available literature suggests this is likely to be very rare. Jardin Septicide CHG should not be administered to anyone with a possible history of an allergic reaction to chlorhexidine.

If any signs or symptoms of a suspected hypersensitivity reaction such as itching, skin rash, redness, swelling, breathing difficulties, light headedness, and rapid heart rate develop, immediately stop using the product. Appropriate therapeutic countermeasures must be instituted as clinically indicated.

Interactions With Other Medications

Chlorhexidine salts are incompatible with soaps and other anionic material. Activity may be reduced in the presence of suspending agents such as alginates and tragacanth, insoluble powders such as kaolin, and insoluble compounds of calcium, magnesium and zinc. Isopropyl alcohol should not be brought into contact with

some vaccines and skin test injections (patch test). If in doubt, consult the vaccine manufacturers literature. Isopropyl alcohol also is known to be incompatible with the oxidizing agents such as hydrogen peroxide and nitric acid, which may cause decomposition.

Usage During Pregnancy And Lactation

No special precautions need to be taken when used in pregnancy and lactation.

Side Effects / Adverse Reactions

Immune system disorder

Frequency not known: Hypersensitivity including anaphylactic shock.

Overdose and Treatment

There are no reports of this occurring and the nature of the product makes it unlikely. Chlorhexidine gluconate taken orally is poorly absorbed into the blood. Accidental ingestion may require appropriate gastric lavage using milk, egg white, gelatine or mild soap.

Storage Conditions

Store below 30°C, protect from heat, flames and sunlight.

Dosage Forms

Solution.

Packaging

500 ml HDPE bottle with HDPE pump dispenser.

Shelf Life

24 months.

Product Registration Holder

Jardin Manufacturing Sdn. Bhd,
No. 12-1, Jalan Delta U6/19,
Sunway Subang Business Park,
Jalan TUDM, 40150 Shah Alam, Selangor.

Manufacturer

Jardin Manufacturing Sdn. Bhd,
Lot 1, 2, 3 & 4,
Kawasan Industri Batu 7,
23000 Dungun,
Terengganu, MALAYSIA.