

DIAZON 2% w/w Cream**ANTIFUNGAL (TOPICAL)**

Each 100 g contains:
Ketoconazole 2 g (2% w/w)

PRODUCT DESCRIPTION:

White, odorless, smooth, viscous cream

MECHANISM OF ACTION:**Pharmacology**

Fungistatic; may be fungicidal, depending on concentration; azole antifungals interfere with cytochrome P450 enzyme activity, which is necessary for the demethylation of 14-alpha-methylsterols to ergosterol. Ergosterol, the principal sterol in the fungal cell membrane, becomes depleted. This damages the cell membrane, producing alterations in membrane functions and permeability. In *Candida albicans*, azole antifungals inhibit transformation of blastospores into invasive mycelial form.

High dose Ketoconazole therapy can interfere with conversion of lanosterol to cholesterol, a major precursor of several hormones. It has been shown to suppress corticosteroid secretion and lower serum testosterone concentrations, which return to baseline values when Ketoconazole is discontinued.

Pharmacokinetics

Absorption: After a single topical application of Ketoconazole cream to the chest, back, and arms of normal volunteers, systemic absorption of Ketoconazole was not detected during the following 72 hour period, using a minimum detection level of 5 nanograms per mL in blood.

INDICATION:

Tinea corporis; Tinea cruris (treatment) - Ketoconazole cream is indicated as a primary agent in the topical treatment of Tinea corporis (ringworm of the body) and Tinea cruris (ringworm of the groin; jock itch) caused by *Trichophyton rubrum*, *Trichophyton mentagrophytes*, and *Epidermophyton floccosum* (*Acrothesium floccosum*).

Tinea pedis (treatment) - Ketoconazole cream is indicated as primary agent in the topical treatment of Tinea pedis (athlete's foot)

Pityriasis versicolor (treatment) - Ketoconazole cream is indicated as primary agents in the topical treatment of Pityriasis versicolor (Tinea versicolor; "sun fungus") caused by *Malassezia furfur* (*Pityrosporon orbiculare*)

Candidiasis, cutaneous (treatment) - Ketoconazole cream is indicated as a primary agent in the topical treatment of cutaneous candidiasis caused by *Candida species*.

Dermatitis, seborrheic (treatment or prophylaxis) - Ketoconazole cream is indicated in the treatment of seborrheic dermatitis.

DOSAGE AND ADMINISTRATION:

Topical

Usual adult and adolescent dose

Tinea corporis; Tinea cruris; Tinea pedis; Pityriasis versicolor - To the affected skin and surrounding areas, once a day.

Candidiasis, cutaneous - To the affected skin and surrounding areas, once a day. More resistant cases may require twice a day treatment.

Seborrheic dermatitis - To the affected skin and surrounding areas, two or three times a day.

Usual pediatric dose

Safety and efficacy have not been established.

PRECAUTION:

Not for ophthalmic use.

Use in pregnancy and lactation*

After topical application, Ketoconazole cream is not systematically absorbed and does not produce detectable plasma concentrations. However, as with any medication, Ketoconazole cream should only be used in pregnant women if its use is considered essential by a doctor. Since no Ketoconazole is detected in plasma following topical administration, use of Ketoconazole cream is not contraindicated for breast feeding women.

SIDE EFFECT:

A few instances of irritation, dermatitis and burning sensation have been observed during treatment with Ketoconazole cream.

CONTRAINDICATION:

Risk-benefit should be considered when the following medical problems exist:

Sensitivity to topical Ketoconazole

Sensitivity to sulfites present in Ketoconazole cream

OVERDOSE AND TREATMENT*:

If accidental ingestion of Ketoconazole cream occurs, an appropriate method of gastric emptying may be used if considered appropriate.

STORAGE:

Store at temperature of not more than 30°C.

DOSAGE FORM AND PACKAGING AVAILABLE:

Cream, Tube (Aluminum) 15 g

DATE OF REVISION:

June 24, 2025

Manufactured by:

UNISON LABORATORIES CO., LTD.

39 Moo 4, Klong Udomcholjorn, Muang Chachoengsao,
Chachoengsao 24000 Thailand

Product	DIAZON Cream	Code No.	IDMY 0091	Dimension	W 15 x L 27 cm.	Packaging Type	Wood Free Paper (กระดาษปลอดไม้อัด)	Thickness	60 g (0.08 mm.)
PM Specification		Designed by: (PDM, ASFD, PDCM, PDC-A, PDCM, PDC-A)		Checked by: (PDM/ASFD)		Approved by: (MD, Only Patten and Culture)		Customer/Sales Dept:	
Approved by: (Date)		LRA: (Date)		IRA: (Date)		QCC-PM: (Date)		PLC: (Date)	