

1. Package Insert

Product Name : HANA- CTC 15% G

ACTIVE INGREDIENT:

Chlortetracycline Hydrochloride 15 % w/w

PRODUCT DESCRIPTION:

Small brown to dark brown granule, not lumpy or moldy, no unpleasant odour.

PHARMACODYNAMICS:

Chlortetracycline is a natural broad spectrum antibiotic of the tetracycline group. Its activity is bacteriostatic by interfering with the protein synthesis at the S30 ribosome sub-unit. At recommended dosages it has no pharmacological effects on cardiovascular, nervous or other body systems.

PHARMACOKINETICS:

When dosed orally it is quickly absorbed into the blood stream. In-feed dosing it provides steady to near steady state plasma levels. This provides effective concentrations in various tissues, including lungs and other respiratory tissues. The major metabolite is 4-epi-chlortetracycline.

INDICATION:

For treatment and control of respiratory and systemic infections associated with organism sensitive to chlorotetracycline in poultry and swine.

TARGET SPECIES :

Swine

Poultry

DOSAGE AND ADMINISTRATION:

The recommended dose rates are as follows:

Pigs: 10–20 mg/kg bodyweight daily

Broilers: 20-30 mg/kg bodyweight daily

Layers: 20-25 mg/kg bodyweight daily

Turkeys: 10-30 mg/kg bodyweight daily

Ducks: 10-30 mg/kg bodyweight daily

These dose rates can usually be achieved by mixing 2.0 kg of HANA-CTC 15% G per tonne of complete feed to give a concentration of 300 ppm chlortetracycline hydrochloride. However, the correct incorporation rate should always be calculated based on the feed consumption rates of the animals to be treated.

The intake of medicated feed depends on the clinical condition of the animals. In order to obtain the correct dosage, the concentration of chlortetracycline has to be adjusted accordingly. To ensure thorough dispersion of the product, it should first be mixed with a suitable quantity of feed ingredients before incorporation into the final mix.

The medicated feed should be supplied to the affected pen(s) or group(s) of pigs, chickens, turkeys or ducks. Treatment should be continued for a period of five to seven days for respiratory or systemic infections. During the treatment period, only feed medicated with the product should be supplied.

CONTRAINDICATIONS:

Do not use in ruminants.

WARNINGS & PRECAUTIONS

Special warnings

None

Special precautions for use in animals

Official, national and regional antimicrobial policies should be taken into account when the product is used.

Special precautions to be taken by the person administering the veterinary medicinal product to animals

If you know you are hypersensitive (allergic) to chlortetracycline, do not handle the product. When handling this product, inhalation of the dust must be avoided by wearing a disposable half-mask respirator or a non-disposable respirator. Avoid contact with skin and eyes. Gloves should be worn whilst handling this product. If contact with skin or eyes occurs, wash area immediately with clean fresh water. If irritation persists seek medical attention.

Do not eat, drink or smoke whilst handling the product. Hands and exposed skin should be washed thoroughly after use.

INTERACTION WITH OTHER MEDICAMENTS:

Not known

PREGNANCY AND LACTATION

None known

SIDE EFFECTS:

None known.

OVERDOSE AND TREATMENT:

Chlortetracycline is of low toxicity and there is a wide safety margin at the recommended dosage. On rare occasions over dosage may cause diarrhea and over growth of yeast and fungi. Under such conditions, withdraw medication and apply appropriate treatment

WITHDRAWAL PERIOD:

Pigs	10 days
Chickens	2 days
Turkey	2 days
Ducks	4 days

Eggs: Chicken's, Turkey and Duck Eggs of treated animals should not be used for human consumption

STORAGE CONDITION;

Do not store above 25° C

NET WEIGHT : 25 Kgs

SHELF LIFE:

24 months from the date of manufacture

Manufactured by:

JINHE BIOTECHNOLOGY CO. LTD.
71 XINPING ROAD, TUOKETUO COUNTY,
INNER MONGOLIA, 010200 P.R.CHINA

Importer & Sole Distributor :

DANBERG (M) SDN BHD (58493-A)

Lot 1, Jalan Bursa 23/4,
Seksyen 23,
40300 Shah Alam,
Selangor Darul Ehsan, Malaysia.
Tel: 603-55484905

Revision date : 3 Feb 2015