

CITIFAC 15%

Chlortetracycline Feed Grade 15% Granular

Each g contains: Chlortetracycline Hydrochloride..... 150mg

Product Description

Brown to dark brown granular.

Pharmacodynamics/Pharmacokinetics/Environmental Properties

Chlortetracycline is a natural broad spectrum antibiotic of the tetracycline group.

ATC Vet Code: QJ01AA03

Chlortetracycline is a natural broad spectrum antibiotic of the tetracycline group. Its activity is bacteriostatic by interfering with the protein synthesis at the S30 ribosome sub-unit.

At recommended dosages it has no pharmacological effects on cardiovascular, nervous or other body systems.

When dosed orally it is quickly absorbed into the blood stream. In-feed dosing provides steady to near steady state plasma levels. This provides effective concentrations in various tissues, including lungs and other respiratory tissues. The major metabolite is 4-epi-chlortetracycline.

Indication and Recommended Dosage/ Mode of Administration

For pigs, chickens, turkeys and ducks:

For treatment and control of respiratory and systemic infections associated with organisms sensitive to chlortetracycline.

The recommended dose rates are as follows:

Pigs: 10–20 mg/kg bodyweight daily

Chickens: 20-30 mg/kg bodyweight daily

Turkeys: 10-30 mg/kg bodyweight daily

Ducks: 10-30 mg/kg bodyweight daily

These dose rates can usually be achieved by mixing 2 kg of the product per tonne of complete feed to give a concentration of 300 ppm chlortetracycline hydrochloride. However, the correct incorporation rate should always be calculated based on the feed consumption rates of the animals to be treated.

To ensure thorough dispersion of the product, it should first be mixed with a suitable quantity of feed ingredients before incorporation into the final mix.

The medicated feed should be supplied to the affected pen(s) or group(s) of pigs, chickens, turkeys or ducks. Treatment should be continued for a period of five to seven days for respiratory or systemic infections. During the treatment period, only feed medicated with the product should be supplied.

Contraindications

Do not use in ruminants.

Warnings and Precautions

Special precautions for use:

i)Special precautions for use in animals
None

ii)Special precautions to be taken by the person administering the veterinary medicinal product to animals

If you know you are hypersensitive (allergic) to chlortetracycline, do not handle the product. When handling the product, inhalation of the dust must be avoided by wearing a disposable half-mask respirator conforming to European Standard EN 149 or a non-disposable respirator to European Standard EN 140 with a filter to EN 143.

Avoid contact with skin and eyes.

Gloves should be worn whilst handling the product. If contact with the skin or eyes occurs, wash area immediately with clean fresh water.

If irritation persists seek medical attention.

Do not eat, drink or smoke whilst handling the product.

Hands and exposed skin should be washed thoroughly after use.

Interactions with Other Medicaments

Chlortetracycline is sometimes used in association with other antimicrobials, notably sulphadimidine, penicillin and neomycin. There are no known adverse reactions with these or any other substances.

Statement on usage during pregnancy and lactation

No problems known.

Adverse Effects/Undesirable Effects

The product is of low toxicity and side effects are rarely encountered. If suspected adverse reactions occur, treatment should be discontinued immediately.

Overdose and Treatment

Chlortetracycline is of low toxicity and there is a wide safety margin at the recommended dosage. On rare occasions overdosage may cause diarrhoea and over growth of yeast and fungi. Under such conditions, withdraw medication and apply appropriate treatment.

Withdrawal Period(s)

Meat and offal:

Pigs : 10 days

Chickens: 2 days

Turkeys : 2 days

Ducks: 4 days

Eggs:

Not authorized for use in laying birds producing eggs for human consumption.

Do not use within 14 days of the onset of laying.

Storage Condition

Store in a dry place below 30°C. Protect from direct sunlight.

Dosage Forms and packaging available

25 kg

Product Registration Holder :

PETERLABS SDN BHD

Lot 16014 (PT No. 24341). Jalan Nilam 3,

Bandar Nilai Utama, 71800 Nilai, Negeri Sembilan, Malaysia

Manufactured by:

Zhumadian Huazhong Chia Tai Co.,Ltd.

Leshan Road No.2019, Zhumadian,

Henan 463000, P.R.China

Date of Revision of Package Insert : August 28, 2017