

NP GENTAMICIN CREAM 0.3% W/W

DESCRIPTION

A white soft cream free from foreign matter.

COMPOSITION

Gentamicin sulphate equivalent to 0.3 % w/w gentamicin base.

PHARMACODYNAMICS

Gentamicin is an aminoglycoside antibiotic with bactericidal actions against many Gram- negative aerobes including *Pseudomonas aeruginosa*, *Proteus* species (indole-positive and indole-negative), *Escherichia coli*, *Klebsiella-Enterobacter-Serratia* species, *Citrobacter* species (coagulase-positive and coagulase-negative). It acts by inhibiting normal protein synthesis in susceptible organisms. Enterococci, streptococci and anaerobes are resistant to gentamicin.

PHARMACOKINETICS

In general, topically applied gentamicin is not absorbed systemically. However, systemic absorption of gentamicin and other aminoglycosides has been reported after topical use on denuded skin and burns.

INDICATIONS

Treatment of impetigo, erythema and other localised primary bacterial skin infection with a Gram-negative component and also for secondary bacterial infections complicating other pre-existing dermatoses.

DOSAGE AND ADMINISTRATION

Apply a small amount of cream to the affected area three or four times daily, or as directed by the doctor. The treated areas may be covered with a gauze dressing if necessary.

ROUTE OF ADMINISTRATION

Topical

SIDE EFFECTS

In general, topically applied gentamicin is not absorbed systemically. Local adverse reactions may include burning, itching, irritation and allergic contact dermatitis. If any of these reactions occur, Gentamicin Cream should be stopped immediately.

CONTRAINDICATIONS

Contraindicated in patients with known allergy or history of serious toxic reactions to gentamicin or other aminoglycosides, or to any of the components in the product.

WARNING AND PRECAUTIONS

Prolonged use of topical antibiotic may cause superinfection with resistant organism such as fungi. If this occurs, use of gentamicin should be discontinued and appropriate therapy instituted.

Use of topical gentamicin preparations in closed hospital settings is actively discouraged
--

INTERACTIONS WITH OTHER MEDICAMENTS

Gentamicin Topical Topical has no listed serious interactions with other drugs.

PREGNANCY AND LACTATION

There are no adequate and well-controlled studies in pregnant women. Gentamicin should be used during pregnancy only if the potential benefit justifies the potential risk to the fetus.

OVERDOSAGE & TREATMENT

This medicine may be harmful if swallowed. Seek emergency medical attention

STORAGE CONDITIONS

Store below 30°C.

Keep container tightly closed.

Protect from light.

PRESENTATION

Tubes of 5, 10 or 15g

MANUFACTURED BY:

NORIPHARMA SDN. BHD. 200701034604 (792633-A)

Lot 5030, Jalan Teratai, 5

1/2 Mile off Jalan Meru,

41050 Klang,

Selangor Darul Ehsan,

Malaysia.

DATE OF REVISION

October 2021