

USER INFORMATION
READ CAREFULLY

INFUSOL® W
Water for Injections BP

Composition:

Sterilised Water for Injections BP

Characteristics:

A clear, colourless and practically free from suspended particles.

Pharmacodynamics:

Water for Injections has no pharmacological properties. Generally used as diluents for other drugs or for irrigation purpose only.

Pharmacokinetics:

Water excess in body gets excreted out through respiration, urine and sweat.

Indication:

Sterilised water for injections is generally used as diluents for other drugs.

Recommended Dosage:

Water for Injections when used only as a diluent, its dose will depend upon the main drug along with which it is being coadministered as a diluent.

Route of administration: Intravenous (IV)

Warnings and Precautions:

Not applicable

Cautions:

Single dose container. Discard all unused contents. Do not use if leakage is detected. If any visible solid particles, growth or turbidity appears during storage, the product should not be used.

Shelf Life:

5 years from manufacturing date in proper storage condition in LDPE Bottle.

5 years from manufacturing date in proper storage condition in LDPE Ampoule.

Do not use after expiry.

Storage condition:

Do not store above 30°C.

Dosage form and packaging available:

100mL x 20 LDPE plastic bottles per Carton

500mL x 20 LDPE plastic bottles per Carton

5mL x 20 LDPE plastic ampoules per Box

10mL x 20 LDPE plastic ampoules per Box

Manufacturer / Product Registration Holder:



AIN MEDICARE SDN.BHD.



Lot 4933, 4934 & PT2464, Jalan 6/44,
Kaw. Perindustrian Pengkalan Chepa 2,
16100 Kota Bharu, Kelantan, MALAYSIA.

HANDLING INSTRUCTION

AIN MEDICARE INTRAVENOUS INFUSION FLUID IN LOW DENSITY POLYETHYLENE (LDPE) BOTTLE





The bottle is made from injectable grade polyethylene.

PARTS OF THE PLASTIC BOTTLE




Top view after pull ring cap is removed. Please refer whichever applicable design.

INSTRUCTION FOR THE USAGE OF IV ADMINISTRATION SET & ADDITION OF DRUG




HANDLING INSTRUCTION


AIN MEDICARE INJECTION SOLUTION IN LOW DENSITY POLYETHYLENE (LDPE) AMPOULE




1. Detach ampoule along parting line



2. Twist off tab



3. Attach luer lock syringe, luer slip syringe or hypodermic needle vertically to the ampoule.



4. Draw out injection fluid using luer lock syringe, luer slip syringe or hypodermic needle. Ensure the connection is tightly secured for effective aspiration of the liquid.

Date of Revision: 01.08.2021